

Prof Andrew Livingston

BEng(Hons) MSc(Economics) PhD CEng FICHEM FREng FRS

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 3006

email: a.livingston@qmul.ac.uk web: www.sems.qmul.ac.uk/a.livingston

2026

Solvent stable thin-film composite membranes with a COF interlayer for artemisinin enrichment.

. *Journal of Membrane Science* vol. 745,.Elsevier.

High-performance COF membranes prepared by an in-situ interfacial polymerization for effective pharmaceutical fractionation.

. *Journal of Membrane Science* vol. 746,.Elsevier.

Selectivity control in organic solvent nanofiltration membranes or process?.

. *Journal of Membrane Science* vol. 737,.Elsevier.

Dont go (phase) changing.

. *Nature Chemical Engineering* vol. 3, (1) 12-14.Springer Nature.

2025

Fully Liquid Phase Oligonucleotide Synthesis.

. *Organic Process Research & Development* vol. 30, (1) 98-120.American Chemical Society (Acs).

Enabling HighBoilingPoint Green Solvent Recycling Using Organic Solvent Nanofiltration Membranes.

. *Chemsuschem* vol. 18, (21).Wiley.

Advancing membrane technology in organic liquids towards a sustainable future.

. *Nature Sustainability* vol. 8, (6) 594-605.Springer Nature.

Open and FAIR data for nanofiltration in organic media: A unified approach.

. *Journal of Membrane Science* vol. 713,.Elsevier.

Separation of an azeotropic mixture through the use of organic solvent nanofiltration.

. *Separation and Purification Technology* vol. 353,.Elsevier.

2024

Exactly defined molecular weight poly(ethylene glycol) allows for facile identification of PEGylation sites on proteins.

. *Nature Communications* vol. 15, (1).Springer Nature.

Thin-film composite membranes with contorted monomer for high-flux isothermal refining.

. *Journal of Membrane Science* vol. 700,.Elsevier.

Effect of polymer molecular weight on the long-term process stability of crosslinked polybenzimidazole organic solvent nanofiltration (OSN) membranes.

. *Journal of Membrane Science* vol. 689,.Elsevier.

2023

2D Covalent Organic Framework Membranes for LiquidPhase Molecular Separations: State of the Field, Common Pitfalls, and Future Opportunities.

. *Advanced Materials* vol. 36, (1).Wiley.

2022

Anti-fouling membranes for organic solvent nanofiltration (OSN) and organic solvent ultrafiltration (OSU): graft modified polybenzimidazole (PBI).

. *Journal of Membrane Science* vol. 662,.Elsevier.

Hydrophobic polyamide nanofilms provide rapid transport for crude oil separation.

. *Science* vol. 377, (6614) 1555-1561.American Association For The Advancement of Science (Aaas).

Aligned macrocycle pores in ultrathin films for accurate molecular sieving.

. *Nature* vol. 609, (7925) 58-64.Springer Nature.

Multimodal confined water dynamics in reverse osmosis polyamide membranes.

. *Nature Communications* vol. 13, (1).Springer Nature.

Graft modification of polybenzimidazole membranes for organic solvent ultrafiltration with scale up to spiral wound modules.

. *Journal of Membrane Science* vol. 647,.Elsevier.

A smart and responsive crystalline porous organic cage membrane with switchable pore apertures for graded molecular sieving.

. *Nature Materials* vol. 21, (4) 463-470.Springer Nature.

2021

Interparticle Forces of a Native and Encapsulated Metal-Organic Framework and Their Effects on Colloidal Dispersion.

. *Acs Applied Materials & Interfaces* vol. 13, (38) 45898-45906.American Chemical Society (Acs).

Liquid Phase Peptide Synthesis via OnePot Nanostar Sieving (PEPSTAR).

. *Angewandte Chemie International Edition* vol. 60, (14) 7786-7795.Wiley.

2020

N-Aryllinked spirocyclic polymers for membrane separations of complex hydrocarbon mixtures.

. *Science* vol. 369, (6501) 310-315.American Association For The Advancement of Science (Aaas).

Nanoscale Chemical Heterogeneity in Aromatic Polyamide Membranes for Reverse Osmosis Applications.

. *Acs Applied Materials & Interfaces* vol. 12, (17) 19890-19902.American Chemical Society (Acs).

High flux thin-film nanocomposites with embedded boron nitride nanotubes for nanofiltration.

. *Journal of Membrane Science* vol. 597,.Elsevier.

Poly(piperazine trimesamide) thin film nanocomposite membrane formation based on MIL-101: Filler aggregation and interfacial polymerization dynamics.

. *Journal of Membrane Science* vol. 596,.Elsevier.

Proteins tailor pore geometry.

. *Nature Materials* vol. 19, (3) 257-258.Springer Nature.

On the influence of salt concentration on the transport properties of reverse osmosis membranes in high pressure and high recovery desalination.

. *Journal of Membrane Science* vol. 594,.Elsevier.

Low energy intensity production of fuel-grade bio-butanol enabled by membrane-based extraction.

. *Energy & Environmental Science* vol. 13, (12) 4862-4871.Royal Society of Chemistry (Rsc).

Chapter 1 Challenges and Directions for Green Chemical Engineering Role of Nanoscale Materials.

. *Sustainable Nanoscale Engineering 1-18. Elsevier.*

2019

Membrane Fouling: Does Microscale Roughness Matter?.

. *Industrial & Engineering Chemistry Research vol. 59, (12) 5424-5431. American Chemical Society (Acs).*

Reducing the Pore Size of Covalent Organic Frameworks in Thin-Film Composite Membranes Enhances Solute Rejection.

. *Acs Materials Letters vol. 1, (4) 440-446. American Chemical Society (Acs).*

Membrane Fractionation of Liquors from Lignin First Biorefining.

. *Chemsuschem vol. 12, (6) 1203-1212. Wiley.*

Author Correction: Sequence-defined multifunctional polyethers via liquid-phase synthesis with molecular sieving.

. *Nature Chemistry vol. 11, (2) 184-184. Springer Nature.*

Chapter 4 Nanofiltration in the Pharmaceutical and Biopharmaceutical Technology.

. *Current Trends and Future Developments On (Bio-) Membranes 97-121. Elsevier.*

2018

Sequence-defined multifunctional polyethers via liquid-phase synthesis with molecular sieving.

. *Nature Chemistry vol. 11, (2) 136-145. Springer Nature.*

Roll-to-roll dip coating of three different PIMs for Organic Solvent Nanofiltration.

. *Journal of Membrane Science vol. 558, 52-63. Elsevier.*

Iterative peptide synthesis in membrane cascades: Untangling operational decisions.

. *Computers & Chemical Engineering vol. 115, 275-285. Elsevier.*

Water Transport through Ultrathin Polyamide Nanofilms Used for Reverse Osmosis.

. *Advanced Materials vol. 30, (15).*

Thin Films: Water Transport through Ultrathin Polyamide Nanofilms Used for Reverse Osmosis (Adv. Mater. 15/2018).

. *Advanced Materials vol. 30, (15). Wiley.*

A robust thin film composite membrane incorporating thermally rearranged polymer support for organic solvent nanofiltration and pressure retarded osmosis.

. *Journal of Membrane Science vol. 550, 322-331. Elsevier.*

PECVD modification of nano & ultrafiltration membranes for organic solvent nanofiltration.

. *Journal of Membrane Science vol. 548, 540-547. Elsevier.*

Solvent-Free Coating of Epoxysilicones for the Fabrication of Composite Membranes.

. *Industrial & Engineering Chemistry Research vol. 57, (2) 730-739. American Chemical Society (Acs).*

A compact and scalable fabrication method for robust thin film composite membranes.

. *Green Chemistry vol. 20, (8) 1887-1898. Royal Society of Chemistry (Rsc).*

2017

Continuously Operated Hydroamination Toward High Catalytic Performance via Organic Solvent Nanofiltration in a Membrane Reactor.

. *Industrial & Engineering Chemistry Research vol. 56, (46) 13634-13641. American Chemical Society (Acs).*

Neutron Reflectivity and Performance of Polyamide Nanofilms for Water Desalination.

. *Advanced Functional Materials vol. 27, (37). Wiley.*

Probing flow activity in polyamide layer of reverse osmosis membrane with nanoparticle tracers.

. *Journal of Membrane Science* vol. 534, 9-17. Elsevier.

Implication of Side Reactions in Iterative Biopolymer Synthesis: The Case of Membrane Enhanced Peptide Synthesis.

. *Industrial & Engineering Chemistry Research* vol. 56, (23) 6796-6804. American Chemical Society (Acs).

The Selectivity Challenge in Organic Solvent Nanofiltration: Membrane and Process Solutions.

. *Annual Reviews*.

Will ultra-high permeance membranes lead to ultra-efficient processes? Challenges for molecular separations in liquid systems.

. *Journal of Membrane Science* vol. 525, 35-47. Elsevier.

Negligible ageing in poly(ether-ether-ketone) membranes widens application range for solvent processing.

. *Journal of Membrane Science* vol. 525, 48-56. Elsevier.

Membranes from academia to industry.

. *Nature Materials* vol. 16, (3) 280-282. Springer Nature.

Nanofiltration Operations in Nonaqueous Systems.

. *Comprehensive Membrane Science and Engineering* 36-78. Elsevier.

2016

Organic fouling behaviour of structurally and chemically different forward osmosis membranes A study of cellulose triacetate and thin film composite membranes.

. *Journal of Membrane Science* vol. 520, 247-261. Elsevier.

Micro-to nano-scale characterisation of polyamide structures of the SW30HR RO membrane using advanced electron microscopy and stain tracers.

. *Journal of Membrane Science* vol. 520, 465-476. Elsevier.

Controlling biofilm development in the extractive membrane bioreactor.

. *Separation Science and Technology* vol. 52, (1) 113-121. Taylor & Francis.

Researchers develop designer chemical separation membranes.

. *Membrane Technology* vol. 2016, (11). Auricle Global Society of Education and Research.

Continuous Consecutive Reactions with Inter-Reaction Solvent Exchange by Membrane Separation.

. *Angewandte Chemie International Edition* vol. 55, (43) 13576-13579. Wiley.

Continuous Consecutive Reactions with InterReaction Solvent Exchange by Membrane Separation.

. *Angewandte Chemie* vol. 128, (43) 13774-13777. Wiley.

Solvent recycle with imperfect membranes: A semi-continuous workaround for diafiltration.

. *Journal of Membrane Science* vol. 514, 646-658. Elsevier.

Organic Solvent Nanofiltration (OSN): A New Technology Platform for Liquid-Phase Oligonucleotide Synthesis (LPOS).

. *Organic Process Research & Development* vol. 20, (8) 1439-1452. American Chemical Society (Acs).

Polymer nanofilms with enhanced microporosity by interfacial polymerization.

. *Nature Materials* vol. 15, (7) 760-767.

Multi-scale modelling of OSN batch concentration with spiral-wound membrane modules using OSN Designer.

. *Chemical Engineering Research and Design* vol. 109, 385-396. Elsevier.

Hybrid polymer/MOF membranes for Organic Solvent Nanofiltration (OSN): Chemical modification and the quest for perfection.

. *Journal of Membrane Science* vol. 503, 166-176. Elsevier.

Towards improved membrane production: using low-toxicity solvents for the preparation of PEEK nanofiltration membranes.

. *Green Chemistry* vol. 18, (8) 2374-2384. *Royal Society of Chemistry (Rsc)*.

Energy consumption for desalination A comparison of forward osmosis with reverse osmosis, and the potential for perfect membranes.

. *Desalination* vol. 377, 138-151. *Elsevier*.

2015

Tunable-Porosity Membranes From Discrete Nanoparticles.

. *Scientific Reports* vol. 5, (1). *Springer Nature*.

Crosslinked polybenzimidazole membranes for organic solvent nanofiltration (OSN): Analysis of crosslinking reaction mechanism and effects of reaction parameters.

. *Journal of Membrane Science* vol. 493, 568-579. *Elsevier*.

Controlling molecular weight cut-off of PEEK nanofiltration membranes using a drying method.

. *Journal of Membrane Science* vol. 493, 524-538. *Elsevier*.

Performance of spiral-wound membrane modules in organic solvent nanofiltration Fluid dynamics and mass transfer characteristics.

. *Journal of Membrane Science* vol. 494, 8-24. *Elsevier*.

Novel MBRs for the removal of organic priority pollutants from industrial wastewaters: a review.

. *Journal of Chemical Technology & Biotechnology* vol. 90, (11) 1949-1967. *Wiley*.

Sub10 nm polyamide nanofilms with ultrafast solvent transport for molecular separation.

. *Science* vol. 348, (6241) 1347-1351. *American Association For The Advancement of Science (Aaas)*.

LiquidPhase Synthesis of 2MethylRNA on a Homostar Support through OrganicSolvent Nanofiltration.

. *Chemistry - a European Journal* vol. 21, (26) 9535-9543. *Wiley*.

Organic solvent resistant poly(ether-ether-ketone) nanofiltration membranes.

. *Journal of Membrane Science* vol. 479, 105-116. *Elsevier*.

Predictive membrane transport models for Organic Solvent Nanofiltration: How complex do we need to be?.

. *Journal of Membrane Science* vol. 476, 530-553. *Elsevier*.

Molecularly imprinted organic solvent nanofiltration membranes Revealing molecular recognition and solute rejection behaviour.

. *Reactive and Functional Polymers* vol. 86, 215-224. *Elsevier*.

Editorial Polymers for membrane applications.

. *Reactive and Functional Polymers* vol. 86. *Elsevier*.

Improving the permeance of hybrid polymer/metalorganic framework (MOF) membranes for organic solvent nanofiltration (OSN) development of MOF thin films via interfacial synthesis.

. *Journal of Materials Chemistry A* vol. 3, (18) 9668-9674. *Royal Society of Chemistry (Rsc)*.

Synthesis and characterization of branched fullerene-terminated poly(ethylene glycol)s.

. *Polymer Chemistry* vol. 6, (7) 1056-1065. *Royal Society of Chemistry (Rsc)*.

2014

Molecular Separation with Organic Solvent Nanofiltration: A Critical Review.

. *Chemical Reviews* vol. 114, (21) 10735-10806. *American Chemical Society (Acs)*.

Continuous purification of active pharmaceutical ingredients using multistage organic solvent nanofiltration membrane cascade.

. *Chemical Engineering Science* vol. 116, 183-194. *Elsevier*.

Pore preserving crosslinkers for polyimide OSN membranes.

. *Journal of Membrane Science* vol. 465, 138-150. Elsevier.

In Situ Solvent Recovery by Organic Solvent Nanofiltration.

. *ACS Sustainable Chemistry & Engineering* vol. 2, (10) 2371-2379. American Chemical Society (ACS).

Membranes: Ultrathin Polymer Films with Intrinsic Microporosity: Anomalous Solvent Permeation and High Flux Membranes (Adv. Funct. Mater. 30/2014).

. *Advanced Functional Materials* vol. 24, (30) 4728-4728. Wiley.

Beyond PEG2000: Synthesis and Functionalisation of Monodisperse PEGylated Homostars and Clickable Bivalent Polyethyleneglycols.

. *Chemistry - a European Journal* vol. 20, (32) 10038-10051. Wiley.

Polyamide thin film composite membranes on cross-linked polyimide supports: Improvement of RO performance via activating solvent.

. *Desalination* vol. 344, 181-188. Elsevier.

Racemisation of 1-Arylethylamines with Shvo-type Organoruthenium Catalysts.

. *Synlett* vol. 25, (10) 1391-1394. Thieme.

Beyond polyimide: Crosslinked polybenzimidazole membranes for organic solvent nanofiltration (OSN) in harsh environments.

. *Journal of Membrane Science* vol. 457, 62-72. Elsevier.

Ultrathin Polymer Films with Intrinsic Microporosity: Anomalous Solvent Permeation and High Flux Membranes.

. *Advanced Functional Materials* vol. 24, (30) 4729-4737. Wiley.

Controlling Crystallization via Organic Solvent Nanofiltration: The Influence of Flux on Griseofulvin Crystallization.

. *Crystal Growth & Design* vol. 14, (5) 2192-2200. American Chemical Society (ACS).

Mixed matrix membranes for organic solvent nanofiltration.

. *Journal of Membrane Science* vol. 452, 354-366. Elsevier.

Increasing the sustainability of membrane processes through cascade approach and solvent recovery pharmaceutical purification case study.

. *Green Chemistry* vol. 16, (1) 133-145. Royal Society of Chemistry (RSC).

Sustainability assessment of organic solvent nanofiltration: from fabrication to application.

. *Green Chemistry* vol. 16, (10) 4440-4473. Royal Society of Chemistry (RSC).

Fabrication of hybrid polymer/metal organic framework membranes: mixed matrix membranes versus in situ growth.

. *Journal of Materials Chemistry A* vol. 2, (24) 9260-9271. Royal Society of Chemistry (RSC).

Iterative synthesis of monodisperse PEG homostars and linear heterobifunctional PEG.

. *Polymer Chemistry* vol. 5, (3) 694-697. Royal Society of Chemistry (RSC).

2013

Use of Continuous MSMPR Crystallization with Integrated Nanofiltration Membrane Recycle for Enhanced Yield and Purity in API Crystallization.

. *Crystal Growth & Design* vol. 14, (2) 617-627. American Chemical Society (ACS).

OSN Designer, a tool for predicting organic solvent nanofiltration technology performance using Aspen One, MATLAB and CAPE OPEN.

. *Chemical Engineering Science* vol. 104, 975-987. Elsevier.

Beneath the surface: Influence of supports on thin film composite membranes by interfacial polymerization for organic solvent nanofiltration.

. *Journal of Membrane Science* vol. 448, 102-113. Elsevier.

NF in organic solvent/water mixtures: Role of preferential solvation.

. *Journal of Membrane Science* vol. 444, 101-115. Elsevier.

Experimental strategies for increasing the catalyst turnover number in a continuous Heck coupling reaction.

. *Journal of Catalysis* vol. 306, 190-201. Elsevier.

High Flux Thin Film Nanocomposite Membranes Based on MetalOrganic Frameworks for Organic Solvent Nanofiltration.

. *Journal of The American Chemical Society* vol. 135, (40) 15201-15208. American Chemical Society (Acs).

Organic Solvent Nanofiltration.

. *Encyclopedia of Membrane Science and Technology* 1-37. Wiley.

Quality by Design for peptide nanofiltration: Fundamental understanding and process selection.

. *Chemical Engineering Science* vol. 101, 200-212. Elsevier.

When the membrane is not enough: A simplified membrane cascade using Organic Solvent Nanofiltration (OSN).

. *Separation and Purification Technology* vol. 116, 277-286. Elsevier.

Nanoparticle contrast agents to elucidate the structure of thin film composite nanofiltration membranes.

. *Journal of Membrane Science* vol. 442, 107-118. Elsevier.

On the Potential of Organic Solvent Nanofiltration in Continuous Heck Coupling Reactions.

. *Organic Process Research & Development* vol. 17, (7) 967-975. American Chemical Society (Acs).

ChemInform Abstract: Efficient and Productive Asymmetric Michael Addition: Development of a Highly Enantioselective QuinidineBased Organocatalyst for Homogeneous Recycling via Nanofiltration.

. *Cheminform* vol. 44, (27) no-no. Wiley.

Pore-flow calculations based on pore size distributions in polyimide membranes determined by a nanoprobe imaging technique.

. *Chemical Engineering Science* vol. 97, 81-95. Elsevier.

High flux hydrophobic membranes for organic solvent nanofiltration (OSN) Interfacial polymerization, surface modification and solvent activation.

. *Journal of Membrane Science* vol. 434, 193-203. Elsevier.

Molecular separation with an organic solvent nanofiltration cascade augmenting membrane selectivity with process engineering.

. *Chemical Engineering Science* vol. 90, 299-310. Elsevier.

Assessment of atomic force microscopy for characterisation of nanofiltration membranes.

. *Journal of Membrane Science* vol. 425, 58-70. Elsevier.

Continuous solute fractionation with membrane cascades A high productivity alternative to diafiltration.

. *Separation and Purification Technology* vol. 102, 1-14. Elsevier.

Efficient and productive asymmetric Michael addition: development of a highly enantioselective quinidine-based organocatalyst for homogeneous recycling via nanofiltration.

. *Green Chemistry* vol. 15, (3) 663-674. Royal Society of Chemistry (Rsc).

2012

High flux membranes for organic solvent nanofiltration (OSN) Interfacial polymerization with solvent activation.

. *Journal of Membrane Science* vol. 423, 371-382. Elsevier.

Batchwise and Continuous Nanofiltration of POSS Tagged Grubbs-Hoveyda Type Olefin Metathesis Catalysts.

. *Chemsuschem* vol. 6, (1) 182-192. Wiley.

An improved phenomenological model for prediction of solvent permeation through ceramic NF and UF membranes.

. *Journal of Membrane Science* vol. 415, 444-458.Elsevier.

Nanoprobe imaging molecular scale pores in polymeric membranes.

. *Journal of Membrane Science* vol. 413, 1-16.Elsevier.

Membranes for Organic Solvent Nanofiltration Based on Preassembled Nanoparticles.

. *Industrial & Engineering Chemistry Research* vol. 52, (3) 1109-1121.American Chemical Society (Acs).

Facilitating the use of counter-current chromatography in pharmaceutical purification through use of organic solvent nanofiltration.

. *Journal of Chromatography A* vol. 1229, 156-163.Elsevier.

Organic solvent nanofiltration : a potential alternative to distillation for solvent recovery from crystallisation mother liquors.

. *Green Chemistry* vol. 14, (8) 2197-2205.Royal Society of Chemistry (Rsc).

Speciation of Pd(OAc)₂ in ligandless SuzukiMiyaura reactions.

. *Catalysis Science & Technology* vol. 2, (2) 316-323.Royal Society of Chemistry (Rsc).

Novel Liquid Phase Peptide Synthesis (LPPS) Technology: Elongation using Organic Solvent Nanofiltration (OSN).

. *Procedia Engineering* vol. 44, 1232-1233.Elsevier.

REMOVED: A Simple Closed-Loop Membrane Cascade System for Purification of Active Pharmaceutical Ingredients (API).

. *Procedia Engineering* vol. 44, 896-898.Elsevier.

REMOVED: Organic Solvent Nanofiltration Thin Film Composite (TFC) Membranes by Interfacial Polymerisation.

. *Procedia Engineering* vol. 44, 253-255.Elsevier.

REMOVED: Modification of Mixed Matrix Membranes for Organic Solvent Nanofiltration.

. *Procedia Engineering* vol. 44, 1713-1715.Elsevier.

2011

Separation of Reaction Product and Palladium Catalyst after a Heck Coupling Reaction by means of Organic Solvent Nanofiltration.

. *Chemsuschem* vol. 5, (1) 188-193.Wiley.

The effect of membrane formation parameters on performance of polyimide membranes for organic solvent nanofiltration (OSN). Part C. Effect of polyimide characteristics.

. *Journal of Membrane Science* vol. 381, (1-2) 172-182.Elsevier.

The effect of membrane formation parameters on performance of polyimide membranes for organic solvent nanofiltration (OSN): Part A. Effect of polymer/solvent/non-solvent system choice.

. *Journal of Membrane Science* vol. 381, (1-2) 152-162.Elsevier.

The effect of membrane formation parameters on performance of polyimide membranes for organic solvent nanofiltration (OSN). Part B: Analysis of evaporation step and the role of a co-solvent.

. *Journal of Membrane Science* vol. 381, (1-2) 163-171.Elsevier.

Method for the preparation of cellulose acetate flat sheet composite membranes for forward osmosisDesalination using MgSO₄ draw solution.

. *Desalination* vol. 273, (2-3) 299-307.Elsevier.

Nanofiltration process for the nutritional enrichment and refining of rice bran oil.

. *Journal of Food Engineering* vol. 102, (1) 16-24.Elsevier.

Environmentally friendly route for the preparation of solvent resistant polyimide nanofiltration membranes.
. *Green Chemistry* vol. 13, (1) 162-168. *Royal Society of Chemistry (Rsc)*.

2010

Long-Term, Cytokine-Free Ex Vivo Expansion of Human Cord Blood Mononuclear Cells Using a Novel Closed-Loop 3D Dual Hollow Fibre Perfused Bioreactor.
. *Blood* vol. 116, (21). *American Society of Hematology*.

Organic Solvent Nanofiltration: A New Paradigm in Peptide Synthesis.
. *Organic Process Research & Development* vol. 14, (6) 1313-1325. *American Chemical Society (Acs)*.

A novel approach to modelling counter-current chromatography.
. *Journal of Chromatography A* vol. 1217, (40) 6230-6240. *Elsevier*.

The regulatory logic of mxylene biodegradation by *Pseudomonas putida* mt2 exposed by dynamic modelling of the principal node Ps/Pr of the TOL plasmid.
. *Environmental Microbiology* vol. 12, (6) 1705-1718. *Wiley*.

Demonstration of Molecular Purification in Polar Aprotic Solvents by Organic Solvent Nanofiltration.
. *Organic Process Research & Development* vol. 14, (3) 600-611. *American Chemical Society (Acs)*.

Organic solvent nanofiltration (OSN) with spiral-wound membrane elements Highly rejected solute system.
. *Journal of Membrane Science* vol. 349, (1-2) 167-174. *Elsevier*.

Spiral-wound polyaniline membrane modules for organic solvent nanofiltration (OSN).
. *Journal of Membrane Science* vol. 349, (1-2) 123-129. *Elsevier*.

Membrane enhanced peptide synthesis.
. *Chemical Communications* vol. 46, (16) 2808-2810. *Royal Society of Chemistry (Rsc)*.

2.05 Nanofiltration Operations in Nonaqueous Systems.
. *Comprehensive Membrane Science and Engineering* 91-113. *Elsevier*.

2009

Impact of TiO₂ nanoparticles on morphology and performance of crosslinked polyimide organic solvent nanofiltration (OSN) membranes.
. *Journal of Membrane Science* vol. 343, (1-2) 189-198. *Elsevier*.

Enantioseparation via EICOSN: Process design and improvement of enantiomers resolvability and separation performance.
. *Aiche Journal* vol. 56, (4) 893-904. *Wiley*.

Enantioselective whole-cell biotransformation of acetophenone to S-phenylethanol by *Rhodotorula glutinis*. Part II. Aqueousorganic systems: Emulsion and membrane bioreactors.
. *Biochemical Engineering Journal* vol. 46, (1) 54-60. *Elsevier*.

Enantioselective whole-cell biotransformation of acetophenone to S-phenylethanol by *Rhodotorula glutinis* Part I. Product formation kinetics and feeding strategies in aqueous media.
. *Biochemical Engineering Journal* vol. 46, (1) 44-53. *Elsevier*.

A novel phase transition technique for fabrication of mesopore sized ceramic membranes.
. *Journal of Membrane Science* vol. 339, (1-2) 5-9. *Elsevier*.

Extending Ru-BINAP Catalyst Life and Separating Products from Catalyst Using Membrane Recycling.
. *Organic Process Research & Development* vol. 13, (5) 863-869. *American Chemical Society (Acs)*.

Membrane characterisation by SEM, TEM and ESEM: The implications of dry and wetted microstructure on mass transfer through integrally skinned polyimide nanofiltration membranes.
. *Separation and Purification Technology* vol. 66, (1) 90-97. *Elsevier*.

Nanoporous asymmetric polyaniline films for filtration of organic solvents.

. *Journal of Membrane Science* vol. 330, (1-2) 166-174.Elsevier.

Solute molecular transport through polyimide asymmetric organic solvent nanofiltration (OSN) membranes and the effect of membrane-formation parameters on mass transfer.

. *Journal of Membrane Science* vol. 326, (2) 332-342.Elsevier.

Crosslinked integrally skinned asymmetric polyaniline membranes for use in organic solvents.

. *Journal of Membrane Science* vol. 326, (2) 635-642.Elsevier.

2008

Controlling molecular weight cut-off curves for highly solvent stable organic solvent nanofiltration (OSN) membranes.

. *Journal of Membrane Science* vol. 324, (1-2) 220-232.Elsevier.

Nanofiltration in Organic Solvents.

. *Advanced Membrane Technology and Applications* 451-467. Wiley.

Organic Solvent Nanofiltration and Adsorbents; A Hybrid Approach to Achieve Ultra Low Palladium Contamination of Post Coupling Reaction Products.

. *Organic Process Research & Development* vol. 12, (4) 589-595.American Chemical Society (Acs).

Membranes for the dehydration of solvents by pervaporation.

. *Journal of Membrane Science* vol. 318, (1-2) 5-37.Elsevier.

Polyaniline membranes for the dehydration of tetrahydrofuran by pervaporation.

. *Journal of Membrane Science* vol. 309, (1-2) 102-111.Elsevier.

Polyaniline hollow fibres for organic solvent nanofiltration.

. *Chemical Communications* (47) 6324-6326.Royal Society of Chemistry (Rsc).

2007

The use of an oilabsorberbioscrubber system during biodegradation of sequentially alternating loadings of 1,2-dichloroethane and fluorobenzene in a waste gas.

. *Chemical Engineering Science* vol. 62, (21) 5989-6001.Elsevier.

Stability and Performance of Xanthobacter autotrophicus GJ10 during 1,2-Dichloroethane Biodegradation.

. *Applied and Environmental Microbiology* vol. 73, (19) 6326-6326.American Society For Microbiology.

Polymeric membranes for nanofiltration in polar aprotic solvents.

. *Journal of Membrane Science* vol. 301, (1-2) 3-10.Elsevier.

Evidence of species succession during chlorobenzene biodegradation.

. *Biotechnology and Bioengineering* vol. 99, (1) 68-74.Wiley.

The influence of membrane formation parameters on the functional performance of organic solvent nanofiltration membranes.

. *Journal of Membrane Science* vol. 299, (1-2) 236-250.Elsevier.

Simulation of the cellular anabolic activity within biofilms: Where a new immobilized cell will preferably be born?.

. *Biochemical Engineering Journal* vol. 35, (1) 29-36.Elsevier.

Nanofiltration membrane cascade for continuous solvent exchange.

. *Chemical Engineering Science* vol. 62, (10) 2728-2736.Elsevier.

In search of a standard method for the characterisation of organic solvent nanofiltration membranes.

. *Journal of Membrane Science* vol. 291, (1-2) 120-125.Elsevier.

Towards a continuous dynamic kinetic resolution of 1-phenylethylamine using a membrane assisted, two vessel process.

. *Chemical Communications* (33) 3462-3463. *Royal Society of Chemistry (Rsc)*.

MEMBRANE SEPARATIONS | Nanofiltration in Organic Liquids.

. *Encyclopedia of Separation Science* 1-8. *Elsevier*.

2006

Investigation of the Compatibility of Racemization and Kinetic Resolution for the Dynamic Kinetic Resolution of an Allylic Alcohol.

. *Industrial & Engineering Chemistry Research* vol. 45, (21) 7101-7109. *American Chemical Society (Acs)*.

Effect of solute concentration and mass transfer limitations on transport in organic solvent nanofiltration partially rejected solute.

. *Journal of Membrane Science* vol. 280, (1-2) 889-898. *Elsevier*.

The use of an oil absorber as a strategy to overcome starvation periods in degrading 1,2-dichloroethane in waste gas.

. *Biotechnology and Bioengineering* vol. 96, (4) 673-686. *Wiley*.

Organic Solvent Nanofiltration in Asymmetric Hydrogenation: Enhancement of Enantioselectivity and Catalyst Stability by Ionic Liquids.

. *Cheminform* vol. 37, (37) no-no. *Wiley*.

Bioremediation of Industrial and Agroindustrial Effluents.

. *Journal of Chemical Technology & Biotechnology* vol. 81, (9) 1449-1449. *Wiley*.

Organic Solvent Nanofiltration.

. *Membrane Technology* 203-228. *Wiley*.

Enantiomer separation by enantioselective inclusion complexation organic solvent nanofiltration.

. *Tetrahedron Asymmetry* vol. 17, (12) 1846-1852. *Elsevier*.

Development of a Liquid-Phase Process for Recycling Resolving Agents within Diastereomeric Resolutions.

. *Organic Process Research & Development* vol. 10, (4) 784-793. *American Chemical Society (Acs)*.

Stability and Performance of *Xanthobacter autotrophicus* GJ10 during 1,2-Dichloroethane Biodegradation.

. *Applied and Environmental Microbiology* vol. 72, (6) 4411-4418. *American Society For Microbiology*.

Investigation of biofilm growth and attrition in a threephase airlift bioreactor using ³⁵SO₄ as a radiolabelled tracer.

. *Journal of Chemical Technology & Biotechnology* vol. 81, (6) 858-865. *Wiley*.

Rational approach to the selection of conditions for diastereomeric resolution of chiral amines by diacid resolving agents.

. *Tetrahedron Asymmetry* vol. 17, (9) 1337-1348. *Elsevier*.

Control of membrane attached biofilms using surfactants.

. *Biotechnology and Bioengineering* vol. 94, (1) 15-23. *Wiley*.

The effect of ionic liquids on product yield and catalyst stability.

. *Chemical Engineering Science* vol. 61, (4) 1338-1341. *Elsevier*.

The absolute configuration of (+)-(E)-4-phenylbut-3-ene-2-ol.

. *Organic & Biomolecular Chemistry* vol. 4, (11) 2081-2081. *Royal Society of Chemistry (Rsc)*.

Recovery and reuse of ionic liquids and palladium catalyst for Suzuki reactions using organic solvent nanofiltration.

. *Green Chemistry* vol. 8, (4) 373-379. *Royal Society of Chemistry (Rsc)*.

Application of thin film composite membranes to the membrane aromatic recovery system.

. *Journal of Membrane Science* vol. 268, (1) 20-36.Elsevier.

Organic solvent nanofiltration in asymmetric hydrogenation : enhancement of enantioselectivity and catalyst stability by ionic liquids.

. *Chemical Communications* (19) 2063-2065.Royal Society of Chemistry (Rsc).

Dehydration of tetrahydrofuran by pervaporation using a composite membrane.

. *Journal of Membrane Science* vol. 268, (1) 13-19.Elsevier.

2005

An Oil-AbsorberBioscrubber System To Stabilize Biotreatment of Pollutants Present in Waste Gas. Fluctuating Loads of 1,2-Dichloroethane.

. *Environmental Science and Technology* vol. 40, (2) 595-602.American Chemical Society (Acs).

The performance of composite supported polymeric liquid membranes in the Membrane Aromatic Recovery System (MARS).

. *Chemical Engineering Science* vol. 60, (24) 7034-7044.Elsevier.

An Improved Protocol for the Synthesis and Nanofiltration of Kim and Parks Aminocyclopentadienyl Ruthenium Chloride Racemisation Catalyst.

. *Synlett* vol. 2005, (19) 2993-2995.Thieme.

Solvent transport in organic solvent nanofiltration membranes.

. *Journal of Membrane Science* vol. 262, (1-2) 49-59.Elsevier.

Strain stability in biological systems treating recalcitrant organic compounds.

. *Biotechnology and Bioengineering* vol. 92, (7) 843-849.Wiley.

The synthesis of polypropylene glycol based polyethers and their use in membranes for the membrane aromatic recovery system (MARS).

. *Journal of Membrane Science* vol. 261, (1-2) 87-97.Elsevier.

Pilot scale application of the Membrane Aromatic Recovery System (MARS) for recovery of phenol from resin production condensates.

. *Journal of Membrane Science* vol. 257, (1-2) 120-133.Elsevier.

An attempt to compare the performance of bioscrubbers and biotrickling filters for degradation of ethyl acetate in gas streams.

. *Journal of Chemical Technology & Biotechnology* vol. 80, (11) 1252-1260.Wiley.

Stabilization of Supported Liquid Membranes by -Radiation and Their Performance in the Membrane Aromatic Recovery System.

. *Industrial & Engineering Chemistry Research* vol. 44, (20) 7659-7667.American Chemical Society (Acs).

Application of Organic Solvent Nanofiltration to Separation of Ionic Liquids and Products from Ionic Liquid Mediated Reactions.

. *Chemical Engineering Research and Design* vol. 83, (3) 309-316.Elsevier.

Mass transfer enhancement in the membrane aromatic recovery system (MARS): experimental results and comparison with theory.

. *Chemical Engineering Science* vol. 60, (4) 1029-1042.Elsevier.

Mass transfer enhancement in the Membrane Aromatic Recovery System (MARS): theoretical analysis.

. *Chemical Engineering Science* vol. 60, (1) 151-166.Elsevier.

2004

Effect of concentration polarisation and osmotic pressure on flux in organic solvent nanofiltration.

. *Journal of Membrane Science* vol. 236, (1-2) 121-136.Elsevier.

Recovery of 2,4-dichlorophenol from acidic aqueous streams by Membrane Aromatic Recovery System (MARS).

. *Journal of Chemical Technology & Biotechnology* vol. 79, (4) 381-390. Wiley.

Overcoming oxygen limitations in membrane-attached biofilms: investigation of flux and diffusivity in an anoxic biofilm.

. *Water Research* vol. 38, (6) 1530-1541. Elsevier.

Physico-chemical interpretation of the SRNF transport mechanism for solvents through dense silicone membranes.

. *Journal of Membrane Science* vol. 231, (1-2) 99-108. Elsevier.

Elucidation of the mechanism of chiral selectivity in diastereomeric salt formation using organic solvent nanofiltration.

. *Chemical Communications* (8) 962-963. Royal Society of Chemistry (Rsc).

2003

Bioscrubbing of waste gas substrate absorber to avoid instability induced by inhibition kinetics.

. *Biotechnology and Bioengineering* vol. 84, (5) 552-563. Wiley.

A novel biphasic extractive membrane bioreactor for minimization of membrane-attached biofilms.

. *Biotechnology and Bioengineering* vol. 83, (1) 8-19. Wiley.

The anoxic extractive membrane bioreactor.

. *Water Research* vol. 37, (6) 1231-1238. Elsevier.

Insights into the Transport of Toluene and Phenol Through Organic Solvent Nanofiltration Membranes.

. *Separation Science and Technology* vol. 38, (9) 1899-1923. Taylor & Francis.

Chapter 8 Membrane Aromatic Recovery System (MARS) A new process for recovering phenols and aromatic amines from aqueous streams.

. *New Insights Into Membrane Science and Technology: Polymeric and Biofunctional Membranes* 165-181. Elsevier.

Chapter 14: Case study in identification of multistep reaction stoichiometries.

. *Computer Aided Molecular Design: Theory and Practice* 319-327. Elsevier.

Chapter 7: Identification of multistep reaction stoichiometries: CAMD problem formulation.

. *Computer Aided Molecular Design: Theory and Practice* 167-209. Elsevier.

2002

Countercurrent transport of organic and water molecules through thin film composite membranes in aqueous/aqueous extractive membrane processes. Part II: theoretical analysis.

. *Chemical Engineering Science* vol. 57, (21) 4461-4473. Elsevier.

Countercurrent transport of organic and water molecules through thin film composite membranes in aqueous/aqueous extractive membrane processes. Part I: experimental characterisation.

. *Chemical Engineering Science* vol. 57, (19) 4087-4098. Elsevier.

Recovery of Aniline from Aqueous Solution Using the Membrane Aromatic Recovery System (MARS).

. *Industrial & Engineering Chemistry Research* vol. 41, (22) 5538-5538. American Chemical Society (Acs).

Biodegradability of linear alkylbenzene sulfonates subjected to wet air oxidation.

. *Journal of Chemical Technology & Biotechnology* vol. 77, (9) 1039-1049. Wiley.

The separation of homogeneous organometallic catalysts using solvent resistant nanofiltration.

. *Journal of Membrane Science* vol. 203, (1-2) 71-85. Elsevier.

Homogeneous phase transfer catalyst recovery and re-use using solvent resistant membranes.

. *Journal of Membrane Science* vol. 201, (1-2) 65-75. Elsevier.

Recovery of Aniline from Aqueous Solution Using the Membrane Aromatic Recovery System (MARS).
. *Industrial & Engineering Chemistry Research* vol. 41, (11) 2766-2774. American Chemical Society (Acs).

Braided silicone rubber membranes for organic extraction from aqueous solutions II. Application to contained liquid membranes.
. *Journal of Membrane Science* vol. 199, (1-2) 101-115. Elsevier.

Braided silicone rubber membranes for organic extraction from aqueous solutions I. Mass transport studies.
. *Journal of Membrane Science* vol. 199, (1-2) 85-99. Elsevier.

Selection of elastomeric membranes for the separation of organic compounds in acidic media.
. *Journal of Membrane Science* vol. 199, (1-2) 1-11. Elsevier.

ChemInform Abstract: SemiContinuous Nanofiltration Coupled Heck Reactions as a New Approach to Improve Productivity of Homogeneous Catalysts.
. *Cheminform* vol. 33, (5) no-no. Wiley.

Pervaporation-biological oxidation hybrid process for removal of volatile organic compounds from wastewaters.
. *Journal of Membrane Science* vol. 195, (1) 75-88. Elsevier.

Increased catalytic productivity for nanofiltration-coupled Heck reactions using highly stable catalyst systems.
. *Green Chemistry* vol. 4, (4) 319-324. Royal Society of Chemistry (Rsc).

2001

Semi-continuous nanofiltration-coupled Heck reactions as a new approach to improve productivity of homogeneous catalysts.
. *Tetrahedron Letters* vol. 42, (46) 8219-8222. Elsevier.

Wet Air Oxidation of Linear Alkylbenzene Sulfonate 1. Effect of Temperature and Pressure.
. *Industrial & Engineering Chemistry Research* vol. 40, (23) 5507-5516. American Chemical Society (Acs).

Wet Air Oxidation of Linear Alkylbenzene Sulfonate 2. Effect of pH.
. *Industrial & Engineering Chemistry Research* vol. 40, (23) 5517-5525. American Chemical Society (Acs).

Chemical treatment of an anionic surfactant wastewater: electrospray-ms studies of intermediates and effect on aerobic biodegradability.
. *Water Research* vol. 35, (14) 3337-3344. Elsevier.

Experimental observations of nanofiltration with organic solvents.
. *Journal of Membrane Science* vol. 190, (1) 45-55. Elsevier.

Membrane aromatic recovery system (MARS) a new membrane process for the recovery of phenols from wastewaters.
. *Journal of Membrane Science* vol. 188, (2) 219-233. Elsevier.

Mathematical Modeling of Membrane Attached Biofilms.
. *Engineering in Life Sciences* vol. 1, (1) 43-46. Wiley.

Pervaporation mass transfer with liquid flow in the transition regime.
. *Journal of Membrane Science* vol. 183, (1) 119-133. Elsevier.

Treatment of metalcontaining wastewaters with a novel extractive membrane reactor using sulfatereducing bacteria.
. *Journal of Chemical Technology & Biotechnology* vol. 76, (1) 61-68. Wiley.

Phase-transfer catalyst separation and re-use by solvent resistant nanofiltration membranes Electronic supplementary information (ESI) available: experimental procedures and results. See <http://www.rsc.org/suppdata/cc/b1/b103645a/>.
. *Chemical Communications* (16) 1468-1469. Royal Society of Chemistry (Rsc).

2000

Wet Air Oxidation of Aqueous Solutions of Linear Alkylbenzene Sulfonates.

. *Industrial & Engineering Chemistry Research* vol. 39, (10) 3659-3665. American Chemical Society (Acs).

Modelling and analysis of membrane attached biofilms.

. *The Canadian Journal of Chemical Engineering* vol. 78, (2) 371-381. Wiley.

Substrate counterdiffusion and reaction in membrane-attached biofilms: mathematical analysis of rate limiting mechanisms.

. *Chemical Engineering Science* vol. 55, (8) 1385-1398. Elsevier.

Beneficial combination of wet oxidation, membrane separation and biodegradation processes for treatment of polymer processing wastewaters.

. *The Canadian Journal of Chemical Engineering* vol. 78, (2) 418-422. Wiley.

Assessment of partial treatment of polyethylene glycol wastewaters by wet air oxidation.

. *Water Research* vol. 34, (5) 1620-1628. Elsevier.

Development of an extractive membrane bioreactor for degradation of 3-chloro-4-methylaniline: From lab bench to pilot scale.

. *Environmental Progress & Sustainable Energy* vol. 19, (1) 18-27. Wiley.

Ethanol utilization by sulfatereducing bacteria: An experimental and modeling study.

. *Biotechnology and Bioengineering* vol. 70, (5) 533-543. Wiley.

Biological treatment of an alternating source of organic compounds in a single tube extractive membrane bioreactor.

. *Journal of Chemical Technology & Biotechnology* vol. 75, (12) 1174-1182. Wiley.

Microbial dynamics in a continuous stirred tank bioreactor exposed to an alternating sequence of organic compounds.

. *Biotechnology and Bioengineering* vol. 69, (4) 409-417. Wiley.

Microbial sulfate reduction in a liquid-solid fluidized bed reactor.

. *Biotechnology and Bioengineering* vol. 70, (4) 370-380. Wiley.

Microbial dynamics in an extractive membrane bioreactor exposed to an alternating sequence of organic compounds.

. *Biotechnology and Bioengineering* vol. 70, (3) 313-322. Wiley.

Chemoenzymatic synthesis of arginine-based gemini surfactants.

. *Biotechnology and Bioengineering* vol. 70, (3) 323-331. Wiley.

Bioconversion of hydrophobic compounds in a continuous closed-gas-loop bioreactor: Feasibility assessment and epoxide production.

. *Biotechnology and Bioengineering* vol. 70, (5) 553-563. Wiley.

1999

Life Cycle Optimization.

. *Wiley Encyclopedia of Electrical and Electronics Engineering*. Wiley.

An extractive membrane biofilm reactor for degradation of 1,3-dichloropropene in industrial waste water.

. *Applied Microbiology and Biotechnology* vol. 52, (6) 853-862. Springer Nature.

Effect of ionic strength on extraction of hydrophobic organics through silicone rubber membranes.

. *Journal of Membrane Science* vol. 162, (1-2) 57-72. Elsevier.

A novel method for characterisation of microbial growth kinetics on volatile organic compounds.

. *Applied Microbiology and Biotechnology* vol. 52, (2) 174-178. Springer Nature.

Epoxydation of 1,7octadiene by Pseudomonas oleovorans in a membrane bioreactor.

. *Biotechnology and Bioengineering* vol. 63, (5) 601-611.Wiley.

Steady state behaviour of three phase air lift bioreactors an integrated model and experimental verification.

. *Journal of Chemical Technology & Biotechnology* vol. 74, (6) 551-561.Wiley.

Optimal design of solvent blends for environmental impact minimization.

. *Aiche Journal* vol. 45, (4) 817-843.Wiley.

Degradation of Chloronitrobenzenes by a Coculture of Pseudomonas putida and a Rhodococcus sp.

. *Applied and Environmental Microbiology* vol. 65, (3) 1083-1091.American Society For Microbiology.

Mass transfer of hydrophobic solutes in solvent swollen silicone rubber membranes.

. *Journal of Membrane Science* vol. 154, (1) 127-140.Elsevier.

1998

Extractive membrane bioreactors for detoxification of chemical industry wastes: process development.

. *Journal of Membrane Science* vol. 151, (1) 29-44.Elsevier.

Waste treatment and optimal degree of pollution abatement.

. *Environmental Progress & Sustainable Energy* vol. 17, (4) 270-277.Wiley.

Anaerobic dechlorination of perchloroethene in an extractive membrane bioreactor.

. *Applied Microbiology and Biotechnology* vol. 50, (3) 303-308.Springer Nature.

Determination of pollutant diffusion coefficients in naturally formed biofilms using a single tube extractive membrane bioreactor.

. *Biotechnology and Bioengineering* vol. 59, (1) 80-89.Wiley.

A membrane bioreactor for biotransformations of hydrophobic molecules.

. *Biotechnology and Bioengineering* vol. 58, (6) 587-594.Wiley.

Use of Specific ATP Concentration and Specific Oxygen Uptake Rate to Determine Parameters of a Structured Model of Biomass Growth.

. *Enzyme and Microbial Technology* vol. 22, (6) 500-510.Elsevier.

HYDRODYNAMICS OF THREE-PHASE AIRUFT(TPAL) REACTORS USING VISCOUS FLUIDS.

. *Chemical Engineering Communications* vol. 167, (1) 205-225.Taylor & Francis.

Optimisation Of The Kinetics Of The Stereoselective Reduction Of Geraniol To Citronellol In A Two Liquid Phase System.

. *Biocatalysis and Biotransformation* vol. 16, (1) 27-44.Taylor & Francis.

1997

Hydrodynamics of vertical co-current gas-liquid-solid flows.

. *Chemical Engineering Science* vol. 52, (23) 4357-4372.Elsevier.

Integration of Wet Oxidation and Nanofiltration for Treatment of Recalcitrant Organics in Wastewater.

. *Industrial & Engineering Chemistry Research* vol. 36, (12) 5054-5062.American Chemical Society (Acs).

Integrated Wet Air Oxidation and Biological Treatment of Polyethylene GlycolContaining Wastewaters.

. *Journal of Chemical Technology & Biotechnology* vol. 70, (2) 147-156.Wiley.

Specific ATP and specific oxygen uptake rate in immobilized cell aggregates: Experimental results and theoretical analysis using a structured model of immobilized cell growth.

. *Biotechnology and Bioengineering* vol. 55, (4) 660-673.Wiley.

Environmental impact considerations in the optimal design and scheduling of batch processes.

. *Computers & Chemical Engineering* vol. 21, (10) 1073-1094.Elsevier.

Prediction of axial concentration profiles in an extractive membrane bioreactor and experimental verification.

. *Journal of Membrane Science* vol. 130, (1-2) 85-98. Elsevier.

Wet oxidation as a pretreatment method for wastewaters contaminated by bioresistant organics.

. *Water Science & Technology* vol. 36, (2-3) 109-116. Iwa Publishing.

The effect of membrane module configuration on extraction efficiency in an extractive membrane bioreactor.

. *Journal of Membrane Science* vol. 128, (2) 231-242. Elsevier.

Reaction mechanisms and kinetics of chemical pretreatment of bioresistant organic molecules by wet air oxidation.

. *Water Science & Technology* vol. 35, (4) 119-127. Iwa Publishing.

Kinetics of Wet Oxidation of P-Coumaric Acid over a CuO.ZnO-Al₂O₃ Catalyst.

. *Chemical Engineering Research and Design* vol. 75, (1) 87-91. Elsevier.

Environmental Risk Assessment of Chemical Plants.

. *Advances in Safety and Reliability* 639-648. Elsevier.

Mineralisation of 1,2-dibromoethane and other brominated aliphatics under aerobic conditions.

. *Water Science & Technology* vol. 36, (10) 17-25. Iwa Publishing.

1996

Enrichment of mixed cultures capable of aerobic degradation of 1,2-dibromoethane.

. *Applied and Environmental Microbiology* vol. 62, (12) 4675-4677. American Society For Microbiology.

Catalytic wet air oxidation of polyethylene glycol.

. *Applied Catalysis B Environment and Energy* vol. 11, (1) 99-119. Elsevier.

Partial wet oxidation of p-coumaric acid: Oxidation intermediates, reaction pathways and implications for wastewater treatment.

. *Water Research* vol. 30, (12) 2969-2976. Elsevier.

Prediction of optimal biofilm thickness for membrane attached biofilms growing in an extractive membrane bioreactor.

. *Biotechnology and Bioengineering* vol. 52, (3) 373-386. Wiley.

Wet air oxidation of polyethylene glycols; mechanisms, intermediates and implications for integrated chemical-biological wastewater treatment.

. *Chemical Engineering Science* vol. 51, (18) 4219-4235. Elsevier.

Minimisation of biomass in an extractive membrane bioreactor.

. *Water Science & Technology* vol. 34, (5-6) 273-280. Iwa Publishing.

Detoxification of industrial wastewaters in an Extractive Membrane Bioreactor.

. *Water Science & Technology* vol. 33, (3) 1-8. Iwa Publishing.

Catalytic wet oxidation of p-coumaric acid: Partial oxidation intermediates, reaction pathways and catalyst leaching.

. *Applied Catalysis B Environment and Energy* vol. 7, (3-4) 379-396. Elsevier.

1995

Instability phenomenon in an external loop three phase gas liquid airlift reactor.

. *Aiche Journal* vol. 41, (11) 2508-2511. Wiley.

Aqueous-aqueous extraction of organic pollutants through tubular silicone rubber membranes.

. *Journal of Membrane Science* vol. 104, (1-2) 119-137. Elsevier.

Membrane attached biofilms for VOC wastewater treatment. II: Effect of biofilm thickness on performance.

. *Biotechnology and Bioengineering* vol. 47, (1) 90-95. Wiley.

Membraneattached biofilms for VOC wastewater treatment I: Novel in situ biofilm thickness measurement technique.

. *Biotechnology and Bioengineering* vol. 47, (1) 82-89.Wiley.

Minimizing the environmental impact of process Plants: A process systems methodology.

. *Computers & Chemical Engineering* vol. 19, 39-44.Elsevier.

Dichloroethane Removal from Gas Streams by an Extractive Membrane Bioreactor.

. *Biotechnology Progress* vol. 11, (2) 194-201.Wiley.

Novel membrane bioreactor for detoxification of VOC wastewaters: Biodegradation of 1,2-dichloroethane.

. *Water Research* vol. 29, (1) 179-194.Elsevier.

1994

Extraction and biodegradation of a toxic volatileorganic compound (1,2- dichloroethane)from waste-water in a membrane bioreactor.

. *Applied Microbiology and Biotechnology* vol. 42, (2-3) 421-431.Springer Nature.

Hydrodynamics of an external-loop three-phase airlift (TPAL) reactor.

. *Chemical Engineering Science* vol. 49, (22) 3719-3737.Elsevier.

Extractive membrane bioreactors: A new process technology for detoxifying chemical industry wastewaters.

. *Journal of Chemical Technology & Biotechnology* vol. 60, (2) 117-124.Wiley.

Biological detoxification of a 3-chloronitrobenzene manufacture wastewater in an extractive membrane bioreactor.

. *Water Research* vol. 28, (6) 1347-1354.Elsevier.

Corrections.

. *Biotechnology Progress* vol. 10, (3) 344-344.Wiley.

Biotreatment of a PointSource Industrial Wastewater Arising in 3, 4Dichloroaniline Manufacture Using an Extractive Membrane Bioreactor.

. *Biotechnology Progress* vol. 10, (1) 65-75.Wiley.

1993

Use of ATP to characterize biomass viability in freely suspended and immobilized cell bioreactors.

. *Biotechnology and Bioengineering* vol. 42, (11) 1337-1351.Wiley.

A novel bioreactor system for the destruction of volatile organic compounds.

. *Applied Microbiology and Biotechnology* vol. 40, (1) 151-157.Springer Nature.

Point source detoxification of an industrially produced 3,4-dichloroaniline-manufacture wastewater using a membrane bioreactor.

. *Applied Microbiology and Biotechnology* vol. 39, (6) 764-771.Springer Nature.

A novel membrane bioreactor for detoxifying industrial wastewater: I. Biodegradation of phenol in a synthetically concocted wastewater.

. *Biotechnology and Bioengineering* vol. 41, (10) 915-926.Wiley.

A novel membrane bioreactor for detoxifying industrial wastewater: II. Biodegradation of 3chloronitrobenzene in an industrially produced wastewater.

. *Biotechnology and Bioengineering* vol. 41, (10) 927-936.Wiley.

Mass transfer in liquidsolid fluidized beds of ion exchange resins at low Reynolds numbers.

. *Chemical Engineering Science* vol. 48, (6) 1174-1178.Elsevier.

Hydrodynamic behaviour of three-phase (gasliquidsolid) airlift reactors.

. *Chemical Engineering Science* vol. 48, (9) 1641-1654.Elsevier.

1991

Degradation of 3,4-dichloroaniline in synthetic and industrially produced wastewaters by mixed cultures freely suspended and immobilized in a packed-bed reactor.

. *Applied Microbiology and Biotechnology* vol. 35, (4) 551-557. Springer Nature.

Biodegradation of 3,4-dichloroaniline in a fluidized bed bioreactor and a steady-state biofilm kinetic model.

. *Biotechnology and Bioengineering* vol. 38, (3) 260-272. Wiley.

Development of a phenol degrading fluidized bed bioreactor for constant biomass holdup.

. *Chemical Engineering Journal* vol. 45, (3) b57-b66. Elsevier.

1990

LIQUID-SOLID MASS TRANSFER IN A THREE PHASE DRAFT TUBE FLUIDIZED BED REACTOR.

. *Chemical Engineering Communications* vol. 92, (1) 225-244. Taylor & Francis.

1989

Modeling phenol degradation in a fluidized bed bioreactor.

. *Aiche Journal* vol. 35, (12) 1980-1992. Wiley.

Preparation and characterization of adsorbents for use in high-performance liquid affinity chromatography.

. *Journal of Chromatography A* vol. 481, 159-174. Elsevier.