

Prof Colin Bailey

CBE, FEng, BEng, PhD, CEng, FICE, FStructE, MIFireE

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 3696

email: principal@qmul.ac.uk web: www.sems.qmul.ac.uk/principal

2024

Digital Image Processing Applied in the Deformation Analysis of Hip Prosthesis: Multivariate Regression Analysis.

. *IEEE Access* vol. 12, 176938-176948. *Institute of Electrical and Electronics Engineers (IEEE)*.

2021

Modeling and Simulation of Fabricated Graphene Nanoplates/Polystyrene Nanofibrous Membrane for DCMD.

. *Polymers* vol. 13, (17). *Mdpi*.

Analysis of the robustness of a steel frame structure with composite floors subject to multiple fire scenarios.

. *Advances in Structural Engineering* vol. 24, (10) 2076-2089. *Sage Publications*.

2020

Fire Safety Assessment of Epoxy Composites Reinforced by Carbon Fibre and Graphene.

. *Applied Composite Materials* vol. 27, (5) 619-639. *Springer Nature*.

2019

Performance evaluation of surgical techniques for treatment of scapholunate instability in a type II wrist.

. *International Journal For Numerical Methods in Biomedical Engineering*. *Wiley*.

Quantification of gas permeability of epoxy resin composites with graphene nanoplatelets.

. *Composites Science and Technology* vol. 184. *Elsevier*.

Economic feedback model predictive control of wave energy converters.

. *IEEE Transactions On Industrial Electronics* 1-1. *Institute of Electrical and Electronics Engineers (IEEE)*.

Corrigendum to Punching behaviour of column-slab connection strengthened with non-prestressed or prestressed FRP plates [Eng. Struct. 160 (2018) 229242].

. *Engineering Structures* vol. 187. *Elsevier*.

Effect of femoral head size, subject weight and activity level on acetabular cement mantle stress following total hip arthroplasty.

. *Journal of Orthopaedic Research*. *Wiley*.

Impact of femoroacetabular impingement and dysplasia of the hip on hip joint sphericity.

. *Hip International*. *Sage Publications*.

Progressive collapse analysis of composite steel frames subject to fire following earthquake.

. *Fire Safety Journal* vol. 103, 49-58. *Elsevier*.

2018

A fate-alternating transitional regime in contracting liquid filaments.

. *Journal of Fluid Mechanics* vol. 860, 640-653. *Cambridge University Press (Cup)*.

Cement interface and bone stress in total hip arthroplasty: Relationship to head size.

. *Journal of Orthopaedic Research* vol. 36, (11) 2966-2977.

Improving the performance of composite floors subjected to post-earthquake fire.

. *Fire Safety Journal*.Elsevier.

Failure criterion of an asphalt mixture under three-dimensional stress state.

. *Construction and Building Materials* vol. 170, 708-715.

The thermal analysis of cutting/grinding processes by meshless finite block method.

. *Engineering Analysis With Boundary Elements*.

Quantifying effects of graphene nanoplatelets on slowing down combustion of epoxy composites.

. *Composites Part B*.

Moving boundary analysis in heat conduction with multilayer composites by finite block method.

. *Engineering Analysis With Boundary Elements*.Elsevier.

Effect of earthquake damage on the behaviour of composite steel frames in fire.

. *Advances in Structural Engineering*.Sage Publications.

WITHDRAWN: Sphericity of the hip joint components for subjects with femoroacetabular impingement and dysplastic hips.

. *Journal of Orthopaedics*.Elsevier.

Punching behaviour of column-slab connection strengthened with non-prestressed or prestressed FRP plates.

. *Engineering Structures* vol. 160, 229-242.Elsevier.

2017

How solid surface free energy determines coalescence-induced nanodroplet jumping: A molecular dynamics investigation.

. *Journal of Applied Physics* vol. 122, (24).Aip Publishing.

Grain size effects on indentation-induced plastic deformation and amorphization process of polycrystalline silicon.

. *Computational Materials Science* vol. 144, 113-119.

Analysis of tenodesis techniques for treatment of scapholunate instability using the finite element method.

. *International Journal For Numerical Methods in Biomedical Engineering* vol. 33, (12).

Evaluation of the performance of three tenodesis techniques for the treatment of scapholunate instability: flexion-extension and radial-ulnar deviation.

. *Medical and Biological Engineering and Computing* 1-15.

2016

Failure Analysis Following Osteochondroplasty for Hip Impingement in Osteoporotic and Non-Osteoporotic Bones.

. *Journal of Osteoporosis and Physical Activity* vol. 04, (04).

Non-destructive evaluation of residual compressive strength of post-heated reinforced concrete columns.

. *Construction and Building Materials* vol. 120, 482-493.

2013

Tests investigating the punching shear of a column-slab connection strengthened with non-prestressed or prestressed FRP plates.

. *Construction and Building Materials* vol. 48, 1134-1144.Elsevier.

Modelling basalt fibre reinforced glass concrete slabs at ambient and elevated temperatures.

. *Materials and Structures* vol. 47, (6) 999-1009.Springer Nature.

Structural behaviour of basalt fibre reinforced glass concrete slabs.

. *Materials and Structures* vol. 47, (1-2) 77-87. Springer Nature.

Strength and stiffness of post-heated columns repaired with ferrocement and fibre reinforced polymer jackets.

. *Composites Part B Engineering* vol. 44, (1) 200-211. Elsevier.

2012

Seismic performance of shear critical post-heated reinforced concrete square columns wrapped with FRP composites.

. *Construction and Building Materials* vol. 34, 457-469. Elsevier.

Global modelling of fire protection performance of an intumescent coating under different furnace fire conditions.

. *Journal of Fire Sciences* vol. 31, (1) 51-72. Sage Publications.

Large-scale fire test of unprotected cellular beam acting in membrane action.

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 165, (7) 327-334. Emerald.

Changes in the stress in the femoral head neck junction after osteochondroplasty for hip impingement: A finite element study.

. *Journal of Orthopaedic Research* vol. 30, (12) 1999-2006. Wiley.

Global modelling of fire protection performance of intumescent coating under different cone calorimeter heating conditions.

. *Fire Safety Journal* vol. 50, 51-62. Elsevier.

Seismic strengthening of shear critical post-heated circular concrete columns wrapped with FRP composite jackets.

. *Composite Structures* vol. 94, (3) 851-864. Elsevier.

2011

Large-Scale Fire Test of Unprotected Cellular Beam Acting in Membrane Action.

. *Journal of Structural Fire Engineering* vol. 2, (4) 259-268. Emerald.

Axial capacity of post-heated square columns wrapped with FRP composites.

. *Cement and Concrete Composites* vol. 33, (6) 694-701. Elsevier.

An experimental study of relative structural fire behaviour and robustness of different types of steel joint in restrained steel frames.

. *Journal of Constructional Steel Research* vol. 67, (7) 1149-1163. Elsevier.

Structural performance of a post-tensioned concrete floor during horizontally travelling fires.

. *Engineering Structures* vol. 33, (6) 1908-1917. Elsevier.

Experimental behaviour of composite slabs during the heating and cooling fire stages.

. *Engineering Structures* vol. 33, (2) 563-571. Elsevier.

Cross sectional shape effects on the performance of post-heated reinforced concrete columns wrapped with FRP composites.

. *Composite Structures* vol. 93, (3) 1103-1117. Elsevier.

Repair of fire damaged circular reinforced concrete columns with FRP composites.

. *Construction and Building Materials* vol. 25, (1) 359-370. Elsevier.

2010

Numerical modelling of structural fire behaviour of restrained steel beamcolumn assemblies using typical joint types.

. *Engineering Structures* vol. 32, (8) 2337-2351. Elsevier.

2009

Whole-building behaviour of bonded post-tensioned concrete floor plates exposed to fire.

. *Engineering Structures* vol. 31, (8) 1800-1810.Elsevier.

Science and Technology Developments in Structural Fire Engineering.

. *Structural Engineering International* vol. 19, (2) 155-164.Taylor & Francis.

Effects of partial fire protection on temperature developments in steel joints protected by intumescent coating.

. *Fire Safety Journal* vol. 44, (3) 376-386.Elsevier.

A Simple Method to Predict Temperatures in Steel Joints with Partial Intumescent Coating Fire Protection.

. *Fire Technology* vol. 46, (1).Springer Nature.

Fire tests on bonded post-tensioned concrete slabs.

. *Engineering Structures* vol. 31, (3) 686-696.Elsevier.

Modelling of unbonded post-tensioned concrete slabs under fire conditions.

. *Fire Safety Journal* vol. 44, (2) 159-167.Elsevier.

Fire tests on unbonded post-tensioned one-way concrete slabs.

. *Magazine of Concrete Research* vol. 61, (1) 67-76.Ice Publishing.

2008

Modelling of bonded post-tensioned concrete slabs in fire.

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 161, (6) 311-323.Ice Publishing.

Experimental bond behaviour of welded mesh reinforcement at elevated temperatures.

. *Magazine of Concrete Research* vol. 60, (1) 23-31.Ice Publishing.

Simplified and Advanced Analysis of Membrane Action of Concrete Slabs.

. *Aci Structural Journal* vol. 105, (1).American Concrete Institute.

2007

Small-scale concrete slab tests at ambient and elevated temperatures.

. *Engineering Structures* vol. 29, (10) 2775-2791.Elsevier.

Behaviour of concrete floor slabs at ambient and elevated temperatures.

. *Fire Safety Journal* vol. 42, (6-7) 425-436.Elsevier.

Instability of imperfect composite cylindrical shells under combined loading.

. *Composite Structures* vol. 80, (1) 49-64.Elsevier.

Development of a Gaussian glass breakage model within a fire field model.

. *Fire Safety Journal* vol. 42, (5) 366-376.Elsevier.

2006

Quantitative comparison of FDS and parametric fire curves with post-flashover compartment fire test data.

. *Fire Safety Journal* vol. 41, (2) 99-110.Elsevier.

Advances in fire engineering design of steel structures.

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 159, (1) 21-35.Ice Publishing.

2005

Fracture Resistance of a Cracked Concrete Beam Post-strengthened with FRP Sheets.

. *International Journal of Fracture* vol. 135, (1-4).Springer Nature.

Fire Engineering Design of Steel Structures.

. *Advances in Structural Engineering* vol. 8, (3) 185-202. Sage Publications.

2004

Indicative fire tests to investigate the behaviour of cellular beams protected with intumescent coatings.

. *Fire Safety Journal* vol. 39, (8) 689-709. Elsevier.

Membrane action of slab/beam composite floor systems in fire.

. *Engineering Structures* vol. 26, (12) 1691-1703. Elsevier.

Experimental behaviour of concrete floor slabs at large displacements.

. *Engineering Structures* vol. 26, (9) 1231-1247. Elsevier.

Comparison of BRE simple design method for composite floor slabs in fire with nonlinear FE modelling.

. *Fire and Materials* vol. 28, (2&4) 127-138. Wiley.

2003

Discussion: Holistic behaviour of concrete buildings in fire.

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 156, (4) 422-424. Ice Publishing.

Efficient arrangement of reinforcement for membrane behaviour of composite floor slabs in fire conditions.

. *Journal of Constructional Steel Research* vol. 59, (7) 931-949. Elsevier.

Large scale fire test on a composite slim-floor system.

. *Steel and Composite Structures* vol. 3, (3) 153-168. Techno-Press.

2002

Holistic behaviour of concrete buildings in fire.

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 152, (3) 199-212. Ice Publishing.

2001

Membrane action of unrestrained lightly reinforced concrete slabs at large displacements.

. *Engineering Structures* vol. 23, (5) 470-483. Elsevier.

2000

The tensile membrane action of unrestrained composite slabs simulated under fire conditions.

. *Engineering Structures* vol. 22, (12) 1583-1595. Elsevier.

The influence of the thermal expansion of beams on the structural behaviour of columns in steel-framed structures during a fire.

. *Engineering Structures* vol. 22, (7) 755-768. Elsevier.

Effective lengths of concrete-filled steel square hollow sections in fire.

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 140, (2) 169-178. Ice Publishing.

1999

The structural behaviour of steel columns during a compartment fire in a multi-storey braced steel-frame.

. *Journal of Constructional Steel Research* vol. 52, (2) 137-157. Elsevier.

The behaviour of asymmetric slim floor steel beams in fire.

. *Journal of Constructional Steel Research* vol. 50, (3) 235-257. Elsevier.

1998

Computer modelling of the corner compartment fire test on the large-scale Cardington test frame.

. *Journal of Constructional Steel Research* vol. 48, (1) 27-45. Elsevier.

Development of computer software to simulate the structural behaviour of steel-framed buildings in fire.
. *Computers & Structures* vol. 67, (6) 421-438.Elsevier.

1996

Analyses of the effects of cooling and fire spread on steel-framed buildings.
. *Fire Safety Journal* vol. 26, (4) 273-293.Elsevier.

The lateral-torsional buckling of unrestrained steel beams in fire.
. *Journal of Constructional Steel Research* vol. 36, (2) 101-119.Elsevier.