

## Prof Colin Bailey

CBE, FREng, BEng, PhD, CEng, FICE, FStructE, MIFireE

School of Engineering and Materials Science  
Queen Mary University of London  
Mile End Road  
London E1 4NS

tel: +44 (0)20 7882 3696

email: principal@qmul.ac.uk web: www.sems.qmul.ac.uk/principal

---

### 2026

#### **The impact of subject weight and activity level on over-inserted cemented acetabular cups after Total HIP Arthroplasty (THA).**

. *Journal of Orthopaedics* vol. 74, 256-264. Elsevier.

### 2025

#### **Investigation Into the Effect of OverInserted Cemented Acetabular Cups After Total Hip Arthroplasty (THA).**

. *Journal of Orthopaedic Research* vol. 43, (10) 1840-1854. Wiley.

### 2024

#### **Digital Image Processing Applied in the Deformation Analysis of Hip Prosthesis: Multivariate Regression Analysis.**

. *IEEE Access* vol. 12, 176938-176948. Institute of Electrical and Electronics Engineers.

### 2021

#### **Modeling and Simulation of Fabricated Graphene Nanoplates/Polystyrene Nanofibrous Membrane for DCMD.**

. *Polymers* vol. 13, (17). Mdpi.

#### **Analysis of the robustness of a steel frame structure with composite floors subject to multiple fire scenarios.**

. *Advances in Structural Engineering* vol. 24, (10) 2076-2089. Sage Publications.

### 2020

#### **Fire Safety Assessment of Epoxy Composites Reinforced by Carbon Fibre and Graphene.**

. *Applied Composite Materials* vol. 27, (5) 619-639. Springer Nature.

### 2019

#### **Performance evaluation of surgical techniques for treatment of scapholunate instability in a type II wrist.**

. *International Journal For Numerical Methods in Biomedical Engineering* vol. 36, (1). Wiley.

#### **Quantification of gas permeability of epoxy resin composites with graphene nanoplatelets.**

. *Composites Science and Technology* vol. 184, Elsevier.

#### **Economic Feedback Model Predictive Control of Wave Energy Converters.**

. *IEEE Transactions On Industrial Electronics* vol. 67, (5) 3932-3943. Institute of Electrical and Electronics Engineers (IEEE).

#### **Effect of Femoral Head Size, Subject Weight, and Activity Level on Acetabular Cement Mantle Stress Following Total Hip Arthroplasty.**

. *Journal of Orthopaedic Research* vol. 37, (8) 1771-1783. Wiley.

---

**Corrigendum to Punching behaviour of column-slab connection strengthened with non-prestressed or prestressed FRP plates [Eng. Struct. 160 (2018) 229242].**

. *Engineering Structures* vol. 187, Elsevier.

**Impact of femoroacetabular impingement and dysplasia of the hip on hip joint sphericity.**

. *Hip International* vol. 30, (2) 195-203. Sage Publications.

**The thermal analysis of cutting/grinding processes by meshless finite block method.**

. *Engineering Analysis With Boundary Elements* vol. 100, 68-79. Elsevier.

**Progressive collapse analysis of composite steel frames subject to fire following earthquake.**

. *Fire Safety Journal* vol. 103, 49-58. Elsevier.

## 2018

**A fate-alternating transitional regime in contracting liquid filaments.**

. *Journal of Fluid Mechanics* vol. 860, 640-653. Cambridge University Press (Cup).

**Improving the performance of composite floors subjected to post-earthquake fire.**

. *Fire Safety Journal* vol. 102, 18-26. Elsevier.

**Cement interface and bone stress in total hip arthroplasty: Relationship to head size.**

. *Journal of Orthopaedic Research* vol. 36, (11) 2966-2977.

**Quantifying effects of graphene nanoplatelets on slowing down combustion of epoxy composites.**

. *Composites Part B Engineering* vol. 146, 76-87. Elsevier.

**Failure criterion of an asphalt mixture under three-dimensional stress state.**

. *Construction and Building Materials* vol. 170, 708-715. Elsevier.

**Punching behaviour of column-slab connection strengthened with non-prestressed or prestressed FRP plates.**

. *Engineering Structures* vol. 160, 229-242. Elsevier.

**Moving boundary analysis in heat conduction with multilayer composites by finite block method.**

. *Engineering Analysis With Boundary Elements* vol. 89, 36-44. Elsevier.

**Effect of earthquake damage on the behaviour of composite steel frames in fire.**

. *Advances in Structural Engineering* vol. 21, (16) 2589-2604. Sage Publications.

**Grain size effects on indentation-induced plastic deformation and amorphization process of polycrystalline silicon.**

. *Computational Materials Science* vol. 144, 113-119. Elsevier.

**WITHDRAWN: Sphericity of the hip joint components for subjects with femoroacetabular impingement and dysplastic hips.**

. *Journal of Orthopaedics*. Elsevier.

## 2017

**How solid surface free energy determines coalescence-induced nanodroplet jumping: A molecular dynamics investigation.**

. *Journal of Applied Physics* vol. 122, (24). Aip Publishing.

**Analysis of tenodesis techniques for treatment of scapholunate instability using the finite element method.**

. *International Journal For Numerical Methods in Biomedical Engineering* vol. 33, (12).

**Evaluation of the performance of three tenodesis techniques for the treatment of scapholunate instability: flexion-extension and radial-ulnar deviation.**

. *Medical and Biological Engineering and Computing* 1-15.

**Post-earthquake fire behaviour of composite steel-framed structures.**

. *Applications of Fire Engineering* 385-393. Taylor & Francis.

## 2016

**Non-destructive evaluation of residual compressive strength of post-heated reinforced concrete columns.**  
. *Construction and Building Materials* vol. 120, 482-493.

**Failure Analysis Following Osteochondroplasty for Hip Impingement in Osteoporotic and Non-Osteoporotic Bones.**  
. *Journal of Osteoporosis and Physical Activity* vol. 04, (04) 1-7. *Omics International*.

## 2013

**Tests investigating the punching shear of a column-slab connection strengthened with non-prestressed or prestressed FRP plates.**  
. *Construction and Building Materials* vol. 48, 1134-1144. *Elsevier*.

**Modelling basalt fibre reinforced glass concrete slabs at ambient and elevated temperatures.**  
. *Materials and Structures* vol. 47, (6) 999-1009. *Springer Nature*.

**Structural behaviour of basalt fibre reinforced glass concrete slabs.**  
. *Materials and Structures* vol. 47, (1-2) 77-87. *Springer Nature*.

**Strength and stiffness of post-heated columns repaired with ferrocement and fibre reinforced polymer jackets.**  
. *Composites Part B Engineering* vol. 44, (1) 200-211. *Elsevier*.

## 2012

**Seismic performance of shear critical post-heated reinforced concrete square columns wrapped with FRP composites.**  
. *Construction and Building Materials* vol. 34, 457-469. *Elsevier*.

**Global modelling of fire protection performance of an intumescent coating under different furnace fire conditions.**  
. *Journal of Fire Sciences* vol. 31, (1) 51-72. *Sage Publications*.

**Large-scale fire test of unprotected cellular beam acting in membrane action.**  
. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 165, (7) 327-334. *Emerald*.

**Changes in the stress in the femoral head neck junction after osteochondroplasty for hip impingement: A finite element study.**  
. *Journal of Orthopaedic Research* vol. 30, (12) 1999-2006. *Wiley*.

**Global modelling of fire protection performance of intumescent coating under different cone calorimeter heating conditions.**  
. *Fire Safety Journal* vol. 50, 51-62. *Elsevier*.

**Seismic strengthening of shear critical post-heated circular concrete columns wrapped with FRP composite jackets.**  
. *Composite Structures* vol. 94, (3) 851-864. *Elsevier*.

## 2011

**Large-Scale Fire Test of Unprotected Cellular Beam Acting in Membrane Action.**  
. *Journal of Structural Fire Engineering* vol. 2, (4) 259-268. *Emerald*.

**Axial capacity of post-heated square columns wrapped with FRP composites.**  
. *Cement and Concrete Composites* vol. 33, (6) 694-701. *Elsevier*.

**An experimental study of relative structural fire behaviour and robustness of different types of steel joint in restrained steel frames.**  
. *Journal of Constructional Steel Research* vol. 67, (7) 1149-1163. *Elsevier*.

**Structural performance of a post-tensioned concrete floor during horizontally travelling fires.**

. *Engineering Structures* vol. 33, (6) 1908-1917.Elsevier.

**Experimental behaviour of composite slabs during the heating and cooling fire stages.**

. *Engineering Structures* vol. 33, (2) 563-571.Elsevier.

**Cross sectional shape effects on the performance of post-heated reinforced concrete columns wrapped with FRP composites.**

. *Composite Structures* vol. 93, (3) 1103-1117.Elsevier.

**Repair of fire damaged circular reinforced concrete columns with FRP composites.**

. *Construction and Building Materials* vol. 25, (1) 359-370.Elsevier.

## 2010

**Numerical modelling of structural fire behaviour of restrained steel beamcolumn assemblies using typical joint types.**

. *Engineering Structures* vol. 32, (8) 2337-2351.Elsevier.

## 2009

**Whole-building behaviour of bonded post-tensioned concrete floor plates exposed to fire.**

. *Engineering Structures* vol. 31, (8) 1800-1810.Elsevier.

**Science and Technology Developments in Structural Fire Engineering.**

. *Structural Engineering International* vol. 19, (2) 155-164.Taylor & Francis.

**Effects of partial fire protection on temperature developments in steel joints protected by intumescent coating.**

. *Fire Safety Journal* vol. 44, (3) 376-386.Elsevier.

**A Simple Method to Predict Temperatures in Steel Joints with Partial Intumescent Coating Fire Protection.**

. *Fire Technology* vol. 46, (1).Springer Nature.

**Fire tests on bonded post-tensioned concrete slabs.**

. *Engineering Structures* vol. 31, (3) 686-696.Elsevier.

**Modelling of unbonded post-tensioned concrete slabs under fire conditions.**

. *Fire Safety Journal* vol. 44, (2) 159-167.Elsevier.

**Fire tests on unbonded post-tensioned one-way concrete slabs.**

. *Magazine of Concrete Research* vol. 61, (1) 67-76.Emerald.

## 2008

**Modelling of bonded post-tensioned concrete slabs in fire.**

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 161, (6) 311-323.Emerald.

**Experimental bond behaviour of welded mesh reinforcement at elevated temperatures.**

. *Magazine of Concrete Research* vol. 60, (1) 23-31.Emerald.

**Simplified and Advanced Analysis of Membrane Action of Concrete Slabs.**

. *Aci Structural Journal* vol. 105, (1).American Concrete Institute.

## 2007

**Small-scale concrete slab tests at ambient and elevated temperatures.**

. *Engineering Structures* vol. 29, (10) 2775-2791.Elsevier.

**Behaviour of concrete floor slabs at ambient and elevated temperatures.**

. *Fire Safety Journal* vol. 42, (6-7) 425-436.Elsevier.

**Instability of imperfect composite cylindrical shells under combined loading.**

. *Composite Structures* vol. 80, (1) 49-64.Elsevier.

**Development of a Gaussian glass breakage model within a fire field model.**

. *Fire Safety Journal* vol. 42, (5) 366-376.Elsevier.

**2006**

**Quantitative comparison of FDS and parametric fire curves with post-flashover compartment fire test data.**

. *Fire Safety Journal* vol. 41, (2) 99-110.Elsevier.

**Advances in fire engineering design of steel structures.**

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 159, (1) 21-35.Emerald.

**2005**

**Fracture Resistance of a Cracked Concrete Beam Post-strengthened with FRP Sheets.**

. *International Journal of Fracture* vol. 135, (1-4).Springer Nature.

**Fire Engineering Design of Steel Structures.**

. *Advances in Structural Engineering* vol. 8, (3) 185-202.Sage Publications.

**2004**

**Indicative fire tests to investigate the behaviour of cellular beams protected with intumescent coatings.**

. *Fire Safety Journal* vol. 39, (8) 689-709.Elsevier.

**Membrane action of slab/beam composite floor systems in fire.**

. *Engineering Structures* vol. 26, (12) 1691-1703.Elsevier.

**Experimental behaviour of concrete floor slabs at large displacements.**

. *Engineering Structures* vol. 26, (9) 1231-1247.Elsevier.

**Comparison of BRE simple design method for composite floor slabs in fire with nonlinear FE modelling.**

. *Fire and Materials* vol. 28, (2â€•4) 127-138.Wiley.

**2003**

**Discussion: Holistic behaviour of concrete buildings in fire.**

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 156, (4) 422-424.Emerald.

**Efficient arrangement of reinforcement for membrane behaviour of composite floor slabs in fire conditions.**

. *Journal of Constructional Steel Research* vol. 59, (7) 931-949.Elsevier.

**Large scale fire test on a composite slim-floor system.**

. *Steel and Composite Structures* vol. 3, (3) 153-168.Techno-Press.

**2002**

**Holistic behaviour of concrete buildings in fire.**

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 152, (3) 199-212.Emerald.

**2001**

**Membrane action of unrestrained lightly reinforced concrete slabs at large displacements.**

. *Engineering Structures* vol. 23, (5) 470-483.Elsevier.

**2000**

**The tensile membrane action of unrestrained composite slabs simulated under fire conditions.**

. *Engineering Structures* vol. 22, (12) 1583-1595.Elsevier.

**The influence of the thermal expansion of beams on the structural behaviour of columns in steel-framed structures during a fire.**

. *Engineering Structures* vol. 22, (7) 755-768.Elsevier.

**Effective lengths of concrete-filled steel square hollow sections in fire.**

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 140, (2) 169-178.Emerald.

1999

**The structural behaviour of steel columns during a compartment fire in a multi-storey braced steel-frame.**

. *Journal of Constructional Steel Research* vol. 52, (2) 137-157.Elsevier.

**The behaviour of asymmetric slim floor steel beams in fire.**

. *Journal of Constructional Steel Research* vol. 50, (3) 235-257.Elsevier.

1998

**Computer modelling of the corner compartment fire test on the large-scale Cardington test frame.**

. *Journal of Constructional Steel Research* vol. 48, (1) 27-45.Elsevier.

**Development of computer software to simulate the structural behaviour of steel-framed buildings in fire.**

. *Computers & Structures* vol. 67, (6) 421-438.Elsevier.

1996

**Analyses of the effects of cooling and fire spread on steel-framed buildings.**

. *Fire Safety Journal* vol. 26, (4) 273-293.Elsevier.

**The lateral-torsional buckling of unrestrained steel beams in fire.**

. *Journal of Constructional Steel Research* vol. 36, (2) 101-119.Elsevier.