

Prof Colin Bailey

CBE, FREng, BEng, PhD, CEng, FICE, FStructE, MIFireE

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 5061

email: principal@qmul.ac.uk web: www.sems.qmul.ac.uk/principal

2021

Modeling and simulation of fabricated graphene nanoplates/polystyrene nanofibrous membrane for dcmd.

Abdullah A, Al-Qahatani A, Alquraish M, Bailey C, El-Shazly A and El-Mofty S. *Polymers* vol. 13, (17).

Analysis of the robustness of a steel frame structure with composite floors subject to multiple fire scenarios.

Suwondo R, Cunningham L, Gillie M and Bailey C. *Advances in Structural Engineering* vol. 24, (10) 2076-2089.

2020

Fire Safety Assessment of Epoxy Composites Reinforced by Carbon Fibre and Graphene.

Zhang Q, Wang YC, Soutis C, Bailey CG and Hu Y. *Applied Composite Materials* vol. 27, (5) 619-639.

2019

Performance evaluation of surgical techniques for treatment of scapholunate instability in a type II wrist.

Alonso-Rasgado M, Bailey C, Leonardo-Diaz R, Jimenez-Cruz D and Talwalkar S. *International Journal For Numerical Methods in Biomedical Engineering*. Wiley.

Quantification of gas permeability of epoxy resin composites with graphene nanoplatelets.

Zhang Q, Wang YC, Bailey CG, Istrate OM, Li Z, Kinloch IA and Budd PM. *Composites Science and Technology* vol. 184,.Elsevier.

Corrigendum to "Punching behaviour of column-slab connection strengthened with non-prestressed or prestressed FRP plates" [Eng. Struct. 160 (2018) 229-242] (Engineering Structures (2018) 160 (229-242), (S0141029616314018), (10.1016/j.engstruct.2018.01.030)).

Abdullah A and Bailey CG. *Engineering Structures* vol. 187,.

Effect of femoral head size, subject weight and activity level on acetabular cement mantle stress following total hip arthroplasty.

Del-Valle-Mojica JF, ALONSO-RASGADO MT, Jimenez-Cruz D, BAILEY C and Board T. *Journal of Orthopaedic Research*. Wiley.

Impact of femoroacetabular impingement and dysplasia of the hip on hip joint sphericity.

BAILEY CG, Diaz-Lopez R, Alonso-Rasgado T, Jimenez-Cruz D and Board T. *Hip International*. Sage Publications.

A fate-alternating transitional regime in contracting liquid filaments.

Wang F, ContÁ² FP, Naz N, Castrejón-Pita JR, Castrejón-Pita AA, Bailey CG, Wang W, Feng JJ and Sui Y. *Journal of Fluid Mechanics* vol. 860, 640-653.

Progressive collapse analysis of composite steel frames subject to fire following earthquake.

Suwondo R, Cunningham L, Gillie M and Bailey C. *Fire Safety Journal* vol. 103, 49-58.

2018

Cement interface and bone stress in total hip arthroplasty: Relationship to head size.

Alonso-Rasgado T, Del-Valle-Mojica JF, Jimenez-Cruz D, Bailey CG and Board TN. *Journal of Orthopaedic Research* vol. 36, (11) 2966-2977.

Improving the performance of composite floors subjected to post-earthquake fire.

BAILEY CG, Suwondo R, Cunningham L and Gillie M. *Fire Safety Journal*.Elsevier.

Failure criterion of an asphalt mixture under three-dimensional stress state.

Huang T, Zheng JL, Lv ST, Zhang JH, Wen PH and Bailey CG. *Construction and Building Materials* vol. 170, 708-715.

The thermal analysis of cutting/grinding processes by meshless finite block method.

Yang JJ, Wang ZX, Adetoro OB, Wen PH and Bailey CG. *Engineering Analysis With Boundary Elements*.

Quantifying effects of graphene nanoplatelets on slowing down combustion of epoxy composites.

BAILEY CG, Zhang Q, Wang Y, Yuen R, Parkin J, Yang W and Valles C. *Composites Part B*.

Moving boundary analysis in heat conduction with multilayer composites by finite block method.

WEN P, BAILEY CG, Lei M and Li M. *Engineering Analysis With Boundary Elements*.Elsevier.

Effect of earthquake damage on the behaviour of composite steel frames in fire.

BAILEY CG, Suwondo R, Gillie M and Cunningham L. *Advances in Structural Engineering*.Sage Publications.

WITHDRAWN: Sphericity of the hip joint components for subjects with femoroacetabular impingement and dysplastic hips.

Diaz-Lopez RA, Alonso-Rasgado MT, Jimenez-Cruz D, Bailey CG and Board TN. *Journal of Orthopaedics*.

Punching behaviour of column-slab connection strengthened with non-prestressed or prestressed FRP plates.

Abdullah A and Bailey CG. *Engineering Structures* vol. 160, 229-242.Elsevier.

2017

How solid surface free energy determines coalescence-induced nanodroplet jumping: A molecular dynamics investigation.

SHENG Q, SUN J, WANG W, WANG HS and BAILEY CG. *Journal of Applied Physics* vol. 122, 245301 (2017),.Aip Publishing.

Grain size effects on indentation-induced plastic deformation and amorphization process of polycrystalline silicon.

Fan J, Li J, Huang Z, Wen PH and Bailey CG. *Computational Materials Science* vol. 144, 113-119.

Analysis of tenodesis techniques for treatment of scapholunate instability using the finite element method.

Alonso Rasgado T, Zhang Q, Jimenez Cruz D, Bailey C, Pinder E, Mandaleson A and Talwalkar S. *International Journal For Numerical Methods in Biomedical Engineering* vol. 33, (12).

Evaluation of the performance of three tenodesis techniques for the treatment of scapholunate instability: flexion-extension and radial-ulnar deviation.

Alonso-Rasgado T, Zhang QH, Jimenez-Cruz D, Bailey C, Pinder E, Mandaleson A and Talwalkar S. *Medical and Biological Engineering and Computing* 1-15.

2016

Failure Analysis Following Osteochondroplasty for Hip Impingement in Osteoporotic and Non-Osteoporotic Bones.

Cruz D J, Rasgado MT A, CG B and TN B. *Journal of Osteoporosis and Physical Activity* vol. 04, (04).

Non-destructive evaluation of residual compressive strength of post-heated reinforced concrete columns.

Yaqub M and Bailey CG. *Construction and Building Materials* vol. 120, 482-493.

2013

Tests investigating the punching shear of a column-slab connection strengthened with non-prestressed or prestressed FRP plates.

Abdullah A, Bailey CG and Wu ZJ. *Construction and Building Materials* vol. 48, 1134-1144.

Modelling basalt fibre reinforced glass concrete slabs at ambient and elevated temperatures.

Borhan TM and Bailey CG. *Materials and Structures* vol. 47, (6) 999-1009.

Structural behaviour of basalt fibre reinforced glass concrete slabs.

Borhan TM and Bailey CG. *Materials and Structures* vol. 47, (1-2) 77-87.

Strength and stiffness of post-heated columns repaired with ferrocement and fibre reinforced polymer jackets.

Yaqub M, Bailey CG, Nedwell P, Khan QUZ and Javed I. *Composites Part B Engineering* vol. 44, (1) 200-211.

2012

Changes in the stress in the femoral head neck junction after osteochondroplasty for hip impingement: A finite element study.

Alonso-Rasgado T, Jimenez-Cruz D, Bailey CG, Mandal P and Board T. *Journal of Orthopaedic Research* vol. 30, (12) 1999-2006.

Seismic performance of shear critical post-heated reinforced concrete square columns wrapped with FRP composites.

Yaqub M and Bailey CG. *Construction and Building Materials* vol. 34, 457-469.

Global modelling of fire protection performance of an intumescent coating under different furnace fire conditions.

Zhang Y, Wang YC, Bailey CG and Taylor AP. *Journal of Fire Sciences* vol. 31, (1) 51-72.

Large-scale fire test of unprotected cellular beam acting in membrane action.

Vassart O, Bailey CG, Hawes M, Nadjai A, Simms WI, Zhao B, Gernay T and Franssen J-M. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 165, (7) 327-334.

Global modelling of fire protection performance of intumescent coating under different cone calorimeter heating conditions.

Zhang Y, Wang YC, Bailey CG and Taylor AP. *Fire Safety Journal* vol. 50, 51-62.

Seismic strengthening of shear critical post-heated circular concrete columns wrapped with FRP composite jackets.

Bailey CG and Yaqub M. *Composite Structures* vol. 94, (3) 851-864.

2011

Large-Scale Fire Test of Unprotected Cellular Beam Acting in Membrane Action.

Vassart O, Bailey C, Hawes M, Nadjai A, Simms W, Zhao B, Gernay T and Franssen J-M. *Journal of Structural Fire Engineering* vol. 2, (4) 259-268.

Axial capacity of post-heated square columns wrapped with FRP composites.

Yaqub M, Bailey CG and Nedwell P. *Cement and Concrete Composites* vol. 33, (6) 694-701.

An experimental study of relative structural fire behaviour and robustness of different types of steel joint in restrained steel frames.

Wang YC, Dai XH and Bailey CG. *Journal of Constructional Steel Research* vol. 67, (7) 1149-1163.

Structural performance of a post-tensioned concrete floor during horizontally travelling fires.

Ellobody E and Bailey CG. *Engineering Structures* vol. 33, (6) 1908-1917.

Experimental behaviour of composite slabs during the heating and cooling fire stages.

Guo S and Bailey CG. *Engineering Structures* vol. 33, (2) 563-571.

Cross sectional shape effects on the performance of post-heated reinforced concrete columns wrapped with FRP composites.

Yaqub M and Bailey CG. *Composite Structures* vol. 93, (3) 1103-1117.

Repair of fire damaged circular reinforced concrete columns with FRP composites.

Yaqub M and Bailey CG. *Construction and Building Materials* vol. 25, (1) 359-370.

2010

Numerical modelling of structural fire behaviour of restrained steel beam-column assemblies using typical joint types.

Dai XH, Wang YC and Bailey CG. *Engineering Structures* vol. 32, (8) 2337-2351.

2009

Comparison of unbonded and bonded post-tensioned concrete slabs under fire conditions.

Bailey C and Ellobody E. *The Structural Engineer* 23-31.

Whole-building behaviour of bonded post-tensioned concrete floor plates exposed to fire.

Bailey CG and Ellobody E. *Engineering Structures* vol. 31, (8) 1800-1810.

Science and Technology Developments in Structural Fire Engineering.

Bailey C. *Structural Engineering International* vol. 19, (2) 155-164.

Effects of partial fire protection on temperature developments in steel joints protected by intumescent coating.

Dai XH, Wang YC and Bailey CG. *Fire Safety Journal* vol. 44, (3) 376-386.

A Simple Method to Predict Temperatures in Steel Joints with Partial Intumescent Coating Fire Protection.

Dai X, Wang Y and Bailey C. *Fire Technology* vol. 46, (1).

Fire tests on bonded post-tensioned concrete slabs.

Bailey CG and Ellobody E. *Engineering Structures* vol. 31, (3) 686-696.

Modelling of unbonded post-tensioned concrete slabs under fire conditions.

Ellobody E and Bailey CG. *Fire Safety Journal* vol. 44, (2) 159-167.

Fire tests on unbonded post-tensioned one-way concrete slabs.

Bailey CG and Ellobody E. *Magazine of Concrete Research* vol. 61, (1) 67-76.

2008

Modelling of bonded post-tensioned concrete slabs in fire.

Ellobody EAM and Bailey CG. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 161, (6) 311-323.

Experimental bond behaviour of welded mesh reinforcement at elevated temperatures.

Giroldo F and Bailey CG. *Magazine of Concrete Research* vol. 60, (1) 23-31.

Simplified and Advanced Analysis of Membrane Action of Concrete Slabs.

. *Aci Structural Journal* vol. 105, (1).

2007

Small-scale concrete slab tests at ambient and elevated temperatures.

Bailey CG and Toh WS. *Engineering Structures* vol. 29, (10) 2775-2791.

Behaviour of concrete floor slabs at ambient and elevated temperatures.

Bailey CG and Toh WS. *Fire Safety Journal* vol. 42, (6-7) 425-436.

Instability of imperfect composite cylindrical shells under combined loading.

Tafreshi A and Bailey CG. *Composite Structures* vol. 80, (1) 49-64.

Development of a Gaussian glass breakage model within a fire field model.

Pope ND and Bailey CG. *Fire Safety Journal* vol. 42, (5) 366-376.

2006

Quantitative comparison of FDS and parametric fire curves with post-flashover compartment fire test data.

Pope ND and Bailey CG. *Fire Safety Journal* vol. 41, (2) 99-110.

2005

Fracture Resistance of a Cracked Concrete Beam Post-strengthened with FRP Sheets.

Wu ZJ and Bailey CG. *International Journal of Fracture* vol. 135, (1-4).

2004

Indicative fire tests to investigate the behaviour of cellular beams protected with intumescent coatings.

Bailey C. *Fire Safety Journal* vol. 39, (8) 689-709.

Experimental behaviour of concrete floor slabs at large displacements.

Foster SJ, Bailey CG, Burgess IW and Plank RJ. *Engineering Structures* vol. 26, (9) 1231-1247.

Structural fire design: core or specialist subject?.

Bailey C. *The Structural Engineer* vol. 82, (9) 32-38.

Comparison of BRE simple design method for composite floor slabs in fire with non-linear FE modelling.

Huang Z, Burgess I, Plank R and Bailey C. *Fire and Materials* vol. 28, (2?4) 127-138.

2003

Discussion: Holistic behaviour of concrete buildings in fire.

. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 156, (4) 422-424.

Efficient arrangement of reinforcement for membrane behaviour of composite floor slabs in fire conditions.

Bailey CG. *Journal of Constructional Steel Research* vol. 59, (7) 931-949.

Large scale fire test on a composite slim-floor system.

Bailey CG. *Steel and Composite Structures* vol. 3, (3) 153-168.

2002

Holistic behaviour of concrete buildings in fire.

Bailey C. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 152, (3) 199-212.

2001

Membrane action of unrestrained lightly reinforced concrete slabs at large displacements.

Bailey CG. *Engineering Structures* vol. 23, (5) 470-483.

2000

The tensile membrane action of unrestrained composite slabs simulated under fire conditions.

Bailey CG, White DS and Moore DB. *Engineering Structures* vol. 22, (12) 1583-1595.

The influence of the thermal expansion of beams on the structural behaviour of columns in steel-framed structures during a fire.

Bailey CG. *Engineering Structures* vol. 22, (7) 755-768.

The structural behaviour of steel frames with composite floorslabs subject to fire.

Bailey C and Moore DB. *The Structural Engineer* 19-27. *The Institution of Structural Engineers*.

Effective lengths of concrete-filled steel square hollow sections in fire.

Bailey C. *Proceedings of The Institution of Civil Engineers - Structures and Buildings* vol. 140, (2) 169-178.

1999

The structural behaviour of steel columns during a compartment fire in a multi-storey braced steel-frame.

Bailey CG, Moore DB and Lennon T. *Journal of Constructional Steel Research* vol. 52, (2) 137-157.

The behaviour of asymmetric slim floor steel beams in fire.

Bailey CG. *Journal of Constructional Steel Research* vol. 50, (3) 235-257.

The behaviour of full-scale steel-framed buildings subjected to compartment fires.

Bailey C, Lennon T and Moore DB. *The Structural Engineer* vol. 77, (8) 15-21.

1998

Computer modelling of the corner compartment fire test on the large-scale Cardington test frame.

Bailey C. *Journal of Constructional Steel Research* vol. 48, (1) 27-45.

Development of computer software to simulate the structural behaviour of steel-framed buildings in fire.

Bailey CG. *Computers & Structures* vol. 67, (6) 421-438.

The design of steel framed buildings without applied fire protection.

Bailey C and Newman GM. *The Structural Engineer* 77-81.

1996

Analyses of the effects of cooling and fire spread on steel-framed buildings.

Bailey CG, Burgess IW and Plank RJ. *Fire Safety Journal* vol. 26, (4) 273-293.

The lateral-torsional buckling of unrestrained steel beams in fire.

Bailey CG, Burgess IW and Plank RJ. *Journal of Constructional Steel Research* vol. 36, (2) 101-119.

Computer simulation of a full-scale structural fire test.

Bailey C, Burgess IW and Plank RJ. *The Structural Engineer* 93-100.