

Dr Caroline Roney
MMath, MRes, PhD

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8732
email: c.roney@qmul.ac.uk web: www.sems.qmul.ac.uk/c.roney

2026

Understanding the mechanisms of TAVI durability through computational modelling: a multidisciplinary review.

. *European Heart Journal - Digital Health* vol. 7, (2).Oxford University Press (Oup).

2025

Automated generation of ablation lesion masks: a unison of electro and optic flow mapping for persistent AF virtual cohorts.

. *Ep Europace* vol. 28, (1).Oxford University Press (Oup).

The effect of clinically relevant changes in extracellular electrolyte concentrations on human atrial arrhythmias.

. *Communications Medicine* vol. 6, (1).Springer Nature.

Left ventricular ejection fraction response after atrial fibrillation ablation: Clinical predictors and development of the PACED score.

. *Heart Rhythm* vol. 23, (3) e392-e402.Elsevier.

Regional heterogeneity in left atrial stiffness impacts passive deformation in a cohort of patient-specific models.

. *Plos Computational Biology* vol. 21, (11).Public Library of Science (Plos).

Comparative influence of imaging and electrophysiology data on patient-specific atrial model calibration and prediction of ablation targets in atrial fibrillation.

. *European Heart Journal* vol. 46, (Supplement_1).Oxford University Press (Oup).

The role of purkinje fibres in ventricular tachycardia susceptibility & dynamics: a biventricular digital twin study.

. *European Heart Journal* vol. 46, (Supplement_1).Oxford University Press (Oup).

In-silico insights into the role of patient-specific fibrosis in personalised therapy selection for atrial fibrillation.

. *European Heart Journal* vol. 46, (Supplement_1).Oxford University Press (Oup).

Recovering intrinsic conduction velocity and action potential duration from electroanatomic mapping data using curvature.

. *Medical Image Analysis* vol. 107, (Pt A).Elsevier.

Uncertainty should be the rule, not the exception: Integrating fibre orientation variability in cardiac electrophysiology modelling.

. *The Journal of Physiology*.Wiley.

Advancing personalised treatment selection for atrial fibrillation: An in silico approach.

. *Journal of Pharmacological and Toxicological Methods* vol. 135,.Elsevier.

Ganglionated plexi ablation impact on atrial fibrillation mechanisms and outcomes in patients with low scar burden.

. *Ep Europace* vol. 27, (9).Oxford University Press (Oup).

Three-dimensional left atrial strain from retrospective gated computed tomography: Comparison with speckle-tracking echocardiography in patients with aortic stenosis.

. *Journal of Cardiovascular Computed Tomography* vol. 19, (5) 568-575.Elsevier.

High-density evaluation of the arrhythmogenic substrate in persistent atrial fibrillation.

. *Heart Rhythm O2* vol. 6, (10) 1536-1545.Elsevier.

Withdrawing guideline-directed medical therapy after left ventricular ejection fraction recovery following atrial fibrillation ablation: a multicentre cohort study.

. *Open Heart* vol. 12, (2).Bmj.

Atrial fibrosis in atrial fibrillation: Mechanisms, mapping techniques and clinical applications.

. *The Journal of Physiology*.Wiley.

Is regional atrial strain a useful surrogate of regional atrial fibrosis in atrial cardiomyopathy?.

. *European Heart Journal - Imaging Methods and Practice* vol. 3, (2).Oxford University Press (Oup).

Rhythm control benefits left ventricular function compared with rate control in patients with atrial fibrillation: A computational study.

. *Heart Rhythm O2* vol. 6, (7) 1011-1019.Elsevier.

Performance of atrial conduction velocity algorithms with error-prone clinical measurements for the identification of atrial fibrosis.

. *Computers in Biology and Medicine* vol. 191,.Elsevier.

Synthetic fibrosis distributions for data augmentation in predicting atrial fibrillation ablation outcomes: an in silico study.

. *Frontiers in Cardiovascular Medicine* vol. 12,.Frontiers.

PO-FP-077 INVESTIGATING BORDER ZONE EFFECTS ON VENTRICULAR LOCAL ACTIVATION TIME USING IMAGING AND ELECTRICAL DATA DIGITAL TWINS.

. *Heart Rhythm* vol. 22, (4).Elsevier.

PO-05-069 IN-SILICO TRIAL OF AMIODARONE IN ALTERING THE ARRHYTHMOGENICITY OF ATRIAL FIBRILLATION PATIENTS.

. *Heart Rhythm* vol. 22, (4) s593-s594.Elsevier.

PO-05-045 PATIENT-SPECIFIC BIATRIAL MODELS RECREATED FROM CLINICAL DATA ENABLE PERSONALIZED AF THERAPY.

. *Heart Rhythm* vol. 22, (4).Elsevier.

PO-05-068 DIGITAL TWIN STUDY ON ELECTROLYTE IMBALANCE AND THE INITIATION AND TERMINATION OF ATRIAL FIBRILLATION.

. *Heart Rhythm* vol. 22, (4).Elsevier.

PO-03-140 UNIPOLAR VOLTAGE MAPPING UNMASKS THE ARRHYTHMOGENIC ATRIAL SUBSTRATE AS DEPICTED BY CMR LGE.

. *Heart Rhythm* vol. 22, (4).Elsevier.

PO-05-017 A CONSENSUS BASED ELECTRO-OPTIC FLOW ABLATION STRATEGY FOR PERSISTENT AF.

. *Heart Rhythm* vol. 22, (4) s568-s569.Elsevier.

PO-03-005 PERSONALIZED ATRIAL FIBRILLATION TREATMENT USING PATIENT-SPECIFIC DIGITAL TWINS FROM NON-INVASIVE ELECTROCARDIOGRAPHIC IMAGING.

. *Heart Rhythm* vol. 22, (4).Elsevier.

PO-02-215 LINKING REGIONAL EPICARDIAL ADIPOSE TISSUE WITH REGIONAL MECHANICAL FUNCTION IN ATRIAL FIBRILLATION PATIENTS.

. *Heart Rhythm* vol. 22, (4).Elsevier.

PO-05-041 ARTIFICIALLY GENERATED FIBROSIS DISTRIBUTIONS IMPROVE PREDICTION OF ATRIAL FIBRILLATION ABLATION OUTCOME.

. *Heart Rhythm* vol. 22, (4).Elsevier.

The Accuracy of Cardiac Surface Conduction Velocity Measurements.

. *Jacc Clinical Electrophysiology* vol. 11, (4) 694-705.Elsevier.

Identification of atrial myopathy and atrial fibrillation recurrence after ablation using 3D left atrial phasic strain from retrospective gated computed tomography.

. *European Heart Journal - Imaging Methods and Practice* vol. 3, (1).Oxford University Press (Oup).

Peak frequency can be effectively used to characterize scar in atrial fibrillation.

. *Heart Rhythm O2* vol. 6, (4) 434-443.Elsevier.

An Ensemble of 3D Residual Encoder UNet Models for Solving Multi-class Bi-atrial Segmentation Challenge.

. *Statistical Atlases and Computational Models of The Heart. Workshop, Cmrrecon and Mbas Challenge Papers.* 209-213. Springer Nature.

2024

Quantification of atrial cardiomyopathy disease severity by electroanatomic voltage mapping and cardiac magnetic resonance imaging.

. *Journal of Cardiovascular Electrophysiology* vol. 36, (2) 467-479.Wiley.

Vector field heterogeneity as a novel omnipolar mapping metric for functional substrate characterization in scar-related ventricular tachycardias.

. *Heart Rhythm* vol. 22, (5) 1218-1228.Elsevier.

An in-silico comparison of anatomical and substrate based AF ablation using electro and optical flow mapping.

. *European Heart Journal* vol. 45, (Supplement_1).Oxford University Press (Oup).

The effect of fixed and functional remodelling on conduction velocity, wavefront propagation, and rotational activity formation in atrial fibrillation.

. *Ep Europace* vol. 26, (10).Oxford University Press (Oup).

Autonomic modulation impacts conduction velocity dynamics and wavefront propagation in the left atrium.

. *Ep Europace* vol. 26, (9).Oxford University Press (Oup).

Observable Atrial and Ventricular Fibrillation Episode Durations Are Conformant With a Power Law Based on System Size and Spatial Synchronization.

. *Circulation Arrhythmia and Electrophysiology* vol. 17, (7).Wolters Kluwer.

Omnipolar conduction velocity mapping for ventricular substrate characterization: Impact of CV estimation method and EGM type on invivo conduction velocity measurements.

. *Heart Rhythm* vol. 21, (12) 2499-2508.Elsevier.

Effects of different types of fibrotic remodelling in areas of low voltage on atrial fibrillation dynamics: an in-silico study.

. *Ep Europace* vol. 26, (Supplement_1).Oxford University Press (Oup).

Peak frequency can be effectively used to characterize atrial remodelling in atrial fibrillation.

. *Ep Europace* vol. 26, (Supplement_1).Oxford University Press (Oup).

Enhancing OpenEP: atrial conduction velocity and conduction velocity heterogeneity quantification through EP Workbench.

. *Ep Europace* vol. 26, (Supplement_1).Oxford University Press (Oup).

A Review of Personalised Cardiac Computational Modelling Using Electroanatomical Mapping Data.

. *Arrhythmia & Electrophysiology Review* vol. 13,.Radcliffe Cardiology.

PO-05-033 PATIENT-SPECIFIC BIATRIAL MODELLING FRAMEWORK FOR PREDICTING ATRIAL FIBRILLATION OUTCOMES.

. *Heart Rhythm* vol. 21, (5) s565-s566.Elsevier.

PO-05-119 PEAK FREQUENCY CAN BE EFFECTIVELY USED TO CHARACTERIZE ATRIAL REMODELING IN ATRIAL FIBRILLATION.

. *Heart Rhythm* vol. 21, (5) s529-s530.Elsevier.

PO-05-025 ANATOMICAL AND PHYSIOLOGICAL FEATURES IMPROVE AF ABLATION OUTCOME PREDICTION: A COMBINED DEEP LEARNING AND IN-SILICO APPROACH.

. *Heart Rhythm* vol. 21, (5) s561-s562.Elsevier.

PO-06-114 REDEFINING ATRIAL SUBSTRATE ASSESSMENT IN THE OMNIPOLAR MAPPING ERA.

. *Heart Rhythm* vol. 21, (5).Elsevier.

PO-05-031 THE DETERMINATION OF ABLATION TARGETS IN PATIENT-SPECIFIC ATRIAL MODELS IS INFLUENCED BY THE DATA USED FOR CALIBRATION.

. *Heart Rhythm* vol. 21, (5) s564-s565.Elsevier.

A three-dimensional left atrial motion estimation from retrospective gated computed tomography: application in heart failure patients with atrial fibrillation.

. *Frontiers in Cardiovascular Medicine* vol. 11,.Frontiers.

Does spatiotemporal dispersion indicate a patient-unique fingerprint or a generic characteristic of persistent atrial fibrillation?.

. *Heart Rhythm* vol. 21, (5) 553-554.Elsevier.

Spatial and temporal relationship between focal and rotational activations and their relationship to structural remodeling in patients with persistent atrial fibrillation.

. *Heart Rhythm* vol. 21, (6) 752-761.Elsevier.

High Prevalence of New Clinically Significant Findings in Patients With Embolic Stroke of Unknown Source Evaluated by Cardiac Magnetic Resonance Imaging.

. *Journal of The American Heart Association* vol. 13, (3).Wolters Kluwer.

Misclassification Loss for Segmentation of the Aortic Vessel Tree.

. *Segmentation of The Aorta. Towards The Automatic Segmentation, Modeling, and Meshing of The Aortic Vessel Tree From Multicenter* 67-79. Springer Nature.

2023

Constructing bilayer and volumetric atrial models at scale.

. *Interface Focus* vol. 13, (6).The Royal Society.

A Semi-automatic Pipeline for Generation of Large Cohorts of Four-Chamber Heart Meshes.

. *Methods in Molecular Biology* vol. 2735, 117-127.Springer Nature.

Deep neural network architectures for cardiac image segmentation.

. *Artificial Intelligence in The Life Sciences* vol. 4,.Elsevier.

Abstract 13321: Novel Regional Analysis of Left Atrial Strain From Computed Tomography Separates Patients With Persistent versus Paroxysmal Atrial Fibrillation.

. *Circulation* vol. 148, (Suppl_1) a13321-a13321.Wolters Kluwer.

AF and in-hospital mortality in COVID-19 patients.

. *Heart Rhythm O2* vol. 4, (11) 700-707.Elsevier.

In silico biatrial fibrosis ablation improves atrial fibrillation outcome.

. *Ep Europace* vol. 25, (Supplement_1).Oxford University Press (Oup).

A personalized real-time virtual model of whole heart electrophysiology.

. *Ep Europace* vol. 25, (Supplement_1).Oxford University Press (Oup).

Atrial fibrillation and in-hospital mortality in Covid-19 patients.

. *Ep Europace* vol. 25, (Supplement_1).Oxford University Press (Oup).

In Atrial Fibrillation, Unipolar Voltage Maps More Accurately Delineate Scar Than Bipolar Voltage Maps.

. *Jacc Clinical Electrophysiology* vol. 9, (8) 1500-1512.Elsevier.

Evaluation of an open-source pipeline to create patient-specific left atrial models: A reproducibility study.

. *Computers in Biology and Medicine* vol. 162,.Elsevier.

PO-01-095 REGIONAL DIFFERENCES IN ATRIAL FIBER STRAINS IN HEART FAILURE PATIENTS WITH AND WITHOUT ATRIAL FIBRILLATION.

. *Heart Rhythm* vol. 20, (5).Elsevier.

PO-01-215 ATRIAL FIBRILLATION OUTCOME IS IMPROVED BY BIATRIAL SUBSTRATE ABLATION IN A LARGE VIRTUAL TRIAL.

. *Heart Rhythm* vol. 20, (5) s164-s165.Elsevier.

PO-03-103 OMNIPOLAR VOLTAGE MAPPING DURING AF EFFECTIVELY OVERCOMES THE IMPACT WAVEFRONT COLLISION AND FRACTIONATION HAS ON BIPOLAR VOLTAGE MAPS AND MORE EFFECTIVELY IDENTIFIES SITES OF PV RECONNECTION AT PREVIOUS WIDE AREA CIRCUMFERENTIAL LINES COMPARED TO BIPOLAR VOLTAGE MAPS.

. *Heart Rhythm* vol. 20, (5).Elsevier.

PO-02-172 CONDUCTION VELOCITY AND CONDUCTION VELOCITY DYNAMICS IN THE LEFT ATRIUM ARE IMPACTED BY STRUCTURAL AND AUTONOMIC MODULATION AND SITES OF CONDUCTION VELOCITY HETEROGENEITY CORRELATE TO RE-ENTRY ACTIVITY IN ATRIAL FIBRILLATION.

. *Heart Rhythm* vol. 20, (5) s300-s301.Elsevier.

Atrial fibrillation ablation outcome prediction with a machine learning fusion framework incorporating cardiac computed tomography.

. *Journal of Cardiovascular Electrophysiology* vol. 34, (5) 1164-1174.Wiley.

Fiber Organization Has Little Effect on Electrical Activation Patterns During Focal Arrhythmias in the Left Atrium.

. *IEEE Transactions On Biomedical Engineering* vol. 70, (5) 1611-1621.Institute of Electrical and Electronics Engineers (IEEE).

Quantifying the impact of shape uncertainty on predicted arrhythmias.

. *Computers in Biology and Medicine* vol. 153,.Elsevier.

Effect of Varying Pericardial Boundary Conditions on Whole Heart Function: A Computational Study.

. *Functional Imaging and Modeling of The Heart* 545-554. Springer Nature.

2022

Calibrating cardiac electrophysiology models using latent Gaussian processes on atrial manifolds.

. *Scientific Reports* vol. 12, (1).Springer Nature.

A personalized real-time virtual model of whole heart electrophysiology.

. *Frontiers in Physiology* vol. 13,.Frontiers.

The inspection paradox: An important consideration in the evaluation of rotor lifetimes in cardiac fibrillation.

. *Frontiers in Physiology* vol. 13,.Frontiers.

Atrial conduction velocity mapping: clinical tools, algorithms and approaches for understanding the arrhythmogenic substrate.

. *Medical & Biological Engineering & Computing* vol. 60, (9) 2463-2478.Springer Nature.

OpenEP-Py and OpenEP-GUI: An interactive platform for the visualisation and analysis of clinical and simulated cardiac electrophysiology data.

. *Ep Europace* vol. 24, (Supplement_1).Oxford University Press (Oup).

Interpolation of electrophysiology parameters using OpenEP: technology development and clinical application.

. *Ep Europace* vol. 24, (Supplement_1).Oxford University Press (Oup).

Atrial tissue characterisation using electroanatomic voltage mapping and cardiac magnetic resonance imaging.

. *Ep Europace* vol. 24, (Supplement_1).Oxford University Press (Oup).

PO-616-05 THE INSPECTION PARADOX: AN IMPORTANT CONSIDERATION IN THE EVALUATION OF ROTOR LIFETIMES IN CARDIAC FIBRILLATION.

. *Heart Rhythm* vol. 19, (5).Elsevier.

PO-664-05 LOCAL AREA STRAINS FROM RETROSPECTIVE GATED COMPUTED TOMOGRAPHY IMAGING TO DETECT ATRIAL FIBRILLATION.

. *Heart Rhythm* vol. 19, (5) s297-s298.Elsevier.

Detection of focal source and arrhythmogenic substrate from body surface potentials to guide atrial fibrillation ablation.

. *Plos Computational Biology* vol. 18, (3).Public Library of Science (Plos).

Predicting Atrial Fibrillation Recurrence by Combining Population Data and Virtual Cohorts of Patient-Specific Left Atrial Models.

. *Circulation Arrhythmia and Electrophysiology* vol. 15, (2).Wolters Kluwer.

Atrial CARDiac Magnetic resonance imaging in patients with embolic stroke of unknown source without documented Atrial Fibrillation (CARM-AF): Study design and clinical protocol.

. *Heart Rhythm O2* vol. 3, (2) 196-203.Elsevier.

The Inspection Paradox: An Important Consideration in the Evaluation of Rotor Lifetimes in Cardiac Fibrillation.

. *Heart Lung and Circulation* vol. 31, s133-s134.Elsevier.

2021

Applications of multimodality imaging for left atrial catheter ablation.

. *European Heart Journal - Cardiovascular Imaging* vol. 23, (1) 31-41.Oxford University Press (Oup).

Late Gadolinium Enhancement Cardiovascular Magnetic Resonance Assessment of Substrate for Ventricular Tachycardia With Hemodynamic Compromise.

. *Frontiers in Cardiovascular Medicine* vol. 8,.Frontiers.

Time-Averaged Wavefront Analysis Demonstrates Preferential Pathways of Atrial Fibrillation, Predicting Pulmonary Vein Isolation Acute Response.

. *Frontiers in Physiology* vol. 12,.Frontiers.

B-PO02-137 OPEN-SOURCE PLATFORM FOR ANALYSIS OF FIBROSIS BEFORE AND AFTER A PULMONARY VEIN ISOLATION PROCEDURE.

. *Heart Rhythm* vol. 18, (8).Elsevier.

B-PO03-096 DIELECTRIC IMAGING ACCURATELY MEASURES REGIONAL CARDIAC CHAMBER WALL THICKNESS - AN IN VIVO STUDY.

. *Heart Rhythm* vol. 18, (8) s227-s228.Elsevier.

B-PO05-007 RAPID AND ROBUST MAPPING OF CLINICAL DATA ON PERSONALIZED VOLUMETRIC ATRIAL GEOMETRIES.

. *Heart Rhythm* vol. 18, (8).Elsevier.

B-PO03-022 INTEGRATING ATRIAL CARDIAC MAGNETIC RESONANCE IMAGING AND ELECTROANATOMIC MAPPING DATA USING UNIVERSAL ATRIAL CO-ORDINATES AND OPENEP (AN OPEN-SOURCE FRAMEWORK FOR ELECTROPHYSIOLOGY RESEARCH).

. *Heart Rhythm* vol. 18, (8).Elsevier.

B-PO05-012 PREDICTING ATRIAL FIBRILLATION RECURRENCE BY COMBINING POPULATION DATA & PATIENT-SPECIFIC MODELING.

. *Heart Rhythm* vol. 18, (8) s375-s376.Elsevier.

Computational modeling identifies embolic stroke of undetermined source patients with potential arrhythmic substrate.

. *Elife* vol. 10,.Elife.

OpenEP: A Cross-Platform Electroanatomic Mapping Data Format and Analysis Platform for Electrophysiology Research.

. *Frontiers in Physiology* vol. 12,.Frontiers.

Using machine learning to identify local cellular properties that support re-entrant activation in patient-specific models of atrial fibrillation.

. *Ep Europace* vol. 23, (Supplement_1) i12-i20.Oxford University Press (Oup).

2020

Clinical translation of patient-specific organ level cardiac models.

. *Modeling and Simulating Cardiac Electrical Activity*. IOP Publishing.

Anisotropic Cardiac Conduction.

. *Arrhythmia & Electrophysiology Review* vol. 9, (4) 202-210.Radcliffe Cardiology.

Fully Automatic Atrial Fibrosis Assessment Using a Multilabel Convolutional Neural Network.

. *Circulation Cardiovascular Imaging* vol. 13, (12) e011512-e011512.Wolters Kluwer.

Abstract 14899: Personalized Computational Modeling Identifies Embolic Stroke of Undetermined Source Patients With Potential Arrhythmic Substrate.

. *Circulation* vol. 142, (Suppl_3).Wolters Kluwer.

Left Atrial Enhancement Correlates With Myocardial Conduction Velocity in Patients With Persistent Atrial Fibrillation.

. *Frontiers in Physiology* vol. 11,.Frontiers.

Using cardiac ionic cell models to interpret clinical data.

. *Wires Mechanisms of Disease* vol. 13, (3).Wiley.

In silico Comparison of Left Atrial Ablation Techniques That Target the Anatomical, Structural, and Electrical Substrates of Atrial Fibrillation.

. *Frontiers in Physiology* vol. 11,.Frontiers.

CemrgApp: An interactive medical imaging application with image processing, computer vision, and machine learning toolkits for cardiovascular research.

. *SoftwareX* vol. 12,.Elsevier.

P920Understanding arrhythmia mechanisms in patients with atrial septal defects.

. *Ep Europace* vol. 22, (Supplement_1).Oxford University Press (Oup).

Constructing a Human Atrial Fibre Atlas.

. *Annals of Biomedical Engineering* vol. 49, (1) 233-250.Springer Nature.

An audit of uncertainty in multi-scale cardiac electrophysiology models.

. *Philosophical Transactions of The Royal Society a Mathematical Physical and Engineering Sciences* vol. 378, (2173). The Royal Society.

Creation and application of virtual patient cohorts of heart models.

. *Philosophical Transactions of The Royal Society a Mathematical Physical and Engineering Sciences* vol. 378, (2173). The Royal Society.

Gaussian process manifold interpolation for probabilistic atrial activation maps and uncertain conduction velocity.

. *Philosophical Transactions of The Royal Society a Mathematical Physical and Engineering Sciences* vol. 378, (2173). The Royal Society.

Ventricular fibrillation mechanism and global fibrillatory organization are determined by gap junction coupling and fibrosis pattern.

. *Cardiovascular Research* vol. 117, (4) 1078-1090. Oxford University Press (Oup).

Challenges Associated with Interpreting Mechanisms of AF.

. *Arrhythmia & Electrophysiology Review* vol. 8, (4) 273-284. Radcliffe Cardiology.

Simulating ventricular systolic motion in a four-chamber heart model with spatially varying robin boundary conditions to model the effect of the pericardium.

. *Journal of Biomechanics* vol. 101, Elsevier.

2019

Quantifying atrial anatomy uncertainty from clinical data and its impact on electro-physiology simulation predictions.

. *Medical Image Analysis* vol. 61, Elsevier.

Standardised Framework for Quantitative Analysis of Fibrillation Dynamics.

. *Scientific Reports* vol. 9, (1). Springer Nature.

Preventing recurrence through analysing recurrence.

. *Journal of Cardiovascular Electrophysiology* vol. 30, (11) 2239-2241. Wiley.

4969 Enhanced gap junction coupling organised and terminated acute ventricular fibrillation in ex-vivo perfused hearts.

. *European Heart Journal* vol. 40, (Supplement_1). Oxford University Press (Oup).

Acetylcholine Delays Atrial Activation to Facilitate Atrial Fibrillation.

. *Frontiers in Physiology* vol. 10, Frontiers.

Left atrial effective conducting size predicts atrial fibrillation vulnerability in persistent but not paroxysmal atrial fibrillation.

. *Journal of Cardiovascular Electrophysiology* vol. 30, (9) 1416-1427. Wiley.

Reproducibility of Atrial Fibrosis Assessment Using CMR Imaging and an Open Source Platform.

. *Jacc Cardiovascular Imaging* vol. 12, (10) 2076-2077. Elsevier.

Universal atrial coordinates applied to visualisation, registration and construction of patient specific meshes.

. *Medical Image Analysis* vol. 55, 65-75. Elsevier.

Probabilistic Interpolation of Uncertain Local Activation Times on Human Atrial Manifolds.

. *IEEE Transactions On Biomedical Engineering* vol. 67, (1) 99-109. Institute of Electrical and Electronics Engineers (IEEE).

Fundamentals of cardiac mapping.

. *Cardiac Mapping* 70-83.

2018

A technique for measuring anisotropy in atrial conduction to estimate conduction velocity and atrial fibre direction.

. *Computers in Biology and Medicine* vol. 104, 278-290. Elsevier.

Determinants of new wavefront locations in cholinergic atrial fibrillation.

. *Ep Europace* vol. 20, (suppl_3) iii3-iii15. Oxford University Press (Oup).

Patient-specific simulations predict efficacy of ablation of interatrial connections for treatment of persistent atrial fibrillation.

. *Ep Europace* vol. 20, (suppl_3) iii55-iii68. Oxford University Press (Oup).

116 Inter and intra-observer reproducibility of atrial fibrosis assessment using late gadolinium enhanced cardiac magnetic resonance imaging.

. *Ep Europace* vol. 20, (suppl_4) iv50-iv51.

Wavelength and Fibrosis Affect Phase Singularity Locations During Atrial Fibrillation.

. *Frontiers in Physiology* vol. 9,.*Frontiers*.

Analytical approaches for myocardial fibrillation signals.

. *Computers in Biology and Medicine* vol. 102, 315-326.*Elsevier*.

Unraveling the Underlying Arrhythmia Mechanism in Persistent Atrial Fibrillation.

. *Circulation Arrhythmia and Electrophysiology* vol. 11, (6).*Wolters Kluwer*.

Cardiac Propagation Pattern Mapping With Vector Field for Helping Tachyarrhythmias Diagnosis With Clinical Tridimensional Electro-Anatomical Mapping Tools.

. *IEEE Transactions On Biomedical Engineering* vol. 66, (2) 373-382.*Institute of Electrical and Electronics Engineers (IEEE)*.

Variability in pulmonary vein electrophysiology and fibrosis determines arrhythmia susceptibility and dynamics.

. *Plos Computational Biology* vol. 14, (5).*Public Library of Science (Plos)*.

Characterisation of re-entrant circuit (or rotational activity) in vitro using the HL1-6 myocyte cell line.

. *Journal of Molecular and Cellular Cardiology* vol. 119, 155-164.*Elsevier*.

2017

Repolarization abnormalities unmasked with exercise in sudden cardiac death survivors with structurally normal hearts.

. *Journal of Cardiovascular Electrophysiology* vol. 29, (1) 115-126.*Wiley*.

ST-Elevation Magnitude Correlates With Right Ventricular Outflow Tract Conduction Delay in Type I Brugada ECG.

. *Circulation Arrhythmia and Electrophysiology* vol. 10, (10).*Wolters Kluwer*.

P4350 Slowing of conduction by acetylcholine shortens the wavelength for reentrant atrial arrhythmias.

. *European Heart Journal* vol. 38, (suppl_1).*Oxford University Press (Oup)*.

Spatial Resolution Requirements for Accurate Identification of Drivers of Atrial Fibrillation.

. *Circulation Arrhythmia and Electrophysiology* vol. 10, (5) e004899-e004899.*Wolters Kluwer*.

2016

Rotor Tracking Using Phase of Electrograms Recorded During Atrial Fibrillation.

. *Annals of Biomedical Engineering* vol. 45, (4) 910-923.*Springer Nature*.

Modelling methodology of atrial fibrosis affects rotor dynamics and electrograms.

. *Ep Europace* vol. 18, (suppl_4) iv146-iv155.*Oxford University Press (Oup)*.

Novel Radiofrequency Ablation Strategies for Terminating Atrial Fibrillation in the Left Atrium: A Simulation Study.

. *Frontiers in Physiology* vol. 7,.*Frontiers*.

2015

67 Dynamic Characterisation of the Electrophysiological Substrate in Brugada Syndrome During Physiological Autonomic Stimulation.

. *Heart* vol. 101, (Suppl 4).*Bmj*.

Techniques for automated local activation time annotation and conduction velocity estimation in cardiac mapping.

. *Computers in Biology and Medicine* vol. 65, 229-242.*Elsevier*.

2013

The contact electrogram and its architectural determinants in atrial fibrillation.

. *The Lancet* vol. 381,.*Elsevier*.

2012

117 Conduction block induced by acidosis in HL-1 mouse atrial myocytes can be reversed by administering the gap junctional coupler rotigaptide.

. Heart vol. 98, (Suppl 1).Bmj.