

Dr Dimitrios Papageorgiou
MSc, PhD, MIMMM

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 6885

email: d.papageorgiou@qmul.ac.uk web: www.sems.qmul.ac.uk/d.papageorgiou

2021

Multifunctional epoxy nanocomposites reinforced by two-dimensional materials: A review.

Dong M, Zhang H, Tzounis L, Santagiuliana G, Bilotti E and Papageorgiou DG. *Carbon* vol. 185, 57-81.

Best of Both Worlds: Synergistically Derived Material Properties via Additive Manufacturing of Nanocomposites.

Carrola M, Asadi A, Zhang H, Papageorgiou DG, Bilotti E and Koerner H. *Advanced Functional Materials* vol. 31, (46).

Self-powered ultrasensitive and highly stretchable temperature-strain sensing composite yarns.

Wan K, Liu Y, Santagiuliana G, Barandun G, Taroni Junior P, Güder F, Bastiaansen CWM, Baxendale M, Fenwick O, Papageorgiou DG, Krause S, Zhang H and Bilotti E. *Materials Horizons*.

Deformation and tearing of graphene-reinforced elastomer nanocomposites.

Liu M, Hui JH, Kinloch IA, Young RJ and Papageorgiou DG. *Composites Communications* vol. 25,.

Mechanical Properties of Graphene.

Sun YW, Papageorgiou D, Puech P, Proctor JE, Machon D, Bousige C, San-Miguel A, Humphreys C and Dunstan DJ. *Applied Physics Reviews*. AIP Publishing.

A new era in engineering plastics: Compatibility and perspectives of sustainable aliphatic poly(ethylene terephthalate)/poly(ethylene 2,5-furandicarboxylate) blends.

Papageorgiou DG, Tsetsou I, Ioannidis RO, Nikolaidis GN, Exarhopoulos S, Kasmi N, Bikiaris DN, Achilias DS and Papageorgiou GZ. *Polymers* vol. 13, (7).

Sustainable additive manufacturing: Mechanical response of polypropylene over multiple recycling processes.

Vidakis N, Petousis M, Tzounis L, Maniadi A, Velidakis E, Mountakis N, Papageorgiou D, Liebscher M and Mechtcherine V. *Sustainability (Switzerland)* vol. 13, (1) 1-16.

2020

Decoration of SiO₂ and Fe₃O₄ nanoparticles onto the surface of mwcnt-grafted glass fibers: A simple approach for the creation of binary nanoparticle hierarchical and multifunctional composite interphases.

Petousis M, Tzounis L, Papageorgiou D and Vidakis N. *Nanomaterials* vol. 10, (12) 1-17.

High-performance fluoroelastomer-graphene nanocomposites for advanced sealing applications.

Liu M, Cataldi P, Young RJ, Papageorgiou DG and Kinloch IA. *Composites Science and Technology* vol. 202, 108592-108592. Elsevier.

Towards increased sustainability for aromatic polyesters: Poly(butylene 2,5-furandicarboxylate) and its blends with poly(butylene terephthalate).

Poulopoulou N, Guigo N, Sbirrazzuoli N, Papageorgiou DG, Bikiaris DN, Nikolaidis GN and Papageorgiou GZ. *Polymer*. Elsevier.

Graphene-Polyurethane Coatings for Deformable Conductors and Electromagnetic Interference Shielding.

Cataldi P, Papageorgiou DG, Pinter G, Kretinin AV, Sampson WW, Young RJ, Bissett M and Kinloch IA. *Advanced Electronic Materials* vol. 6, (9). Wiley.

Multifunctional Biocomposites Based on Polyhydroxyalkanoate and Graphene/Carbon Nanofiber Hybrids for Electrical and Thermal Applications.

Cataldi P, Steiner P, Raine T, Lin K, Kocabas C, Young RJ, Bissett M, Kinloch IA and Papageorgiou DG. *Acs Applied Polymer Materials*. American Chemical Society.

Tuning the properties of furandicarboxylic acid-based polyesters with copolymerization: A review.

Terzopoulou Z, Papadopoulos L, Zamboulis A, Papageorgiou DG, Papageorgiou GZ and Bikiaris DN. *Polymers* vol. 12, (6). Mdpi Ag.

Anisotropic swelling of elastomers filled with aligned 2D materials.

Liu M, Li S, Kinloch IA, Young RJ and Papageorgiou DG. *2d Materials* vol. 7, (2).

Realising biaxial reinforcement: Via orientation-induced anisotropic swelling in graphene-based elastomers.

Liu M, Kinloch IA, Young RJ and Papageorgiou DG. *Nanoscale* vol. 12, (5) 3377-3386.

Mechanisms of mechanical reinforcement by graphene and carbon nanotubes in polymer nanocomposites.

Papageorgiou DG, Li Z, Liu M, Kinloch IA and Young RJ. *Nanoscale* vol. 12, (4) 2228-2267.

2019

Modelling mechanical percolation in graphene-reinforced elastomer nanocomposites.

Liu M, Kinloch IA, Young RJ and Papageorgiou DG. *Composites Part B: Engineering* vol. 178,.

PMMA-grafted graphene nanoplatelets to reinforce the mechanical and thermal properties of PMMA composites.

VallÃ©s C, Papageorgiou DG, Lin F, Li Z, Spencer BF, Young RJ and Kinloch IA. *Carbon* vol. 157, 750-760. Elsevier.

Interfacial stress transfer in strain engineered wrinkled and folded graphene.

Li Z, Young RJ, Papageorgiou DG, Kinloch IA, Zhao X, Yang C and Hao S. *2d Materials* vol. 6, (4). Iop Publishing.

The strength of mechanically-exfoliated monolayer graphene deformed on a rigid polymer substrate.

Zhao X, Papageorgiou DG, Zhu L, Ding F and Young RJ. *Nanoscale* vol. 11, (30) 14339-14353. Royal Society of Chemistry.

Green polymeric materials: On the dynamic homogeneity and miscibility of furan-based polyester blends.

Poulopoulou N, Pipertzis A, Kasmi N, Bikiaris DN, Papageorgiou DG, Floudas G and Papageorgiou GZ. *Polymer* vol. 174, 187-199.

Hybrid poly(ether ether ketone) composites reinforced with a combination of carbon fibres and graphene nanoplatelets.

Papageorgiou DG, Liu M, Li Z, VallÃ©s C, Young RJ and Kinloch IA. *Composites Science and Technology* vol. 175, 60-68.

Thermal Decomposition Kinetics and Mechanism of In-Situ Prepared Bio-based Poly(propylene 2,5-furan dicarboxylate)/Graphene Nanocomposites.

Terzopoulou Z, Tarani E, Kasmi N, Papadopoulos L, Chrissafis K, Papageorgiou DG, Papageorgiou GZ and Bikiaris DN. *Molecules* vol. 24, (9). Mdpi.

Exploring Next-Generation Engineering Bioplastics: Poly(alkylene furanoate)/Poly(alkylene terephthalate) (PAF/PAT) Blends.

Poulopoulou N, Kasmi N, Siampani M, Terzopoulou ZN, Bikiaris DN, Achilias DS, Papageorgiou DG and Papageorgiou GZ. *Polymers (Basel)* vol. 11, (3). Mdpi.

Sustainable thermoplastics from renewable resources: Thermal behavior of poly(1,4-cyclohexane dimethylene 2,5-furandicarboxylate).

Kasmi N, Poulopoulou N, Terzopoulou Z, Papageorgiou DG, Bikiaris DN and Papageorgiou GZ. *European Polymer Journal* vol. 112, 1-14.

The strength of mechanically-exfoliated monolayer graphene deformed on a rigid polymer substrate.
Zhao X, Papageorgiou DG, Zhu L, Ding F and Young RJ. *Nanoscale* vol. 11, (30) 14339-14353. *Royal Society of Chemistry (Rsc)*.

2018

Synthesis and Characterization of In-Situ-Prepared Nanocomposites Based on Poly(Propylene 2,5-Furan Dicarboxylate) and Aluminosilicate Clays.

Papadopoulos L, Terzopoulou Z, Bikiaris DN, Patsiaoura D, Chrissafis K, Papageorgiou DG and Papageorgiou GZ. *Polymers (Basel)* vol. 10, (9). *Mdpi*.

Sustainable Polymers from Renewable Resources: Polymer Blends of Furan-Based Polyesters.

Poulopoulou N, Kasmi N, Bikiaris DN, Papageorgiou DG, Floudas G and Papageorgiou GZ. *Macromolecular Materials and Engineering* vol. 303, (8).

Hydrogel matrices based on elastin and alginate for tissue engineering applications.

Silva R, Singh R, Sarker B, Papageorgiou DG, Juhasz-Bortuzzo JA, Roether JA, Cicha I, Kaschta J, Schubert DW, Chrissafis K, Detsch R and Boccaccini AR. *International Journal of Biological Macromolecules* vol. 114, 614-625.

Micromechanics of reinforcement of a graphene-based thermoplastic elastomer nanocomposite.

Liu M, Papageorgiou DG, Li S, Lin K, Kinloch IA and Young RJ. *Composites Part a: Applied Science and Manufacturing* vol. 110, 84-92.

Electrical percolation in graphene-polymer composites.

Marsden AJ, Papageorgiou DG, VallÃ©s C, Liscio A, Palermo V, Bissett MA, Young RJ and Kinloch IA. *2d Materials* vol. 5, (3).

Effect of surface functionalization of halloysite nanotubes on synthesis and thermal properties of poly(ϵ -caprolactone).

Terzopoulou Z, Papageorgiou DG, Papageorgiou GZ and Bikiaris DN. *Journal of Materials Science* vol. 53, (9) 6519-6541.

Insights into crystallization and melting of high density polyethylene/graphene nanocomposites studied by fast scanning calorimetry.

Tarani E, Papageorgiou DG, Valles C, Wurm A, Terzopoulou Z, Bikiaris DN, Schick C, Chrissafis K and Vourlias G. *Polymer Testing* vol. 67, 349-358.

Enhanced thermal and fire retardancy properties of polypropylene reinforced with a hybrid graphene/glass-fibre filler.

Papageorgiou DG, Terzopoulou Z, Fina A, Cuttica F, Papageorgiou GZ, Bikiaris DN, Chrissafis K, Young RJ and Kinloch IA. *Composites Science and Technology* vol. 156, 95-102.

The mechanics of reinforcement of polymers by graphene nanoplatelets.

Young RJ, Liu M, Kinloch IA, Li S, Zhao X, VallÃ©s C and Papageorgiou DG. *Composites Science and Technology* vol. 154, 110-116. *Elsevier*.

Synthesis and controlled crystallization of: In situ prepared poly(butylene-2,6-naphthalate) nanocomposites.

Papageorgiou DG, Bikiaris DN and Papageorgiou GZ. *Crystengcomm* vol. 20, (25) 3590-3600.

2017

Solid-state structure and thermal characteristics of a sustainable biobased copolymer: Poly(butylene succinate-co-furanoate).

Papageorgiou GZ and Papageorgiou DG. *Thermochimica Acta* vol. 656, 112-122.

Effect of MWCNTs and their modification on crystallization and thermal degradation of poly(butylene naphthalate).

Terzopoulou Z, Patsiaoura D, Papageorgiou DG, Pavlidou E, Chrissafis K, Tzounis L, Papageorgiou GZ and Bikiaris DN. *Thermochimica Acta* vol. 656, 59-69.

Mechanical properties of graphene and graphene-based nanocomposites.

Papageorgiou DG, Kinloch IA and Young RJ. *Progress in Materials Science* vol. 90, 75-127.

Influence of the chemical functionalization of graphene on the properties of polypropylene-based nanocomposites.

Quiles-DÁ-az S, Enrique-Jimenez P, Papageorgiou DG, Ania F, Flores A, Kinloch IA, Gómez-Fatou MA, Young RJ and Salavagione HJ. *Composites Part a: Applied Science and Manufacturing* vol. 100, 31-39.

Poly(ethylene furanoate-co-ethylene terephthalate) biobased copolymers: Synthesis, thermal properties and cocrystallization behavior.

Konstantopoulou M, Terzopoulou Z, Nerantzaki M, Tsagkalias J, Achilias DS, Bikiaris DN, Exarhopoulos S, Papageorgiou DG and Papageorgiou GZ. *European Polymer Journal* vol. 89, 349-366.

2016

Hybrid multifunctional graphene/glass-fibre polypropylene composites.

Papageorgiou DG, Kinloch IA and Young RJ. *Composites Science and Technology* vol. 137, 44-51.

Soft-matrices based on silk fibroin and alginate for tissue engineering.

Silva R, Singh R, Sarker B, Papageorgiou DG, Juhasz JA, Roether JA, Cicha I, Kaschta J, Schubert DW, Chrissafis K, Detsch R and Boccaccini AR. *International Journal of Biological Macromolecules* vol. 93, 1420-1431.

Production of bio-based 2,5-furan dicarboxylate polyesters: Recent progress and critical aspects in their synthesis and thermal properties.

Papageorgiou GZ, Papageorgiou DG, Terzopoulou Z and Bikiaris DN. *European Polymer Journal* vol. 83, 202-229.

Fast Crystallization and Melting Behavior of a Long-Spaced Aliphatic Furandicarboxylate Biobased Polyester, Poly(dodecylene 2,5-furanoate).

Papageorgiou DG, Guigo N, Tsanaktsis V, Exarhopoulos S, Bikiaris DN, Sbirrazzuoli N and Papageorgiou GZ. *Industrial and Engineering Chemistry Research* vol. 55, (18) 5315-5326.

Biobased poly(ethylene furanoate-: Co -ethylene succinate) copolyesters: Solid state structure, melting point depression and biodegradability.

Terzopoulou Z, Tsanaktsis V, Bikiaris DN, Exarhopoulos S, Papageorgiou DG and Papageorgiou GZ. *Rsc Advances* vol. 6, (87) 84003-84015.

2015

Sustainable, eco-friendly polyesters synthesized from renewable resources: Preparation and thermal characteristics of poly(dimethyl-propylene furanoate).

Tsanaktsis V, Terzopoulou Z, Exarhopoulos S, Bikiaris DN, Achilias DS, Papageorgiou DG and Papageorgiou GZ. *Polymer Chemistry* vol. 6, (48) 8284-8296.

Crystallization and Polymorphism of Poly(ethylene furanoate).

Tsanaktsis V, Papageorgiou DG, Exarhopoulos S, Bikiaris DN and Papageorgiou GZ. *Crystal Growth and Design* vol. 15, (11) 5505-5512.

Effect of clay modification on structure-property relationships and thermal degradation kinetics of ?-polypropylene/clay composite materials.

Papageorgiou DG, Filippousi M, Pavlidou E, Chrissafis K, Van Tendeloo G and Bikiaris D. *Journal of Thermal Analysis and Calorimetry* vol. 122, (1) 393-406.

Graphene/elastomer nanocomposites.

Papageorgiou DG, Kinloch IA and Young RJ. *Carbon* vol. 95, 460-484.

Polycaprolactone/multi-wall carbon nanotube nanocomposites prepared by in situ ring opening polymerization: Decomposition profiling using thermogravimetric analysis and analytical pyrolysis-gas chromatography/mass spectrometry.

Papageorgiou DG, Roumeli E, Terzopoulou Z, Tsanaktsis V, Chrissafis K and Bikiaris D. *Journal of Analytical and Applied Pyrolysis* vol. 115, 125-131.

Synthesis, properties and thermal behavior of poly(decylene-2,5-furanoate): A biobased polyester from 2,5-furan dicarboxylic acid.

Tsanaktsis V, Bikiaris DN, Guigo N, Exarhopoulos S, Papageorgiou DG, Sbirrazzuoli N and Papageorgiou GZ. *Rsc Advances* vol. 5, (91) 74592-74604.

On the bio-based furanic polyesters: Synthesis and thermal behavior study of poly(octylene furanoate) using fast and temperature modulated scanning calorimetry.

Papageorgiou GZ, Guigo N, Tsanaktis V, Papageorgiou DG, Exarhopoulos S, Sbirrazzuoli N and Bikiaris DN. *European Polymer Journal* vol. 68, 115-127.

Amino-functionalized multiwalled carbon nanotubes lead to successful ring-opening polymerization of poly(ϵ -caprolactone): Enhanced interfacial bonding and optimized mechanical properties.

Roumeli E, Papageorgiou DG, Tsanaktis V, Terzopoulou Z, Chrissafis K, Avgeropoulos A and Bikiaris DN. *Acs Applied Materials and Interfaces* vol. 7, (21) 11683-11694.

Furan-based polyesters from renewable resources: Crystallization and thermal degradation behavior of poly(hexamethylene 2,5-furan-dicarboxylate).

Papageorgiou GZ, Tsanaktis V, Papageorgiou DG, Chrissafis K, Exarhopoulos S and Bikiaris DN. *European Polymer Journal* vol. 67, 383-396.

Synthesis of the bio-based polyester poly(propylene 2,5-furan dicarboxylate). Comparison of thermal behavior and solid state structure with its terephthalate and naphthalate homologues.

Papageorgiou GZ, Papageorgiou DG, Tsanaktis V and Bikiaris DN. *Polymer* vol. 62, 28-38.

Thermal degradation kinetics and decomposition mechanism of polyesters based on 2,5-furandicarboxylic acid and low molecular weight aliphatic diols.

Tsanaktis V, Vouvoudi E, Papageorgiou GZ, Papageorgiou DG, Chrissafis K and Bikiaris DN. *Journal of Analytical and Applied Pyrolysis* vol. 112, 369-378.

?-Nucleated Polypropylene: Processing, Properties and Nanocomposites.

Papageorgiou DG, Chrissafis K and Bikiaris DN. *Polymer Reviews* vol. 55, (4) 596-629.

2014

Kinetics of nucleation and crystallization in poly(butylene succinate) nanocomposites.

Papageorgiou DG, Zhuravlev E, Papageorgiou GZ, Bikiaris D, Chrissafis K and Schick C. *Polymer* vol. 55, (26) 6725-6734.

Hybrid hydrogels based on keratin and alginate for tissue engineering.

Silva R, Singh R, Sarker B, Papageorgiou DG, Juhasz JA, Roether JA, Cicha I, Kaschta J, Schubert DW, Chrissafis K, Detsch R and Boccaccini AR. *Journal of Materials Chemistry B* vol. 2, (33) 5441-5451.

Effect of nanofiller's size and shape on the solid state microstructure and thermal properties of poly(butylene succinate) nanocomposites.

Papageorgiou DG, Chrissafis K, Pavlidou E, Deliyanni EA, Papageorgiou GZ, Terzopoulou Z and Bikiaris DN. *Thermochimica Acta* vol. 590, 181-190.

Evaluation of polyesters from renewable resources as alternatives to the current fossil-based polymers. Phase transitions of poly(butylene 2,5-furan-dicarboxylate).

Papageorgiou GZ, Tsanaktis V, Papageorgiou DG, Exarhopoulos S, Papageorgiou M and Bikiaris DN. *Polymer* vol. 55, (16) 3846-3858.

?-nucleated propylene-ethylene random copolymer filled with multi-walled carbon nanotubes: Mechanical, thermal and rheological properties.

Papageorgiou DG, Tzounis L, Papageorgiou GZ, Bikiaris DN and Chrissafis K. *Polymer* vol. 55, (16) 3758-3769.

Fabrication of alginate-gelatin crosslinked hydrogel microcapsules and evaluation of the microstructure and physico-chemical properties.

Sarker B, Papageorgiou DG, Silva R, Zehnder T, Gul-E-Noor F, Bertmer M, Kaschta J, Chrissafis K, Detsch R and Boccaccini AR. *Journal of Materials Chemistry B* vol. 2, (11) 1470-1482.

Thermal degradation kinetics and decomposition mechanism of PBSu nanocomposites with silica-nanotubes and strontium hydroxyapatite nanorods.

Papageorgiou DG, Roumeli E, Chrissafis K, Lioutas C, Triantafyllidis K, Bikiaris D and Boccaccini AR. *Physical Chemistry Chemical Physics* vol. 16, (10) 4830-4842.

Effect of clay structure and type of organomodifier on the thermal properties of poly(ethylene terephthalate) based nanocomposites.

Papageorgiou GZ, Karandrea E, Giliopoulos D, Papageorgiou DG, Ladavos A, Katerinopoulou A, Achilias DS, Triantafyllidis KS and Bikiaris DN. *Thermochimica Acta* vol. 576, 84-96.

Crystallization and melting behavior of poly(butylene succinate) nanocomposites containing silica-nanotubes and strontium hydroxyapatite nanorods.

Papageorgiou GZ, Papageorgiou DG, Chrissafis K, Bikiaris D, Will J, Hoppe A, Roether JA and Boccaccini AR. *Industrial and Engineering Chemistry Research* vol. 53, (2) 678-692.

Synergistic effect of functionalized silica nanoparticles and a β -nucleating agent for the improvement of the mechanical properties of a propylene/ethylene random copolymer.

Papageorgiou DG, Vourlias G, Bikiaris DN and Chrissafis K. *Macromolecular Materials and Engineering* vol. 299, (6) 707-721.

Effect of silica nanoparticles modification on the thermal, structural, and decomposition properties of a β -nucleated poly(propylene-co-ethylene) matrix.

Papageorgiou DG, Vourlias G, Bikiaris DN and Chrissafis K. *Macromolecular Chemistry and Physics* vol. 215, (9) 839-850.

2013

Competitive crystallization of a propylene/ethylene random copolymer filled with a β -nucleating agent and multi-walled carbon nanotubes. conventional and ultrafast DSC study.

Papageorgiou DG, Papageorgiou GZ, Zhuravlev E, Bikiaris D, Schick C and Chrissafis K. *Journal of Physical Chemistry B* vol. 117, (47) 14875-14884.

Isotactic polypropylene/multi-walled carbon nanotube nanocomposites: The effect of modification of MWCNTs on mechanical properties and melt crystallization.

Papageorgiou GZ, Nerantzaki M, Grigoriadou I, Papageorgiou DG, Chrissafis K and Bikiaris D. *Macromolecular Chemistry and Physics* vol. 214, (21) 2415-2431.

Crystallization and melting of propylene-ethylene random copolymers. Homogeneous nucleation and β -nucleating agents.

Papageorgiou DG, Papageorgiou GZ, Bikiaris DN and Chrissafis K. *European Polymer Journal* vol. 49, (6) 1577-1590.

2012

Effect of crystalline structure of polypropylene random copolymers on mechanical properties and thermal degradation kinetics.

Papageorgiou DG, Bikiaris DN and Chrissafis K. *Thermochimica Acta* vol. 543, 288-294.

Use of nanomaterials for the improvement of various industrial and biomedical applications. A review.

Papageorgiou DG and Bakoglidis K. *Journal of Environmental Protection and Ecology* vol. 13, (2) 593-602.