



Dr Hannah Heywood

School of Engineering and Materials Science Queen Mary University of London Mile End Road London E1 4NS

tel: +44 (0)20 7882 5368 email: h.k.heywood@qmul.ac.uk web: www.sems.qmul.ac.uk/h.k.heywood

2022

Modulation of sirtuins during monolayer chondrocyte culture influences cartilage regeneration upon transfer to a 3D culture environment.

Heywood HK, Thorpe SD, Jeropoulos RM, Caton PW and Lee DA. Frontiers in Bioengineering and Biotechnology vol. 10,.Frontiers Media.

Oscillations of the circadian clock protein, BMAL-1, align to daily cycles of mechanical stimuli: a novel means to integrate biological time within predictive in vitro model systems.

Heywood HK, Gardner L, Knight MM and Lee DA. In Vitro Models 1-8. Springer Nature.

2021

Corrigendum: Mechanical Stimulation: A Crucial Element of Organ-on-Chip Models.

Thompson CL, Fu S, Heywood HK, Knight MM and Thorpe SD. Frontiers in Bioengineering and Biotechnology vol. 9,.Frontiers.

2020

Mechanical Stimulation: A Crucial Element of Organ-on-Chip Models.

Thompson CL, Fu S, Heywood HK, Knight MM and Thorpe SD. Frontiers in Bioengineering and Biotechnology vol. 8,.Frontiers Media Sa.

2016

Bioenergetic reprogramming of articular chondrocytes by exposure to exogenous and endogenous reactive oxygen species and its role in the anabolic response to low oxygen.

Heywood HK and Lee DA. Journal of Tissue Engineering and Regenerative Medicine vol. 11, (8) 2286-2294.

2014

Culture expansion in low-glucose conditions preserves chondrocyte differentiation and enhances their subsequent capacity to form cartilage tissue in three-dimensional culture.

Heywood HK, Nalesso G, Lee DA and Dell'accio F. Biores Open Access vol. 3, (1) 9-18.

2013

Continuous and Uninterrupted Oxygen Tension Influences the Colony Formation and Oxidative Metabolism of **Human Mesenchymal Stem Cells.**

Pattappa G, Thorpe SD, Jegard NC, Heywood HK, de Bruijn JD and Lee DA. Tissue Engineering Part C-Methods vol. 19, (1).

Sub-sets of cancer stem cells differ intrinsically in their patterns of oxygen metabolism.

Gammon L, Biddle A, Heywood HK, Johannessen AC and Mackenzie IC. Plos One vol. 8, (4).

2011

The metabolism of human mesenchymal stem cells during proliferation and differentiation.

Pattappa G, Heywood HK, de Bruijn JD and Lee DA. J Cell Physiol vol. 226, (10) 2562-2570.

Electrospray deposited fibronectin retains the ability to promote cell adhesion.

Martyn SV, Heywood HK, Rockett P, Paine MD, Wang MJ, Dobson PJ, Sheard SJ, Lee DA and Stark JPW. *J Biomed Mater Res B vol. 96B*, (1) 110-118.

2010

The metabolism of human mesenchymal stem cells during proliferation and differentiation.

Pattappa G, Heywood HK, de Bruijn JD and Lee DA. J Cell Physiol.

Both superficial and deep zone articular chondrocyte subpopulations exhibit the crabtree effect but have different basal oxygen consumption rates.

Heywood HK, Knight MM and Lee DA. Journal of Cellular Physiology vol. 223, (3) 630-639.

Low oxygen reduces the modulation to an oxidative phenotype in monolayer-expanded chondrocytes. Heywood HK and Lee DA. *J Cell Physiol vol.* 222, (1) 248-253.

2008

Monolayer expansion induces an oxidative metabolism and ROS in chondrocytes.

Heywood HK and Lee DA. Biochem Biophys Res Commun vol. 373, (2) 224-229.

2006

Glucose Concentration and Medium Volume Influences Cell Viability and Glycosaminoglycan Synthesis in Chondrocyte-Seeded Alginate Constructs.

Heywood HK, Bader DL and Lee DA. Tissue Engineering. Mary Ann Liebert.

Rate of oxygen consumption by isolated articular chondrocytes is sensitive to medium glucose concentration.

Heywood HK, Bader DL and Lee DA. Journal of Cellular Physiology vol. 206, (2) 402-410.

2005

Nutrient utilization by bovine articular chondrocytes: a combined experimental and theoretical approach.

Sengers BG, Heywood HK, Lee DA, Oomens CWJ and Bader DL. J Biomech Eng vol. 127, (5) 758-766.

British Society for Matrix Biology Autumn Meeting Joint with the UK Tissue & Cell Engineering Society, University of Bristol, UK.

. International Journal of Experimental Pathology vol. 86, (3) a1-a56. Wiley.

2004

Cellular utilization determines viability and matrix distribution profiles in chondrocyte-seeded alginate constructs.

Heywood HK, Sembi PK, Lee DA and Bader DL. Tissue Eng vol. 10, (9-10) 1467-1479.