

Dr Hannah Heywood
PhD

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 5368

email: h.k.heywood@qmul.ac.uk web: www.sems.qmul.ac.uk/h.k.heywood

2021

Corrigendum: Mechanical Stimulation: A Crucial Element of Organ-on-Chip Models (Front. Bioeng. Biotechnol., (2020), 8, 602646, 10.3389/fbioe.2020.602646).

Thompson CL, Fu S, Heywood HK, Knight MM and Thorpe SD. *Frontiers in Bioengineering and Biotechnology* vol. 9,.

2020

Mechanical Stimulation: A Crucial Element of Organ-on-Chip Models.

Thompson CL, Fu S, Knight MM and Thorpe SD. *Frontiers in Bioengineering and Biotechnology* vol. 8, *Frontiers Media*.

2016

Bioenergetic reprogramming of articular chondrocytes by exposure to exogenous and endogenous reactive oxygen species and its role in the anabolic response to low oxygen.

Heywood HK and Lee DA. *Journal of Tissue Engineering and Regenerative Medicine* vol. 11, (8) 2286-2294.

2014

Culture expansion in low-glucose conditions preserves chondrocyte differentiation and enhances their subsequent capacity to form cartilage tissue in three-dimensional culture.

Heywood HK, Nalesso G, Lee DA and Dell'accio F. *Biores Open Access* vol. 3, (1) 9-18.

2013

Continuous and Uninterrupted Oxygen Tension Influences the Colony Formation and Oxidative Metabolism of Human Mesenchymal Stem Cells.

Pattappa G, Thorpe SD, Jegard NC, Heywood HK, de Bruijn JD and Lee DA. *Tissue Engineering Part C-Methods* vol. 19, (1).

Sub-sets of cancer stem cells differ intrinsically in their patterns of oxygen metabolism.

Gammon L, Biddle A, Heywood HK, Johannessen AC and Mackenzie IC. *Plos One* vol. 8, (4).

2011

The metabolism of human mesenchymal stem cells during proliferation and differentiation.

Pattappa G, Heywood HK, de Bruijn JD and Lee DA. *J Cell Physiol* vol. 226, (10) 2562-2570.

2010

The metabolism of human mesenchymal stem cells during proliferation and differentiation.

Pattappa G, Heywood HK, de Bruijn JD and Lee DA. *J Cell Physiol*.

Electrospray deposited fibronectin retains the ability to promote cell adhesion.

Martyn SV, Heywood HK, Rockett P, Paine MD, Wang MJ, Dobson PJ, Sheard SJ, Lee DA and Stark JPW. *Journal of Biomedical Materials Research Part B Applied Biomaterials* vol. 96B, (1) 110-118.

Both superficial and deep zone articular chondrocyte subpopulations exhibit the crabtree effect but have different basal oxygen consumption rates.

Heywood HK, Knight MM and Lee DA. *Journal of Cellular Physiology* vol. 223, (3) 630-639.

Low oxygen reduces the modulation to an oxidative phenotype in monolayer-expanded chondrocytes.

Heywood HK and Lee DA. *J Cell Physiol* vol. 222, (1) 248-253.

2008

Monolayer expansion induces an oxidative metabolism and ROS in chondrocytes.

Heywood HK and Lee DA. *Biochem Biophys Res Commun* vol. 373, (2) 224-229.

The effect of oxygen supply on chondrocyte metabolic phenotype during monolayer culture.

Heywood HK and Lee DA. *European Cells and Materials* vol. 16, (SUPPL. 3).

2006

Rate of oxygen consumption by isolated articular chondrocytes is sensitive to medium glucose concentration.

Heywood HK, Bader DL and Lee DA. *Journal of Cellular Physiology* vol. 206, (2) 402-410.

2005

Identification and characterization of deposited fibronectin on biocompatible materials: Comparison of electrospray and wetting methods.

Wang MJ, Heywood HK, Bader DL, Paine MD, Stark JPW and Lee DA. *Proceedings of The 2005 Summer Bioengineering Conference* vol. 2005, 439-440.

Nutrient utilization by bovine articular chondrocytes: a combined experimental and theoretical approach.

Sengers BG, Heywood HK, Lee DA, Oomens CWJ and Bader DL. *J Biomech Eng* vol. 127, (5) 758-766.

Superficial and deep chondrocyte subpopulations both express the crabtree effect but exhibit differences in oxygen consumption rate.

Heywood HK, Bader DL and Lee DA. *European Cells and Materials* vol. 10, (SUPPL.2).

British society for matrix biology autumn meeting.

Sudre L, Cheung F, Kevorkian L, Young DA, Darrah C, Donell ST, Shepstone L, Porter S, Brockbank S, Edwards DR, Parker AE, Clark IM, Boubriak OA, Urban JPG, Cui Z, Tew SR, Li Y, Tweats LM, Hawkins RE, Hardingham TE, Green D, Partridge KA, Leveque I, Mann S, Oreffo ROC, Ball SG, Kielty CM, Qin M, Tai G and Polak JM. *International Journal of Experimental Pathology* vol. 86, (3).

2004

Cellular utilization determines viability and matrix distribution profiles in chondrocyte-seeded alginate constructs.

Heywood HK, Sembi PK, Lee DA and Bader DL. *Tissue Eng* vol. 10, (9-10) 1467-1479.

2003

Experimental and theoretical analysis of glucose dependent oxygen utilization by bovine articular chondrocytes.

LEE DA, Heywood HK, Baaijens FPT, Oomens CWJ and Sengers BG. *Internat. J. Artificial Organs* vol. 26, 875-875.