

Prof Hazel Screen
BEng MRes PhD(Lond) CEng

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8875

email: h.r.c.screen@qmul.ac.uk web: www.sems.qmul.ac.uk/h.r.c.screen

2021

Can Achilles tendon xanthoma be distinguished from Achilles tendinopathy using Dixon method MRI? A cross-sectional exploratory study.

Zahradnik TM, Cresswell M, Squier K, Waugh C, Brunham L, Screen H and Scott A. *Bmc Musculoskeletal Disorders* vol. 22, (1).

The effects of cholesterol accumulation on Achilles tendon biomechanics: A crosssectional study.

Squier K, Scott A, Hunt MA, Brunham LR, Wilson DR, Screen H and Waugh CM. *Plos One* vol. 16, (9 September).

Structure-function specialisation of the interfascicular matrix in the human achilles tendon.

Patel D, Zamboulis DE, Spiesz EM, Birch HL, Clegg PD, Thorpe CT and Screen HRC. *Acta Biomaterialia* vol. 131, 381-390.

The Impact of Hypercholesterolemia on Tendon Injury Repair.

Waugh C, Mousavizadeh R, Screen H and Scott A. *The Faseb Journal* vol. 35, (S1).

Elastase treatment of tendon specifically impacts the mechanical properties of the interfascicular matrix.

Godinho MSC, Thorpe CT, Greenwald SE and Screen H. *Acta Biomaterialia.Elsevier*.

8 Computational modelling of muscle, tendon, and ligaments biomechanics.

Siebert T, Screen HRC and Rode C. *Computational Modelling of Biomechanics and Biotribology in The Musculoskeletal System*.

Are Landing Patterns in Jumping Athletes Associated with Patellar Tendinopathy? A Systematic Review with Evidence Gap Map and Meta-analysis.

Tayfur A, Haque A, Salles JI, Malliaras P, Screen H and Morrissey D. *Sports Medicine*.

2020

Postnatal mechanical loading drives adaptation of tissues primarily through modulation of the non-collagenous matrix.

Zamboulis D, Thorpe CT, Ashraf Kharaz Y, Birch HL, Clegg PD and Screen H. *Elife.Elife Sciences Publications Ltd*.

Force Transmission Between the Gastrocnemius and Soleus Sub-Tendons of the Achilles Tendon in Rat.

Gains C, Correia J, Baan G, Noort W, Screen H and Maas H. *Frontiers in Bioengineering and Biotechnology* vol. 8, 700-700.*Frontiers Media*.

Patellar tendinopathy outcome predictors in jumping athletes: feasibility of measures for a cohort study.

Tayfur A, Salles JI, Miller SC, Screen H and Morrissey D. *Physical Therapy in Sport* vol. 44, 75-84.

A recruitment model of tendon viscoelasticity that incorporates fibril creep and explains strain-dependent relaxation.

Shearer T, Parnell WJ, Lynch B, Screen HRC and Abrahams ID. *Journal of Biomechanical Engineering* vol. 142, (7).

2019

An in vitro investigation into the effects of 10Hz cyclic loading on tenocyte metabolism.

Chineye U, Jones E, Riley G, Morrissey D and Screen H. *Scandinavian Journal of Medicine and Science in Sports*. Wiley.

Magnetic resonance elastography in nonlinear viscoelastic materials under load.

Capilnasiu A, Hadjicharalambous M, Fovargue D, Patel D, Holub O, Bilston L, Screen H, Sinkus R and Nordsletten D. *Biomechanics and Modeling in Mechanobiology* vol. 18, (1) 111-135.

Insights into the micromechanics of stress-relaxation and creep behaviours in the aortic valve.

Anssari-Benam A, Screen HRC and Bucchi A. *J Mech Behav Biomed Mater* vol. 93, 230-245.

2018

Mechanical loading induces primary cilia disassembly in tendon cells via TGF β and HDAC6.

Rowson DT, Shelton JC, Screen HRC and Knight MM. *Scientific Reports* vol. 8, (1).

Guided Cell Attachment via Aligned Electrospinning of Glycopolymers.

Liu R, Becer CR and Screen HRC. *Macromolecular Bioscience* vol. 18, (12).

Postnatal Development of the Functional Specialization of the Equine Superficial Digital Flexor Tendon.

Clegg P, Zamboulis D and Screen H. *Veterinary and Comparative Orthopaedics and Traumatology* vol. 31, (S 02) a1-a25.

Tendon pathology: Have we missed the first step in the development of pathology?.

Cook JL and Screen HR. *J Appl Physiol* (1985).

Effects of cell adhesion motif, fiber stiffness, and cyclic strain on tenocyte gene expression in a tendon mimetic fiber composite hydrogel.

PATEL D, Sharma S, SCREEN HRC and BRYANT S. *Biochemical and Biophysical Research Communications*. Elsevier.

Structure and collagen crimp patterns of functionally distinct equine tendons, revealed by quantitative polarised light microscopy (qPLM).

Spiesz EM, Thorpe CT, Thurner PJ and Screen HRC. *Acta Biomaterialia* vol. 70, 281-292.

2017

Elastin is Localised to the Interfascicular Matrix of Energy Storing Tendons and Becomes Increasingly Disorganised With Ageing.

Godinho MSC, Thorpe CT, Greenwald SE and Screen HRC. *Scientific Reports* vol. 7, (1).

The relative compliance of energy-storing tendons may be due to the helical fibril arrangement of their fascicles.

Shearer T, Thorpe CT, Spiesz E and SCREEN HRC. *Journal of The Royal Society Interface*. Royal Society, The.

Fascicles and the interfascicular matrix show decreased fatigue life with ageing in energy storing tendons.

Thorpe CT, Riley GP, Birch HL, Clegg PD and Screen HRC. *Acta Biomaterialia* vol. 56, 58-64.

A2B-Miktoarm Glycopolymer Fibers and Their Interactions with Tenocytes.

BECER CR, Screen HRC, Patel D and Liu R. *Bioconjugate Chemistry*. American Chemical Society.

Recapitulating the Micromechanical Behavior of Tension and Shear in a Biomimetic Hydrogel for Controlling Tenocyte Response.

Patel D, Sharma S, Bryant SJ and Screen HRC. *Advanced Healthcare Materials* vol. 6, (4).

Development of a two-stage gene selection method that incorporates a novel hybrid approach using the cuckoo optimization algorithm and harmony search for cancer classification.

Elyasigomari V, Lee DA, Screen HRC and SHAHEED MH. *Journal of Biomedical Informatics* vol. 67, (2017) 11-20.

A transverse isotropic viscoelastic constitutive model for aortic valve tissue.

Anssari-Benam A, Bucchi A, SCREEN HRC and Evans SL. *Royal Society Open Science*. Royal Society, The: Open Access.

Structural building blocks of soft tissues: Tendons and heart valves.

Gupta HS and Screen HRC. *Cism International Centre For Mechanical Sciences, Courses and Lectures*.

2016

Elastin is more abundant in energy storing tendons and is localised to the tendon interfascicular matrix.

Godinho MSC, Screen HRC, Greenwald SE and Thorpe CT. *International Journal of Experimental Pathology* vol. 97, (6) A3-A4.

Fascicles and the interfascicular matrix show adaptation for fatigue resistance in energy storing tendons.

Thorpe CT, Riley GP, Birch HL, Clegg PD and Screen HRC. *Acta Biomaterialia* vol. 42, 308-315.

Nomenclature of the tendon hierarchy: An overview of inconsistent terminology and a proposed size-based naming scheme with terminology for multi-muscle tendons.

Handsfield GG, Slane LC and Screen HRC. *Journal of Biomechanics* vol. 49, (13) 3122-3124.

The effect of gradations in mineral content, matrix alignment, and applied strain on human mesenchymal stem cell morphology within collagen biomaterials.

Mozdzen L, Thorpe S, SCREEN HRC and Harley B. *Advanced Healthcare Materials*. Wiley: 12 Months.

Distribution of proteins within different compartments of tendon varies according to tendon type.

Thorpe CT, Karunaseelan KJ, Ng Chieng Hin J, Riley GP, Birch HL, Clegg PD and Screen HRC. *Journal of Anatomy* vol. 229, (3) 450-458.

Zonal variation in primary cilia elongation correlates with localized biomechanical degradation in stress deprived tendon.

Rowson D, Knight MM and Screen HRC. *J Orthop Res* vol. 34, (12) 2146-2153.

The use of medical infrared thermography in the detection of tendinopathy: a systematic review.

Chaudhry S, Fernando R, Screen H, Waugh C, Tucker A and Morrissey D. *Physical Therapy Reviews* vol. 21, (2) 75-82.

Anatomical heterogeneity of tendon: Fascicular and interfascicular tendon compartments have distinct proteomic composition.

Thorpe CT, Peffer MJ, Simpson D, Halliwell E, Screen HRC and Clegg PD. *Scientific Reports* vol. 6,.

Tendon structure and composition.

Thorpe CT and Screen HRC. *Advances in Experimental Medicine and Biology* vol. 920, 3-10.

2015

The interfascicular matrix enables fascicle sliding and recovery in tendon, and behaves more elastically in energy storing tendons.

Thorpe CT, Godinho MSC, Riley GP, Birch HL, Clegg PD and Screen HRC. *Journal of The Mechanical Behavior of Biomedical Materials* vol. 52, 85-94.

Tendon overload results in alterations in cell shape and increased markers of inflammation and matrix degradation.

Thorpe CT, Chaudhry S, Lei II, Varone A, Riley GP, Birch HL, Clegg PD and Screen HRC. *Scandinavian Journal of Medicine and Science in Sports* vol. 25, (4) e381-e391.

Cancer classification using a novel gene selection approach by means of shuffling based on data clustering with optimization.

Elyasigomari V, Mirjafari MS, Screen HRC and Shaheed MH. *Applied Soft Computing Journal* vol. 35, 43-51.

Tendon extracellular matrix damage, degradation and inflammation in response to in vitro overload exercise.

Spiesz EM, Thorpe CT, Chaudhry S, Riley GP, Birch HL, Clegg PD and Screen HRC. *Journal of Orthopaedic Research* vol. 33, (6) 889-897.

Tendon functional extracellular matrix.

Screen HRC, Berk DE, Kadler KE, Ramirez F and Young MF. *Journal of Orthopaedic Research* vol. 33, (6) 793-799.

Eccentric and concentric exercise of the triceps surae: An in vivo study of dynamic muscle and tendon biomechanical parameters.

Chaudhry S, Morrissey D, Woledge RC, Bader DL and Screen HRC. *Journal of Applied Biomechanics* vol. 31, (2) 69-78.

Eccentric and Concentric Exercise of the Triceps Surae: An in Vivo Study of Dynamic Muscle and Tendon Biomechanical Parameters.

Chaudhry S, Morrissey D, Woledge RC, Bader DL and Screen HRC. *J Appl Biomech* vol. 31, (2) 69-78.

The effectiveness of extracorporeal shock wave therapy in lower limb tendinopathy: a systematic review.

Mani-Babu S, Morrissey D, Waugh C, Screen H and Barton C. *Am J Sports Med* vol. 43, (3) 752-761.

Science in brief: Recent advances into understanding tendon function and injury risk.

Thorpe CT, Spiesz EM, Chaudhry S, Screen HRC and Clegg PD. *Equine Veterinary Journal* vol. 47, (2) 137-140.

Eccentric and concentric exercise of the triceps surae: An in vivo study of dynamic muscle and tendon biomechanical parameters.

Chaudhry S, Morrissey D, Woledge RC, Bader DL and Screen HRC. *Journal of Applied Biomechanics* vol. 31, (2) 69-78.

In vivo biological response to extracorporeal shockwave therapy in human tendinopathy.

Waugh CM, Morrissey D, Jones E, Riley GP, Langberg H and Screen HRC. *European Cells and Materials* vol. 29, 268-280.

Tendon Physiology and Mechanical Behavior: Structure-Function Relationships.

Thorpe CT, Birch HL, Clegg PD and Screen HRC. *Tendon Regeneration: Understanding Tissue Physiology and Development to Engineer Functional Substitutes*.

Chapter 1 Tendon Physiology and Mechanical Behavior Structure-Function Relationships.

Thorpe CT, Birch HL, Clegg PD and Screen HRC. *Tendon Regeneration*.

2014

Early stage fatigue damage occurs in bovine tendon fascicles in the absence of changes in mechanics at either the gross or micro-structural level.

Shepherd JH, Riley GP and Screen HRC. *J Mech Behav Biomed Mater* vol. 38, 163-172.

Proteomic analysis reveals age-related changes in tendon matrix composition, with age- and injury-specific matrix fragmentation.

Peffer MJ, Thorpe CT, Collins JA, Eong R, Wei TKJ, Screen HRC and Clegg PD. *J Biol Chem* vol. 289, (37) 25867-25878.

78 Human Tenocyte Metabolism Under Pathological And Physiological Loading Conditions.

Patel D, Bryant S, Riley G, Jones E and Screen H. *British Journal of Sports Medicine* vol. 48, (Suppl 2) a51-a51.

98 Early Inflammatory Response Of Tenocytes To Overload.

Spiesz EM, Thorpe CT, Chaudhry S, Riley GP, Birch HL, Clegg PD and Screen HR. *British Journal of Sports Medicine* vol. 48, (Suppl 2) a63-a64.

104 Characterisation Of The Proteome Of The Tendon Interfascicular Matrix.

Thorpe C, Peffer M, Simpson D, Halliwell E, Screen H and Clegg P. *British Journal of Sports Medicine* vol. 48, (Suppl 2) a68-a68.

89 Primary Cilia In Tenocytes From The Inter-fascicular Matrix And The Fascicular Matrix.

Rowson D, Knight M and Screen H. *British Journal of Sports Medicine* vol. 48, (Suppl 2) a58-a59.

Achillessehntendinopathie.

Morrissey D, Morton S, Anuj CA and Screen H. *Sportphysio* vol. 02, (03) 105-111.

Effect of fatigue loading on structure and functional behaviour of fascicles from energy-storing tendons.

Thorpe CT, Riley GP, Birch HL, Clegg PD and Screen HRC. *Acta Biomater* vol. 10, (7) 3217-3224.

The effects of extracorporeal shockwave therapy on matrix metalloprotease activity in tendinopathy (1046.8).

Waugh C, Jones E, Riley G, Langberg H, Morrissey D and Screen H. *The Faseb Journal* vol. 28, (S1).

Fascicles from energy-storing tendons show an age-specific response to cyclic fatigue loading.

Thorpe CT, Riley GP, Birch HL, Clegg PD and Screen HRC. *Journal of The Royal Society Interface* vol. 11, (92).

Functionally distinct tendon fascicles exhibit different creep and stress relaxation behaviour.

Shepherd JH, Legerlotz K, Demirci T, Klemm C, Riley GP and Screen HRC. *Proc Inst Mech Eng H* vol. 228, (1) 49-59.

Advances in the understanding of tendinopathies: A report on the Second Havemeyer Workshop on equine tendon disease.

Smith R, McIlwraith W, Schweitzer R, Kadler K, Cook J, Caterson B, Dakin S, Heinegard D, Screen H, Stover S, Crevier-Denoix N, Clegg P, Collins M, Little C, Frisbie D, Kjaer M, van Weeren R, Werpy N, Denoix J-M, Carr A, Goldberg A, Bramlage L, Smith M and Nixon A. *Equine Veterinary Journal* vol. 46, (1) 4-9.

2013

Helical sub-structures in energy-storing tendons provide a possible mechanism for efficient energy storage and return.

Thorpe CT, Klemm C, Riley GP, Birch HL, Clegg PD and Screen HRC. *Acta Biomater* vol. 9, (8) 7948-7956.

The role of the non-collagenous matrix in tendon function.

Thorpe CT, Birch HL, Clegg PD and Screen HRC. *Int J Exp Pathol* vol. 94, (4) 248-259.

Fatigue loading of tendon.

Shepherd JH and Screen HRC. *Int J Exp Pathol* vol. 94, (4) 260-270.

GAG depletion increases the stress-relaxation response of tendon fascicles, but does not influence recovery.

Legerlotz K, Riley GP and Screen HRC. *Acta Biomater* vol. 9, (6) 6860-6866.

Response to letter to the editor: End effects in mechanical testing of biomaterials.

Anssari-Benam A, Legerlotz K, Bader DL and Screen HRC. *Journal of Biomechanics* vol. 46, (5).

Cyclic loading of tendon fascicles using a novel fatigue loading system increases interleukin-6 expression by tenocytes.

Legerlotz K, Jones GC, Screen HRC and Riley GP. *Scandinavian Journal of Medicine and Science in Sports* vol. 23, (1) 31-37.

Capacity for sliding between tendon fascicles decreases with ageing in injury prone equine tendons: a possible mechanism for age-related tendinopathy?.

Thorpe CT, Udeze CP, Birch HL, Clegg PD and Screen HR. *Eur Cell Mater* vol. 25, 48-60.

Microstructural stress relaxation mechanics in functionally different tendons.

Screen HRC, Toorani S and Shelton JC. *Med Eng Phys* vol. 35, (1) 96-102.

Microstructural stress relaxation mechanics in functionally different tendons.

Screen HRC, Toorani S and Shelton JC. *Medical Engineering and Physics* vol. 35, (1) 96-102.

Response to letter to the editor: End effects in mechanical testing of biomaterials.

Anssari-Benam A, Legerlotz K, Bader DL and Screen HRC. *Journal of Biomechanics*.

Helical sub-structures in energy-storing tendons provide a possible mechanism for efficient energy storage and return.

Thorpe CT, Klemm C, Riley GP, Birch HL, Clegg PD and Screen HRC. *Acta Biomaterialia* vol. 9, (8) 7948-7956.

2012

Specialization of tendon mechanical properties results from interfascicular differences.

Thorpe CT, Udeze CP, Birch HL, Clegg PD and Screen HRC. *Journal of The Royal Society Interface* vol. 9, (76) 3108-3117.

On the specimen length dependency of tensile mechanical properties in soft tissues: gripping effects and the characteristic decay length.

Anssari-Benam A, Legerlotz K, Bader DL and Screen HRC. *J Biomech* vol. 45, (14) 2481-2482.

Structure and Biomechanics of Biological Composites.

Screen HRC and Tanner KE. *Wiley Encyclopedia of Composites*.

Increased expression of IL-6 family members in tendon pathology.

Legerlotz K, Jones ER, Screen HRC and Riley GP. *Rheumatology* vol. 51, (7) 1161-1165.

Strain transfer through the aortic valve.

Anssari-Benam A, Gupta HS and Screen HRC. *Journal of Biomechanical Engineering* vol. 134, (6).

Coronal plane hip muscle activation in football code athletes with chronic adductor groin strain injury during standing hip flexion.

Morrissey D, Graham J, Screen H, Sinha A, Small C, Twycross-Lewis R and Woledge R. *Manual Therapy* vol. 17, (2) 145-149.

2011

Extrafibrillar diffusion and intrafibrillar swelling at the nanoscale are associated with stress relaxation in the soft collagenous matrix tissue of tendons.

Screen HRC, Seto J, Krauss S, Boesecke P and Gupta HS. *Soft Matter* vol. 7, (23) 11243-11251.

Nonlinearities in soft tissue strain.

Simms C, Screen H and Evans S. *J Mech Behav Biomed Mater* vol. 4, (8).

Anisotropic time-dependant behaviour of the aortic valve.

Anssari-Benam A, Bader DL and Screen HRC. *Journal of The Mechanical Behavior of Biomedical Materials* vol. 4, (8) 1603-1610.

Anisotropic strain transfer through the aortic valve and its relevance to the cellular mechanical environment.

Lewinsohn AD, Anssari-Benam A, Lee DA, Taylor PM, Chester AH, Yacoub MH and Screen HRC. *Proc Inst Mech Eng H* vol. 225, (8) 821-830.

The effect of eccentric and concentric calf muscle training on Achilles tendon stiffness.

Morrissey D, Roskilly A, Twycross-Lewis R, Isinkaye T, Screen H, Woledge R and Bader D. *Clinical Rehabilitation* vol. 25, (3) 238-247.

A combined experimental and modelling approach to aortic valve viscoelasticity in tensile deformation.

Anssari-Benam A, Bader DL and Screen HRC. *J Mater Sci-Mater M* vol. 22, (2) 253-262.

The effect of loading speed on the force frequency spectrum during eccentric & concentric calf exercise.

Chaudhry S, Screen HRC, Woledge RC, Bader D and Morrissey D. *British Journal of Sports Medicine* vol. 45, (2).

The effect of eccentric and concentric loading speed on the normal achilles tendon: an in vivo biomechanical study.

Sweeney E, Chaudhury S, Screen H, Woledge R, Bader D, Maffulli N and Morrissey D. *British Journal of Sports Medicine* vol. 45, (2).

Anisotropic strain transfer through the aortic valve and its relevance to the cellular mechanical environment.

Lewinsohn AD, Anssari-Benam A, Lee DA, Taylor PM, Chester AH, Yacoub MH and Screen HRC. *P I Mech Eng H* vol. 225, (H8) 821-830.

2010

Specimen dimensions influence the measurement of material properties in tendon fascicles.

Legerlotz K, Riley GP and Screen HRC. *Journal of Biomechanics* vol. 43, (12) 2274-2280.

Characterization of a novel fiber composite material for mechanotransduction research of fibrous connective tissues.

Screen HRC, Byers S, Lynn AD, Nguyen V, Patel D and Bryant SJ. *Advanced Functional Materials* vol. 20, (5) 738-747.

In situ multi-level analysis of viscoelastic deformation mechanisms in tendon collagen.

Gupta HS, Seto J, Krauss S, Boesecke P and Screen HRC. *Journal of Structural Biology* vol. 169, (2) 183-191.

2009

Measuring strain distributions in the tendon using confocal microscopy and finite elements.

Screen HRC and Evans SL. *J Strain Anal Eng* vol. 44, (5) 327-335.

Hierarchical approaches to understanding tendon mechanics.

SCREEN H. *Journal of Biomechanical Science and Engineering* vol. 4, (4) 481-499. Japan Society of Mechanical Engineers.

2008

Characterizing structure-function relationships in tendon.

Toorani S, Shelton JC and Screen HRC. *8th World Biomaterials Congress 2008* vol. 2,.

Investigating load relaxation mechanics in tendon.

Screen HRC. *Journal of The Mechanical Behavior of Biomedical Materials* vol. 1, (1) 51-58.

2007

The micro-structural strain response of tendon.

Cheng VWT and Screen HRC. *J Mater Sci* vol. 42, (21) 8957-8965.

Strain mechanisms in tendon fascicles.

SCREEN HRC and Cheng VWT. *J.Mat.Sci.* vol. 21, 8957-8965.

2006

The influence of swelling and matrix degradation on the microstructural integrity of tendon.

Screen HRC, Chhaya VH, Greenwald SE, Bader DL, Lee DA and Shelton JC. *Acta Biomater* vol. 2, (5) 505-513.

2005

Cyclic mechanical conditioning of isolated tendon fascicles results in an upregulation of collagen production.

Screen HRC, Bader DL, Shelton JC and Lee DA. *Proceedings of The 2005 Summer Bioengineering Conference* vol. 2005, 193-194.

Cyclic tensile strain upregulates collagen synthesis in isolated tendon fascicles.

Screen HRC, Shelton JC, Bader DL and Lee DA. *Biochem Biophys Res Commun* vol. 336, (2) 424-429.

The influence of noncollagenous matrix components on the micromechanical environment of tendon fascicles.

Screen HRC, Shelton JC, Chhaya VH, Kayser MV, Bader DL and Lee DA. *Ann Biomed Eng* vol. 33, (8) 1090-1099.

British society for matrix biology autumn meeting.

Sudre L, Cheung F, Kevorkian L, Young DA, Darrah C, Donell ST, Shepstone L, Porter S, Brockbank S, Edwards DR, Parker AE, Clark IM, Boubriak OA, Urban JPG, Cui Z, Tew SR, Li Y, Tweats LM, Hawkins RE, Hardingham TE, Green D, Partridge KA, Leveque I, Mann S, Oreffo ROC, Ball SG, Kielty CM, Qin M, Tai G and Polak JM. *International Journal of Experimental Pathology* vol. 86, (3).

2004

Local Strain Measurement within Tendon.

Bader DL, Shelton JC, Lee DA and SCREEN HRC. *Strain* vol. 40, (4) 157-163.

An investigation into the effects of the hierarchical structure of tendon fascicles on micromechanical properties.

Screen HRC, Lee DA, Bader DL and Shelton JC. *Proc Inst Mech Eng H* vol. 218, (2) 109-119.

2003

Development of a technique to determine strains in tendons using the cell nuclei.

Screen HRC, Lee DA, Bader DL and Shelton JC. *Biorheology* vol. 40, (1-3) 361-368.

2002

Development of a technique to determine strains in tendons using the cell nuclei.

BADER DL, Shelton JC, Lee DA and Screen HRC. *Biorheology* vol. 40, 361-368.

Non-collagenous matrix components influence the micromechanical environment of tenocytes within tendon fascicles subjected to tensile strain.

Bader DL, Shelton JC, Lee DA and SCREEN HRC. *Eur. Cells Mat.* vol. 4:S1, 41-42.

Non-collagenous matrix components influence the micro-mechanical environment of tenocytes within tendon fascicles subjected to tensile strain.

Bader DL, Shelton JC, LEE DA and Screen HRC. *Eur. Cells Materials* vol. 4 suppl 1, 41-42.