

Dr Han Zhang

MEng, PhD, PGCAP, FIMMM, FHEA, CEng, CSci

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 2726

email: han.zhang@qmul.ac.uk web: www.sems.qmul.ac.uk/han.zhang

2024

Upcycling leather waste: The effect of leather type and aspect ratio on the performance of thermoplastic polyurethane composites.

Nazir MU, Mascolo R, Bouic P, Hassan MM, Harris J, Naderizadeh S, Busfield JJC, Zhang H, Papageorgiou D and Bilotti E. *Sustainable Materials and Technologies* vol. 43, e01221-e01221.Elsevier.

Sustainable GelatinBased Nanocomposite Packaging Films with Enhanced Physical Properties and Inherent Recyclability.

Dong M, Bilotti E, Zhang H and Papageorgiou DG. *Advanced Sustainable Systems* vol. 9, (2).Wiley.

Transient StarchBased Nanocomposites for Sustainable Electronics and Multifunctional Sensing.

Dong M, Soul A, Li Y, Bilotti E, Zhang H, Cataldi P and Papageorgiou DG. *Advanced Functional Materials* vol. 35, (1).Wiley.

Discontinuous interleaving strategies for toughening, damage sensing and repair in multifunctional carbon fibre/epoxy composites.

Thorn TDS, Wang Y, Guo H, Lu L, Liu Y, Bilotti E, Papageorgiou DG and Zhang H. *Composites Part a Applied Science and Manufacturing* vol. 185,.Elsevier.

High performing piezoresistive MoS₂/epoxy strain sensors for structural health monitoring.

Dong M, Bilotti E, Zhang H, Boland CS and Papageorgiou DG. *Polymer* vol. 309,.Elsevier.

Nano-engineered hierarchical natural fibre composites with localised cellulose nanocrystals and tailored interphase for improved mechanical properties.

Ekbatani S, Wang Y, Huo S, Papageorgiou D and Zhang H. *Composites Science and Technology* vol. 255,.Elsevier.

Towards highly homogeneous self-regulating heating of smart nanocomposites.

Wang Y, Das B, Thorn TDS, Huo S, Evans J, Newton M, Liu Y, Advani SG, Papageorgiou DG, Bilotti E and Zhang H. *Applied Materials Today* vol. 39,.Elsevier.

Biodegradable Starch-Based Nanocomposite Films with Exceptional Water and Oxygen Barrier Properties.

Dong M, Mastroianni G, Bilotti E, Zhang H and Papageorgiou DG. *Acs Sustainable Chemistry & Engineering* vol. 12, (29) 11056-11066.American Chemical Society (Acs).

High temperature co-polyester thermoplastic elastomer nanocomposites for flexible self-regulating heating devices.

Das B, Yu X, Wang Y, Porwal H, Evans J, Newton M, Papageorgiou D, Zhang H and Bilotti E. *Materials & Design* vol. 242,.Elsevier.

In-situ hybridization of an epoxy resin using polyurethane and MXene nanoplatelets for thermally stable nanocomposites with improved strength and toughness.

Hu Y, Chen J, Yang G, Li Y, Dong M, Li Q, Yuan H, Zhang H, Pugno NM, Jiang J and Papageorgiou DG. *Polymer* vol. 302,.Elsevier.

Tunable Light-Responsive Polyurethane-urea Elastomer Driven by Photochemical and Photothermal Coupling Mechanism.

Wu L, Huang X, Wang M, Chen J, Chang J, Zhang H, Zhang X, Conn A, Rossiter J, Birchall M and Song W. *Acs Applied Materials & Interfaces* vol. 16, (15) 19480-19495. American Chemical Society (Acs).

Multifunctional Ti3C2Tx MXene-reinforced thermoplastic starch nanocomposites for sustainable packaging solutions.

Dong M, Bilotti E, Zhang H and Papageorgiou DG. *International Journal of Biological Macromolecules* vol. 265, (Pt 2). Elsevier.

Interfacial engineering of hybrid MXene-Ni-CF tri-coreshell composites for electromagnetic interference shielding and E-heating applications.

Hu Y, Yang G, Chen J, Li Y, Dong M, Zhang H, Bilotti E, Jiang J and Papageorgiou DG. *Composites Part a Applied Science and Manufacturing* vol. 178,. Elsevier.

Highly conductive and mechanically robust MXene@CF core-shell composites for in-situ damage sensing and electromagnetic interference shielding.

Hu Y, Chen J, Yang G, Li Y, Dong M, Zhang H, Bilotti E, Jiang J and Papageorgiou DG. *Composites Science and Technology* vol. 246,. Elsevier.

Hybrid Ti3C2T x MXene and Carbon Nanotube Reinforced Epoxy Nanocomposites for Self-Sensing and Structural Health Monitoring.

Dong M, Tomes O, Soul A, Hu Y, Bilotti E, Zhang H and Papageorgiou DG. *Acs Applied Nano Materials* vol. 7, (3) 3314-3325. American Chemical Society (Acs).

Probing Interfacial Interactions in Ternary Nanocomposites of Ti3C2T x MXene Nanoplatelets, Multiwalled Carbon Nanotubes, and Poly(vinyl alcohol) toward Synergistic Reinforcement.

Dong M, Hu Y, Yu X, Liu M, Bilotti E, Zhang H and Papageorgiou DG. *Acs Applied Polymer Materials* vol. 6, (1) 207-217. American Chemical Society (Acs).

A novel electrical depercolation model for stretchable nanocomposite strain sensors.

Tomes O, Soul A, Zhang H, Bilotti E and Papageorgiou DG. *Nanoscale* vol. 16, (12) 6163-6175. Royal Society of Chemistry (Rsc).

2023

Kirigami-inspired organic and inorganic film-based flexible thermoelectric devices with built-in heat sink.

Zeng C, Chen K, Koz C, Stefanaki E-C, Galindez ESS, Zhang H, Fenwick O, Tuley R and Bilotti E. *Nano Energy* vol. 121, 109213-109213. Elsevier.

Improved dispersibility of nanofibrillated cellulose via simple microwave-assisted esterification.

Klayya S, Pripdeevech P, Zhang H, Bilotti E and Soykeabkaew N. *Nanocomposites* vol. 9, (1) 171-182. Taylor & Francis.

Micromechanics of Ti3C2Tx MXene reinforced poly(vinyl alcohol) nanocomposites.

Dong M, Hu Y, Zhang H, Bilotti E, Pugno N, Dunstan D and Papageorgiou DG. *Composites Part C: Open Access* vol. 13,. Elsevier.

In-Situ Hybridization of an Epoxy Resin Using Polyurethane and Mxene Nanoplatelets for Improved Strength and Toughness.

Hu Y, Chen J, Yang G, Li Y, Dong M, Li Q, Yuan H, Zhang H, Bilotti E, Jiang J and Papageorgiou D.

Recent development in flexible organic thermoelectric fibers for wearable devices.

Li H, Zhang C, Li P, Liu S, Zhang H and He C. *Materials Today Chemistry* vol. 34,. Elsevier.

Tailored Out-of-Oven Energy Efficient Manufacturing of High-Performance Composites with Two-Stage Self-Regulating Heating via a Double Positive Temperature Coefficient Effect.

Yao X, Wang Y, Thorn TDS, Huo S, Papageorgiou DG, Liu Y, Bilotti E and Zhang H. *Acs Applied Materials & Interfaces* vol. 15, (48) 56265-56274. American Chemical Society (Acs).

Kirigami-Inspired Organic and Inorganic Film-Based Flexible Thermoelectric Devices with Built-In Heat Sink.

Zeng C, Chen K, Koz C, Stefanaki E-C, Galindez ESS, Zhang H, Fenwick O, Tuley R and Bilotti E.

Interface-engineered Au@MoS₂ core-shell heterostructures with superior hot-carrier transfer dynamics for plasmonics and optoelectronics.

Liu R, Zhu X, Liu S, Ouyang D, Ma X, Xia F, Yu Y, Zhang H, Wu J, Liu S, Liang W, Li Y and Zhai T. *Science China Materials* vol. 66, (10) 3931-3940. *Springer Nature*.

Toward Self-Powered Sensing and Thermal Energy Harvesting in High-Performance Composites via Self-Folded Carbon Nanotube Honeycomb Structures.

Wan K, Kernin A, Ventura L, Zeng C, Wang Y, Liu Y, Vilatela JJ, Lu W, Bilotti E and Zhang H. *Acs Applied Materials & Interfaces* vol. 15, (37) 44212-44223. *American Chemical Society*.

Simultaneous Increase in Dielectric Breakdown Strength and Thermal Conductivity of Oriented UHMWPE Containing Diamond Nanoparticles.

Yu X, Steiner P, Zhou Q, Kocabas C, Zhang H, Papageorgiou DG, Fenwick O, Yan H, Reece MJ and Bilotti E. *Macromolecules*. *American Chemical Society*.

Energy efficient out-of-oven manufacturing of natural fibre composites with integrated sensing capabilities and improved water barrier properties.

Wang Y, Yao X, Thorn TDS, Huo S, Porwal H, Newton M, Liu Y, Papageorgiou D, Bilotti E and Zhang H. *Composites Science and Technology* vol. 239, *Elsevier*.

NanoEngineered Carbon FibreBased Piezoelectric Smart Composites for Energy Harvesting and SelfPowered Sensing.

He Q, Li X, Zhang H and Briscoe J. *Advanced Functional Materials* vol. 33, (20). *Wiley*.

Smart and repeatable easy-repairing and self-sensing composites with enhanced mechanical performance for extended components life.

Thorn TDS, Liu Y, Yao X, Papageorgiou DG, Robinson P, Bilotti E, Peijs T and Zhang H. *Composites Part a Applied Science and Manufacturing* vol. 165, *Elsevier*.

Optimization of thermoelectric properties of carbon nanotube veils by defect engineering.

Zeng C, Stenier P, Chen K, Wan K, Dong M, Li S, Kocabas C, Reece MJ, Papageorgiou DG, Volkov AN, Zhang H and Bilotti E. *Materials Horizons* vol. 10, (9) 3601-3609. *Royal Society of Chemistry (Rsc)*.

2022

Kirigami inspired shape programmable and reconfigurable multifunctional nanocomposites for 3D structures.

Kernin A, Ventura L, Soul A, Chen K, Wan K, Lu W, Steiner P, Kocabas C, Papageorgiou D, Goutianos S, Zhang H and Bilotti E. *Materials & Design* vol. 224, *Elsevier*.

Sustainable nanocomposite coating for moulded pulp with enhanced barrier properties for food packaging applications.

Klayya S, Tawichai N, Intatha U, Zhang H, Bilotti E and Soykeabkaew N. *Polymer International* vol. 72, (3) 323-332. *Wiley*.

Dielectric polymer composites with ultra-high thermal conductivity and low dielectric loss.

Yu X, Bhatti MR, Ren X, Steiner P, Di Sacco F, Dong M, Zhang H, Papageorgiou D, Portale G, Kocabas C, Bastiaansen CWM, Reece M, Yan H and Bilotti E. *Composites Science and Technology* vol. 229, *Elsevier*.

Light-Driven Actuation in Synthetic Polymers: A Review from Fundamental Concepts to Applications.

Bhatti MRA, Kernin A, Tausif M, Zhang H, Papageorgiou D, Bilotti E, Peijs T and Bastiaansen CWM. *Advanced Optical Materials* vol. 10, (10). *Wiley*.

Ultra-high energy density integrated polymer dielectric capacitors.

Ren X, Meng N, Ventura L, Goutianos S, Barbieri E, Zhang H, Yan H, Reece MJ and Bilotti E. *Journal of Materials Chemistry A* vol. 10, (18) 10171-10180. *Royal Society of Chemistry (Rsc)*.

2021

Highly stretchable and sensitive self-powered sensors based on the N-Type thermoelectric effect of polyurethane/Nax(Ni-ett)n/graphene oxide composites.

Wan K, Liu Z, Schroeder BC, Chen G, Santagiuliana G, Papageorgiou DG, Zhang H and Bilotti E. *Composites Communications* vol. 28, *Elsevier*.

Best of Both Worlds: Synergistically Derived Material Properties via Additive Manufacturing of Nanocomposites (Adv. Funct. Mater. 46/2021).

Carrola M, Asadi A, Zhang H, Papageorgiou DG, Bilotti E and Koerner H. *Advanced Functional Materials* vol. 31, (46) 2170343-2170343.

Multifunctional epoxy nanocomposites reinforced by two-dimensional materials: A review.

Dong M, Zhang H, Tzounis L, Santagiuliana G, Bilotti E and Papageorgiou DG. *Carbon* vol. 185, 57-81. Elsevier.

Effects of ultrasonication on the microstructures and mechanical properties of carbon nanotube films and their based composites.

Zhang X, Jiang X, Qu S, Zhang H, Yang W and Lu W. *Composites Science and Technology* vol. 221, 109136-109136. Elsevier.

Micro-end-milling of carbon nanotube reinforced epoxy nanocomposites manufactured using three roll mill technique.

Le B, Kernin A, Khaliq J, Fu G, Huo D, Bilotti E, Zhang H and Shyha I. *Journal of Manufacturing Processes* vol. 70, 307-320. Elsevier.

Recent progress in acoustic materials and noise control strategies A review.

Tao Y, Ren M, Zhang H and Peijs T. *Applied Materials Today* vol. 24,.

Nature inspired hierarchical structures in nano-cellular epoxy/graphene-Fe₃O₄ nanocomposites with ultra-efficient EMI and robust mechanical strength.

Fan X, Wang F, Gao Q, Zhang Y, Huang F, Xiao R, Qin J, Zhang H, Shi X and Zhang G. *Journal of Materials Science and Technology*. Elsevier.

Microcellular epoxy/graphene nanocomposites with outstanding electromagnetic interference shielding and mechanical performance by overcoming nanofiller loading/dispersion dichotomy.

Fan X, Gao Q, Gao Y, Zhang G, Huang F, Xiao R, Liu W, Wang F, Qin J, Bilotti E, Zhang H, Shi X and Zhang G. *Composites Science and Technology* 109000-109000.

Best of Both Worlds: Synergistically Derived Material Properties via Additive Manufacturing of Nanocomposites.

Carrola M, Asadi A, Zhang H, Papageorgiou DG, Bilotti E and Koerner H. *Advanced Functional Materials* vol. 31, (46). Wiley.

Self-powered ultrasensitive and highly stretchable temperature strain sensing composite yarns.

Wan K, Liu Y, Santagiuliana G, Barandun G, Taroni Junior P, Gder F, Bastiaansen CWM, Baxendale M, Fenwick O, Papageorgiou DG, Krause S, Zhang H and Bilotti E. *Materials Horizons*.

In-situ deposition of diamond on functionally graded copper scaffold for improved thermal conductivity and mechanical properties.

Cheng K, Xiong W, Li Y, Tang D, Geng H, Sun M, Hao L, Wang HS and Zhang H. *Materials Letters* vol. 299,.

Polymer Nanocomposites for Temperature Sensing and Selfregulating Heating Devices.

Liu Y, Zhang H and Bilotti E. *Polymer Nanocomposite Materials* 247-266. Wiley.

PN junction-based ZnO wearable textile nanogenerator for biomechanical energy harvesting.

He Q, Li X, Zhang J, Zhang H and Briscoe J. *Nano Energy* vol. 85,.

Tailoring nanofibrillated cellulose through sonication and its potential use in molded pulp packaging.

Klayya S, Tawichai N, Intatha U, Zhang H, Bilotti E and Soykeabkaew N. *Nanocomposites* vol. 7, (1) 109-122. Taylor & Francis.

Enhancing the reinforcing efficiency in CNT nanocomposites via the development of pyrene-based active dispersants.

Yin X, Li Q, Wang H, Yang W, Zhou X, Zhang H and Lyu W. *Rsc Advances* vol. 11, (39) 23892-23900. Royal Society of Chemistry (Rsc).

2020

Multiscale understanding of electric polarization in poly(vinylidene fluoride)-based ferroelectric polymers.

Meng N, Ren X, Zhu X, Wu J, Yang B, Gao F, Zhang H, Liao Y, Bilotti E, Reece MJ and Yan H. *Journal of Materials Chemistry C*. Royal Society of Chemistry.

Influence of polylactide (PLA) stereocomplexation on the microstructure of pla/pbs blends and the cell morphology of their microcellular foams.

Sun Z, Wang L, Zhou J, Fan X, Xie H, Zhang H, Zhang G and Shi X. *Polymers* vol. 12, (10) 1-15. *Mdpi Ag*.

The effect of conductive network on positive temperature coefficient behaviour in conductive polymer composites.

Liu Y, Asare E, Porwal H, Barbieri E, Goutianos S, Evans J, Newton M, Busfield JJC, Peijs T, Zhang H and Bilotti E. *Composites Part a: Applied Science and Manufacturing* vol. 139, Elsevier.

Photo-thermal actuation of ultra-drawn high-density polyethylene.

Bhatti MRA, Bilotti E, Zhang H, Bastiaansen CWM and Peijs T. *Polymer* vol. 207, Elsevier.

Dual In-Situ Water Diffusion Monitoring of GFRPs based on Optical Fibres and CNTs.

Bellot CM, de Leo G, Zhang H, Kernin A, Scarponi C, Sangermano M, Olivero M, Bilotti E and Salvo M. *Journal of Composites Science* vol. 4, (3). *Mdpi*.

Ultra-High Actuation Stress Polymer Actuators as Light-Driven Artificial Muscles.

Bhatti MRA, Bilotti E, Zhang H, Varghese S, Verpaalen RCP, Schenning APHJ, Bastiaansen CWM and Peijs T. *Acs Applied Materials & Interfaces* vol. 12, (29) 33210-33218.

High-Performance Transparent Laminates Based on Highly Oriented Polyethylene Films.

Lin Y, Cao J, Zhu M, Bilotti E, Zhang H, Bastiaansen CWM and Peijs T. *Acs Applied Polymer Materials* vol. 2, (6) 2458-2468. *American Chemical Society*.

A Review on Functionally Graded Materials and Structures via Additive Manufacturing: From MultiScale Design to Versatile Functional Properties.

Li Y, Feng Z, Hao L, Huang L, Xin C, Wang Y, Bilotti E, Essa K, Zhang H, Li Z, Yan F and Peijs T. *Advanced Materials Technologies* vol. 5, (6). *Wiley*.

Giant energy storage density in PVDF with internal stress engineered polar nanostructures.

Ren X, Meng N, Zhang H, Wu J, Abrahams I, Yan H, Bilotti E and Reece MJ. *Nano Energy* vol. 72, Elsevier.

Sustainable and self-regulating out-of-oven manufacturing of FRPs with integrated multifunctional capabilities.

Liu Y, van Vliet T, Tao Y, Busfield JJC, Peijs T, Bilotti E and Zhang H. *Composites Science and Technology* vol. 190, Elsevier.

Chapter 9 Multifunctional composites based on hierarchical micronanostructures: design, manufacturing, properties, and applications.

Zhang H and Peijs T. *Fiber-Reinforced Nanocomposites: Fundamentals and Applications* 183-198. *Elsevier*.

2019

High-modulus rotary jet spun co-polyimide nanofibers and their composites.

Rogalski JJ, Zhang H, Yao J, Bastiaansen CWM and Peijs T. *Nanocomposites* vol. 6, (1) 1-11. *Taylor & Francis*.

Ultrahigh -phase content poly(vinylidene fluoride) with relaxor-like ferroelectricity for high energy density capacitors.

Meng N, Ren X, Santagiuliana G, Ventura L, Zhang H, Wu J, Yan H, Reece MJ and Bilotti E. *Nature Communications* vol. 10, (1). *Springer Nature*.

Flexible and Stretchable SelfPowered MultiSensors Based on the NType Thermoelectric Response of Polyurethane/Na x (Niett) n Composites.

Wan K, Taroni PJ, Liu Z, Liu Y, Tu Y, Santagiuliana G, Hsia I, Zhang H, Fenwick O, Krause S, Baxendale M, Schroeder BC and Bilotti E. *Advanced Electronic Materials* 1900582-1900582. *Wiley*.

Additive manufacturing high performance graphene-based composites: A review.

Li Y, Feng Z, Huang L, Essa K, Bilotti E, Zhang H, Peijs T and Hao L. *Composites Part a Applied Science and Manufacturing* vol. 124, Elsevier.

Transparent, Lightweight, and High Strength Polyethylene Films by a Scalable Continuous Extrusion and Solid-State Drawing Process.

Lin Y, Tu W, Verpaalen RCP, Zhang H, Bastiaansen CWM and Peijs T. *Macromolecular Materials and Engineering*.

Fabrication of Graphene-Reinforced Nanocomposites with Improved Fracture Toughness in Net Shape for Complex 3D Structures via Digital Light Processing.

Feng Z, Li Y, Xin C, Tang D, Xiong W and Zhang H. *C* "Journal of Carbon Research vol. 5, (2).Mdpi.

Glass-like transparent high strength polyethylene films by tuning drawing temperature.

LIN Y, Patel R, CAO J, TU W, ZHANG H, BILOTTI E, BASTIAANSEN C and PEIJS AA. *Polymer* vol. 171, 180-191.Elsevier.

Tissue-Engineered Trachea Consisting of Electrospun Patterned sc-PLA/GO-g-IL Fibrous Membranes with Antibacterial Property and 3D-Printed Skeletons with Elasticity.

Kang Y, Chaoli W, Youbei Q, Junwei G, ZHANG H, Ton P, Jie K, Guangchang Z and Xuetao S. *Biomacromolecules. American Chemical Society.*

2018

The effect of graphene network formation on the electrical, mechanical, and multifunctional properties of graphene/epoxy nanocomposites.

KERNIN A, WAN K, LIU Y, kong J, shi X, BILOTTI E, Peijs T and ZHANG H. *Composites Science and Technology* vol. 169, 224-231.Elsevier.

Pyroresistivity in Conductive Polymer Composites: A Perspective on Recent Advances and New Applications.

BILOTTI E, LIU Y, ZHANG H, PORWAL H, BUSFIELD J and PEIJS AA. *Polymer International. Wiley.*

Breaking the Nanoparticle Loading-Dispersion Dichotomy in Polymer Nanocomposites with the Art of Croissant-Making.

Santagiuliana G, Picot OT, Crespo M, Porwal H, Zhang H, Li Y, Rubini L, Colonna S, Fina A, Barbieri E, Spoelstra AB, Mirabello G, Patterson JP, Botto L, Pugno NM, Peijs T and Bilotti E. *Acs Nano.*

Smart cord-rubber composites with integrated sensing capabilities by localised carbon nanotubes using a simple swelling and infusion method.

Tao Y, Liu Y, Zhang H, Stevens CA, Bilotti E, Peijs T and Busfield JJC. *Composites Science and Technology* vol. 167, 24-31.

High temperature self-healing SiBCN ceramics derived from hyperbranched polyborosilazanes.

Liu F, Kong J, Luo C, Ye F, Luan X, Tian N, Liu Y, Zhang H, Gu J and Tang Y. *Advanced Composites and Hybrid Materials.*

Tailored pyroresistive performance and flexibility by introducing a secondary thermoplastic elastomeric phase into graphene nanoplatelet (GNP) filled polymer composites for self-regulating heating devices.

Liu Y, Zhang H, Porwal H, Tu W, Wan K, Evans J, Newton M, Busfield JJC, Peijs T and Bilotti E. *Journal of Materials Chemistry C* vol. 6, (11) 2760-2768.

Synergistic Effects of Spray-Coated Hybrid Carbon Nanoparticles for Enhanced Electrical and Thermal Surface Conductivity of CFRP Laminates.

Li Y, Zhang H, Liu Y, WANG HS, Huang Z, Peijs T and Bilotti E. *Composites Part a: Applied Science and Manufacturing.*

2017

Toward Stretchable Self-Powered Sensors Based on the Thermoelectric Response of PEDOT:PSS/Polyurethane Blends.

Taroni PJ, SANTAGIULIANA G, WAN K, Calado P, QIU M, ZHANG H, PUGNO N, PALMA M, Stingelin-Stutzmann N, Heeney M, FENWICK O, BAXENDALE M and BILOTTI E. *Advanced Functional Materials. Wiley.*

Universal Control on Pyroresistive Behavior of Flexible Self-Regulating Heating Devices.

Liu Y, Zhang H, Porwal H, Tu W, Evans J, Newton M, Busfield JJC, Peijs T and Bilotti E. *Advanced Functional Materials* vol. 27, (39).

Interlaminar toughening of woven fabric carbon/epoxy composite laminates using hybrid aramid/phenoxy interleaves.

Wong D, ZHANG H, BILOTTI E and PEIJS T. *Composites Part a: Applied Science and Manufacturing* vol. 101, 151-159.Elsevier.

Synergistic effects of filler size on thermal annealing-induced percolation in polylactic acid (PLA)/graphite nanoplatelet (GNP) nanocomposites.

Gao Y, Picot OT, Zhang H, Bilotti E and Peijs T. *Nanocomposites vol. 3, (2) 67-75. Taylor & Francis.*

Graphite Nanoplatelet Modified Epoxy Resin for Carbon Fibre Reinforced Plastics with Enhanced Properties.

Li Y, Zhang H, Huang Z, Bilotti E and Peijs T. *Journal of Nanomaterials vol. 2017.*

Filtration effects of graphene nanoplatelets in resin infusion processes: Problems and possible solutions.

Zhang H, Liu Y, Huo S, Briscoe J, Tu W, Picot OT, Rezai A, Bilotti E and Peijs T. *Composites Science and Technology vol. 139, 138-145.*

Mechanical, Electrical and Thermal Properties of In-situ Exfoliated Graphene/Epoxy Nanocomposites.

ZHANG H, Li Y, porwal H, Huang Z, Bilotti E and Peijs T. *Composites Part a: Applied Science and Manufacturing. Elsevier.*

2016

Dissolvable thermoplastic interleaves for carbon nanotube localization in carbon/epoxy laminates with integrated damage sensing capabilities.

Zhang H, Liu Y, Huang M, Bilotti E and Peijs T. *Structural Health Monitoring vol. 17, (1) 59-66. Sage Publications.*

Nano-Engineered Hierarchical Carbon Fibres and Their Composites: Preparation, Properties and Multifunctionalities.

Zhang H, Bilotti E and Peijs T. *The Structural Integrity of Carbon Fiber Composites 101-116. Springer Nature.*

In Situ Exfoliation of Graphene in Epoxy Resins: A Facile Strategy to Efficient and Large Scale Graphene Nanocomposites.

Li Y, Zhang H, Crespo M, Porwal H, Picot O, Santagiuliana G, Huang Z, Barbieri E, Pugno NM, Peijs T and Bilotti E. *Acs Appl Mater Interfaces vol. 8, (36) 24112-24122.*

Effect of mixed fillers on positive temperature coefficient of conductive polymer composites.

Asare E, Basir A, Tu W, Porwal H, Zhang H, Liu Y, Evans J, Newton M, Peijs T and Bilotti E. *Nanocomposites vol. 2, (2) 58-64. Taylor & Francis.*

Optimization of Three-Roll Mill Parameters for In-Situ Exfoliation of Graphene.

Li Y, Zhang H, Bilotti E and Peijs T. *Mrs Advances vol. 1, (19) 1389-1394. Springer Nature.*

Graphene Delivery Systems for Hierarchical Fiber Reinforced Composites.

Li Y, Zhang H, Peijs T and Bilotti E. *Mrs Advances vol. 1, (19) 1339-1344. Springer Nature.*

Enhanced Thermal and Electrical Properties of Polystyrene Graphene Nanofibers via Electrospinning.

Li Y, Porwal H, Huang Z, Zhang H, Bilotti E and Peijs T. *Journal of Nanomaterials vol. 2016, (1) 1-8. Hindawi.*

2015

Localized toughening of carbon/epoxy laminates using dissolvable thermoplastic interleaves and electrospun fibres.

Zhang H, Bharti A, Li Z, Du S, Bilotti E and Peijs T. *Composites Part a Applied Science and Manufacturing vol. 79, 116-126. Elsevier.*

The use of carbon nanotubes for damage sensing and structural health monitoring in laminated composites: a review.

Zhang H, Bilotti E and Peijs T. *Nanocomposites vol. 1, (4) 167-184. Taylor & Francis.*

Static and dynamic percolation of phenoxy/carbon nanotube nanocomposites.

Zhang H, Bilotti E, Tu W, Lew CY and Peijs T. *European Polymer Journal vol. 68, 128-138. Elsevier.*

In-situ monitoring of interlaminar shear damage in carbon fibre composites.

Zhang H, Liu Y, Bilotti E and Peijs T. *Advanced Composites Letters vol. 24, (4) 92-97.*

In-Situ Monitoring of Interlaminar Shear Damage in Carbon Fibre Composites.

Zhang H, Liu Y, Bilotti E and Peijs T. *Advanced Composites Letters vol. 24, (4). Sage Publications.*

Improved fracture toughness and integrated damage sensing capability by spray coated CNTs on carbon fibre prepreg.

Zhang H, Liu Y, Kuwata M, Bilotti E and Peijs T. *Composites Part a Applied Science and Manufacturing* vol. 70, 102-110. Elsevier.

Improved fracture toughness and integrated damage sensing capability by spray coated CNTs on carbon fibre prepreg.

Zhang H, Liu Y, Kuwata M, Bilotti E and Peijs T. *Composites Part a: Applied Science and Manufacturing* vol. 70, 102-110.

Integrated Damage Sensing in Fibre Reinforced Composites with Extremely Low Carbon Nanotube Loadings.

Zhang H, Kuwata M, Bilotti E and Peijs T. *Journal of Nanomaterials* vol. 2015, (1). Wiley.

2013

Controlling the dynamic percolation of carbon nanotube based conductive polymer composites by addition of secondary nanofillers: The effect on electrical conductivity and tuneable sensing behaviour.

Bilotti E, Zhang H, Deng H, Zhang R, Fu Q and Peijs T. *Composites Science and Technology* vol. 74, 85-90.