

Dr Hangfeng Zhang

PhD

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8732

email: hangfeng.zhang@qmul.ac.uk web: www.sems.qmul.ac.uk/hangfeng.zhang

2024

Microwave tunability in tin substituted barium titanate.

. *Journal of The European Ceramic Society* vol. 44, (3) 1627-1635. Elsevier.

2023

Structure and dielectric properties in Mg/Nb co-substituted bismuth sodium titanate.

. *Journal of Alloys and Compounds* vol. 969, Elsevier.

Carbon deficiency introduced plasticity of rock-salt-structured transition metal carbides.

. *Journal of Materials Science and Technology* vol. 164, 205-214.

Microwave characterization of two Ba_{0.6}Sr_{0.4}TiO₃ dielectric thin films with out-of-plane and in-plane electrode structures.

. *Journal of Advanced Ceramics* vol. 12, (8) 1521-1532. Tsinghua University Press.

Enhanced piezoelectricity in Na and Ce co-doped CaBi₄Ti₄O₁₅ ceramics for high-temperature applications.

. *Journal of Advanced Ceramics* vol. 12, (7) 1331-1344.

Deciphering the peculiar hysteresis loops of 0.05Pb(Mn_{1/3}Sb_{2/3})O₃0.95Pb(Zr_{0.52}Ti_{0.48})O₃ piezoelectric ceramics.

. *Acta Materialia* vol. 244, Elsevier.

2022

Antiferroelectric-like Behavior in a Lead-Free Perovskite Layered Structure Ceramic.

. *Inorganic Chemistry* vol. 61, (50) 20316-20325. American Chemical Society (Acs).

Low thermal conductivity in A-site high entropy perovskite relaxor ferroelectric.

. *Applied Physics Letters* vol. 121, (11). Aip Publishing.

Ablation behavior of (HfTaZrNbTi)C high entropy carbide and (HfTaZrNbTi)_xSiC composites.

. *Journal of The American Ceramic Society* vol. 105, (10) 6395-6406. Wiley.

Synthesis, microstructure, and mechanical properties of novel high entropy carbonitrides.

. *Acta Materialia* vol. 231, Elsevier.

Chemical Solution Deposition of Single Phase BiFeO₃ Thin Films on Transparent Substrates.

. *Solar Rrl* vol. 6, (7). Wiley.

2021

Terahertz Characterization of Lead-Free Dielectrics for Different Applications.

. *Acs Applied Materials & Interfaces* vol. 13, (45) 53492-53503. American Chemical Society (Acs).

Characterization of microwave and terahertz dielectric properties of single crystal $\text{La}_2\text{Ti}_2\text{O}_7$ along one single direction.

. *Journal of The European Ceramic Society.*

Investigation of transitions between the M-phases in AgNbO_3 based ceramics.

. *Journal of Materials Chemistry A. Royal Society of Chemistry.*

Effect of processing on the structures and properties of bismuth sodium titanate compounds.

. *Journal of Materials Research 1-11. Springer.*

Tunable phase transitions in NaNbO_3 ceramics through bismuth/vacancy modification.

. *Journal of Materials Chemistry C vol. 9, (12) 4289-4299. Royal Society of Chemistry (Rsc).*

2020

Perovskite $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ -based materials for dielectric capacitors with ultrahigh thermal stability.

. *Materials and Design 109344-109344. Elsevier.*

High Tunability and Low Loss in Layered Perovskite Dielectrics through Intrinsic Elimination of Oxygen Vacancies.

. *Chemistry of Materials. American Chemical Society (Acs).*

Low-loss High Entropy Relaxor-like Ferroelectrics with A-site Disorder.

. *Journal of The European Ceramic Society. Elsevier.*

Structure and dielectric properties of double A-site doped bismuth sodium titanate relaxor ferroelectrics for high power energy storage applications.

. *Journal of Materials Chemistry A. Royal Society of Chemistry.*

Polar nano-clusters in nominally paraelectric ceramics demonstrating high microwave tunability for wireless communication.

. *Journal of The European Ceramic Society vol. 40, (12) 3996-4003. Elsevier.*

Enhanced Hardness in High Entropy Carbides through Atomic Randomness.

. *Advanced Theory and Simulations vol. 3, (9). Wiley.*

Antimony substituted lanthanum orthoniobate proton conductor Structure and electronic properties.

Mielewczyk Gry A, Wachowski S, Witkowska A, Dzierzgowski K, Skubida W, wierzczek K, Regoutz A, Payne DJ, Hull S, Zhang H, Abrahams I and Gazda M. *Journal of The American Ceramic Society vol. 103, (11) 6575-6585. Wiley.*

The crystallization, thermodynamic and thermoelectric properties of vast off-stoichiometric Sn-Se crystals.

Liu M, Zhang J, Xu J, Hu B, Sun K, Yang Y, Wang J, Du B and Zhang H. *Journal of Materials Chemistry C vol. 8, (19) 6422-6434.*

Terahertz Probing Irreversible Phase Transitions Related to Polar Clusters in $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ Based Ferroelectric.

. *Advanced Electronic Materials 1901373-1901373. Wiley.*

Interactive human-machine learning framework for modelling of ferroelectric-dielectric composites.

. *Journal of Materials Chemistry C vol. 8, (30) 10352-10361. Royal Society of Chemistry (Rsc).*

2019

Isolation of a ferroelectric intermediate phase in antiferroelectric dense sodium niobate ceramics.

. *Acta Materialia vol. 179, 255-261. Elsevier Bv.*

Crystal structure and improved thermoelectric performance of iron stabilized cubic Cu_3SbS_3 compound.

. *Journal of Materials Chemistry C vol. 7, (2) 394-404. Royal Society of Chemistry (Rsc).*

2018

Crystal structure and electrical properties of textured $\text{Ba}_2\text{Bi}_4\text{Ti}_5\text{O}_{18}$ ceramics.

. *Journal of The European Ceramic Society.*

Perovskite $\text{Sr}_x(\text{Bi}_{1-x}\text{Na}_{0.97-x}\text{Li}_{0.03})_{0.5}\text{TiO}_3$ ceramics with polar nano regions for high power energy storage.
. *Nano Energy* vol. 50, 723-732.

Magnéli phase titanium suboxides by Flash Spark Plasma Sintering.
. *Scripta Materialia* vol. 146, 241-245. Elsevier.

$\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_{2.5}\text{Nb}_{0.25}(\text{Fe}_{0.5}\text{Co}_{0.5})_{0.25}\text{O}_{12}$, a single phase room temperature multiferroic.
. *Journal of Materials Chemistry C* vol. 6, (11) 2733-2740.

2017

Phase transitions in bismuth-modified silver niobate ceramics for high power energy storage.
. *Journal of Materials Chemistry A* vol. 5, (33) 17525-17531.

Effect of Phase Transitions on Thermal Depoling in Lead-Free $0.94(\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3)_{0.06}(\text{BaTiO}_3)$ Based Piezoelectrics.
. *The Journal of Physical Chemistry C* vol. 121, (10) 5709-5718. American Chemical Society (Acs).

Topochemical transformation of two-dimensional single crystalline $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3/\text{BaTiO}_3$ platelets from $\text{Na}_{0.5}\text{Bi}_{4.5}\text{Ti}_4\text{O}_{15}$ precursors and their piezoelectricity.
. *Journal of Materials Chemistry A* vol. 5, (30) 15780-15788. Royal Society of Chemistry (Rsc).

2016

Lead free $\text{Bi}_3\text{TaTiO}_9$ ferroelectric ceramics with high Curie point.
. *Materials Letters* vol. 175, 79-81. Elsevier.

High energy density in silver niobate ceramics.
. *Journal of Materials Chemistry A* vol. 4, (44) 17279-17287. Royal Society of Chemistry (Rsc).

2015

Incorporation of Ag nanowires in CuWO_4 for improved visible light-induced photoanode performance.
. *Journal of Materials Chemistry A* vol. 3, (18) 9638-9644. Royal Society of Chemistry (Rsc).