

Prof Julia Shelton

BA(Cantab) PhD(Lond)

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8877

email: j.shelton@qmul.ac.uk web: www.sems.qmul.ac.uk/j.shelton

2021

Sub-toxic levels of cobalt ions impair mechanostranduction via HDAC6-depedent primary cilia shortening.

Wu H, Wang Z, Liu S, Meng H, Liu S, Shelton JC, Thompson CL, Fu S and Knight MM. *Biochem Biophys Res Commun.*

2020

Sub-toxic levels of Co²⁺ are anti-inflammatory and protect cartilage from degradation caused by IL-1?

Fu S, Meng H, Freer F, Kwon J, Shelton JC and Knight MM. *Clinical Biomechanics vol. 79.*

Activation of synovial fibroblasts from patients at revision of their metal-on-metal total hip arthroplasty.

Xu J, Yang J, Chen J, Zhang X, Wu Y, Hart A, Nyga A and Shelton JC. *Particle and Fibre Toxicology vol. 17, (1) 42-42. Biomed Central.*

3D models of chondrocytes within biomimetic scaffolds: Effects of cell deformation from loading regimens.

Di Federico E, Bader DL and Shelton JC. *Clinical Biomechanics. Elsevier Bv.*

2019

An electrochemical study of acrylate bone adhesive permeability and selectivity change during in vitro ageing: a model approach to the study of biomaterials and membrane barriers.

VADGAMA PM. *Analytica Chimica Acta. Elsevier Masson.*

2018

Mechanical loading induces primary cilia disassembly in tendon cells via TGF β and HDAC6.

Rowson DT, Shelton JC, Screen HRC and Knight MM. *Scientific Reports vol. 8, (1).*

Cobalt ions stimulate a fibrotic response through matrix remodelling, fibroblast contraction and release of pro-fibrotic signals from macrophages.

Xu J, Nyga A, Li W, Zhang X, Gavara N, Knight MM and Shelton JC. *European Cells and Materials vol. 36, 142-155.*

Prediction of taper performance using quasi static FE models: The influence of loading and taper clearance and trunnion length.

SHELTON JC. *Journal of Biomedical Materials Research: Part B - Applied Biomaterials.*

Cobalt (II) ions and nanoparticles induce macrophage retention by ROS-mediated down-regulation of RhoA expression.

Xu J, Yang J, Nyga A, Ehteramy M, Moraga A, Wu Y, Zeng L, Knight MM and Shelton JC. *Acta Biomater vol. 72, 434-446.*

Cobalt (II) ions and nanoparticles induce macrophage retention by ROS-mediated downregulation of RhoA expression.

SHELTON JC. *Acta Biomaterialia vol. 72, 434-446. Elsevier.*

2017

Simulator Study of MOM using Steep-cup Flexion - A Clinically Relevant Incorporation of Intermittent Edge-loading.

Clarke I, Shelton J, Bowsher J, Savisaar C and Donaldson T. *Reconstructive Review* vol. 7, (3).

Complex mechanical conditioning of cell-seeded agarose constructs can influence chondrocyte biosynthetic activity.

Di Federico E, SHELTON JC and Bader DL. *Biotechnology and Bioengineering*. Wiley.

2016

Measurement outcomes from hip simulators.

De Villiers D and Shelton JC. *Proceedings of The Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* vol. 230, (5) 398-405.

2015

The increase in cobalt release in metal-on-polyethylene hip bearings in tests with third body abrasives.

De Villiers D, Traynor A, Collins SN and Shelton JC. *Proceedings of The Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* vol. 229, (9) 611-618.

Chromium nitride coating for large diameter metal-on-polyethylene hip bearings under extreme adverse hip simulator conditions.

de Villiers D, Traynor A, Collins SN, Banfield S, Housden J and Shelton JC. *Wear* vol. 328-329, 363-368.

2014

Design and validation of an in vitro loading system for the combined application of cyclic compression and shear to 3D chondrocytes-seeded agarose constructs.

Di Federico E, Bader DL and Shelton JC. *Med Eng Phys* vol. 36, (4) 534-540.

2013

Microstructural stress relaxation mechanics in functionally different tendons.

Screen HRC, Toorani S and Shelton JC. *Med Eng Phys* vol. 35, (1) 96-102.

Microstructural stress relaxation mechanics in functionally different tendons.

Screen HRC, Toorani S and Shelton JC. *Medical Engineering and Physics* vol. 35, (1) 96-102.

2012

Simple isolation method for the bulk isolation of wear particles from metal on metal bearing surfaces generated in a hip simulator test.

Lu F, Royle M, Lali FV, Hart AJ, Collins S, Housden J and Shelton JC. *Journal of Materials Science: Materials in Medicine* vol. 23, (4) 891-901.

Simple isolation method for the bulk isolation of wear particles from metal on metal bearing surfaces generated in a hip simulator test.

Lu F, Royle M, Lali FV, Hart AJ, Collins S, Housden J and Shelton JC. *Journal of Materials Science: Materials in Medicine* 1-11.

Deformation of uncemented metal acetabular cups following impaction: Experimental and finite element study.

Hothi HS, Busfield JJC and Shelton JC. *Computer Methods in Biomechanics and Biomedical Engineering*.

2011

Quantifying the wear of acetabular cups using coordinate metrology.

Morris B, Zou L, Royle M, Simpson D and Shelton JC. *Wear* vol. 271, (7-8) 1086-1092.

Explicit finite element modelling of the impaction of metal press-fit acetabular components.

Hothi HS, Busfield JJC and Shelton JC. *Proceedings of The Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* vol. 225, (3) 303-314.

2010

Challenges of developing engineering students' writing through peer assessment.

McConlogue T, Mueller J and Shelton J. *Engineering Education 2010: Inspiring The Next Generation of Engineers, Ee 2010*.

Functional analysis of tenocytes gene expression in tendon fascicles subjected to cyclic tensile strain.

Maeda E, Fleischmann C, Mein CA, Shelton JC, Bader DL and Lee DA. *Connective Tissue Research* vol. 51, (6) 434-444.

2009

Effect of intermittent cyclic tensile strain on collagen synthesis by tenocytes in isolated fascicles.

Maeda E, Shelton JC, Bader DL and Lee DA. *Journal of Biomechanical Science and Engineering* vol. 4, (4) 510-517.

Influence of cup orientation on the wear performance of metal-on-metal hip replacements.

Angadji A, Royle M, Collins SN and Shelton JC. *Proceedings of The Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* vol. 223, (4) 449-457.

Differential regulation of gene expression in isolated tendon fascicles exposed to cyclic tensile strain in vitro.

Maeda E, Shelton JC, Bader DL and Lee DA. *Journal of Applied Physiology* vol. 106, (2) 506-512.

Cell-generated forces influence the viability, metabolism and mechanical properties of fibroblast-seeded collagen gel constructs.

Berry CC, Shelton JC and Lee DA. *J Tissue Eng Regen Med* vol. 3, (1) 43-53.

2008

Characterizing structure-function relationships in tendon.

Toorani S, Shelton JC and Screen HRC. *8th World Biomaterials Congress 2008* vol. 2,.

Affect of cup positioning on the wear performance and wear particles from metal-on-metal hip replacements.

Angadji A, Grossmann H, Royle M, Collins SN and Shelton JC. *8th World Biomaterials Congress 2008* vol. 2,.

Collagen synthesis by tenocytes in fascicles subjected to intermittent cyclic strain.

Maeda E, Shelton JC, Bader DL and Lee DA. *European Cells and Materials* vol. 16, (SUPPL. 3).

Development and validation of a novel bioreactor system for load- and perfusion-controlled tissue engineering of chondrocyte-constructs.

Schulz RM, Wüstneck N, Van Donkelaar CC, Shelton JC and Bader A. *Biotechnology and Bioengineering* vol. 101, (4) 714-728.

Configuration of anchorage holes affects cemented fixation of the acetabular component in total hip replacement: an in vitro study.

Mootanah R, Jarrett P, Ingle P, Cheah K, Dowell JK and Shelton JC. *Technol Health Care* vol. 16, (1) 19-30.

2007

Configuration of anchorage holes affects fixation of the acetabular component in cemented total hip replacement--a finite element study.

Mootanah R, Dowell JK, Cheah K, Ingle P and Shelton JC. *Comput Methods Biomech Biomed Engin* vol. 10, (6) 439-445.

Time dependence of cyclic tensile strain on collagen production in tendon fascicles.

Maeda E, Shelton JC, Bader DL and Lee DA. *Biochem Biophys Res Commun* vol. 362, (2) 399-404.

2006

The influence of swelling and matrix degradation on the microstructural integrity of tendon.

Screen HRC, Chhaya VH, Greenwald SE, Bader DL, Lee DA and Shelton JC. *Acta Biomater* vol. 2, (5) 505-513.

'Severe' wear challenge to 'as-cast' and 'double heat-treated' large-diameter metal-on-metal hip bearings.
Bowsher JG, Nevelos J, Williams PA and Shelton JC. *P I Mech Eng H* vol. 220, (H2) 135-143.

Metal-on-metal hip simulator study of increased wear particle surface area due to 'severe' patient activity.
Bowsher JG, Hussain A, Williams PA and Shelton JC. *Proc Inst Mech Eng H* vol. 220, (2) 279-287.

2005

Cyclic mechanical conditioning of isolated tendon fascicles results in an upregulation of collagen production.
Screen HRC, Bader DL, Shelton JC and Lee DA. *Proceedings of The 2005 Summer Bioengineering Conference* vol. 2005, 193-194.

Cyclic tensile strain upregulates collagen synthesis in isolated tendon fascicles.
Screen HRC, Shelton JC, Bader DL and Lee DA. *Biochem Biophys Res Commun* vol. 336, (2) 424-429.

The influence of noncollagenous matrix components on the micromechanical environment of tendon fascicles.
Screen HRC, Shelton JC, Chhaya VH, Kayser MV, Bader DL and Lee DA. *Ann Biomed Eng* vol. 33, (8) 1090-1099.

Blood flow and damage by the roller pumps during cardiopulmonary bypass.
Mulholland JW, Shelton JC and Luo XY. *J Fluid Struct* vol. 20, (1) 129-140.

2004

Effect of ion implantation on the tribology of metal-on-metal hip prostheses.
Bowsher JG, Hussain A, Williams P, Nevelos J and Shelton JC. *J Arthroplasty* vol. 19, (8 Suppl 3) 107-111.

Local Strain Measurement within Tendon.
Bader DL, Shelton JC, Lee DA and SCREEN HRC. *Strain* vol. 40, (4) 157-163.

Confocal analysis of local and cellular strains in chondrocyte-agarose constructs subjected to mechanical shear.
Sawae Y, Shelton JC, Bader DL and Knight MM. *Ann Biomed Eng* vol. 32, (6) 860-870.

Investigation of the molecular nature of low-molecular-mass cobalt(II) ions in isolated osteoarthritic knee-joint synovial fluid.
Silwood CJL, Chikanza IC, Tanner KE, Shelton JC, Bowsher JG and Grootveld M. *Free Radic Res* vol. 38, (6) 561-571.

Total hip replacement: Results of a postal survey of current practice on the cement fixation of the acetabular cup in the UK.
Mootanah R, Ingle P, Cheah K, Dowell JK and Shelton JC. *Hip International* vol. 14, (3) 155-162.

Metallurgical Considerations in the Wear of Metal-Metal Hip Bearings.
Fisher J, SHELTON JC and Nevelos J. *Hip International* vol. 14, 1-10.

An investigation into the effects of the hierarchical structure of tendon fascicles on micromechanical properties.
Screen HRC, Lee DA, Bader DL and Shelton JC. *Proc Inst Mech Eng H* vol. 218, (2) 109-119.

2003

Temporal regulation of chondrocyte metabolism in agarose constructs subjected to dynamic compression.
Chowdhury TT, Bader DL, Shelton JC and Lee DA. *Arch Biochem Biophys* vol. 417, (1) 105-111.

Influence of external uniaxial cyclic strain on oriented fibroblast-seeded collagen gels.
Berry CC, Shelton JC, Bader DL and Lee DA. *Tissue Eng* vol. 9, (4) 613-624.

Confocal Analysis of Local and Cellular Strains in Chondrocyte - Agarose Constructs Subjected to Shear.
Bader DL, SHELTON JC, Knight MM and Sawae Y. *J Biochemical Engineering Asme*.

Mechanical conditioning influences the metabolic response of cell-seeded constructs.
Shelton JC, Bader DL and Lee DA. *Cells Tissues Organs* vol. 175, (3) 140-150.

Dermal fibroblasts respond to mechanical conditioning in a strain profile dependent manner.

Berry CC, Cacou C, Lee DA, Bader DL and Shelton JC. *Biorheology* vol. 40, (1-3) 337-345.

Development of a technique to determine strains in tendons using the cell nuclei.

Screen HRC, Lee DA, Bader DL and Shelton JC. *Biorheology* vol. 40, (1-3) 361-368.

alpha5beta1 integrin mediates mechanotransduction processes in TGFbeta-stimulated human chondrocyte / agarose constructs and subjected to dynamic compression.

Chowdhury TT, LEE DA, Salter DM, Shelton JC and Bader DL. *Osteoarthritis Cartilage* vol. 11, (Suppl 1) S2-S3.

Control of mechanotrasduction processes in dynamically stimulated human and bovine chondrocytes cultured in agarose constructs.

Chowdhury TT, Shelton JC, Bader DL and LEE DA. *Internat. J. Artificial Organs* vol. 26, (9) 858-858.

2002

The influence of uniaxial cyclic strain on orientated fibroblast seeded collagen gels.

Berry CC, Shelton JC, Bader DL and Lee DA. *Third Smith and Nephew International Symposium - Translating Tissue Engineering Into Products.*

Profile measurement of worn acetabular cup by holographic contouring.

Kakunai S, Sakamoto T, Sakurai D, Aota Y and Shelton J. *Jsm Int J C-Mech Sy* vol. 45, (4) 1028-1032.

Enhancement of cancellous bone repair using particulates.

SHELTON JC, Revell PA and Mushipe MT. *Biomaterials* vol. 23, 365-370.

Development of a technique to determine strains in tendons using the cell nuclei.

BADER DL, Shelton JC, Lee DA and Screen HRC. *Biorheology* vol. 40, 361-368.

Comparison of influence of cortical bone repair using autologous and Endobon particulates.

SHELTON JC, Revell PA and Mushipe MT. *J Mats Sci: Materials in Medicine* vol. 13, 99-105.

Comparison between commercial calcium phosphate bone cements.

Saadalla ME, Ahad N, Gibson IR and Shelton JC. *Bioceramics 14* vol. 218-2, 331-334. Editors: Brown S, Clarke I and Williams P.

The effects of bovine trabecular bone matrix particulates on cortical bone repair.

Mushipe MT, Revell PA and Shelton JC. *J Mater Sci Mater Med* vol. 13, (1) 99-105.

Non-collagenous matrix components influence the micromechanical environment of tenocytes within tendon fascicles subjected to tensile strain.

Bader DL, Shelton JC, Lee DA and SCREEN HRC. *Eur. Cells Mat.* vol. 4:S1, 41-42.

Cancellous bone repair using bovine trabecular bone matrix particulates.

Mushipe MT, Revell PA and Shelton JC. *Biomaterials* vol. 23, (2) 365-370.

2001

Measurements of sequential impressions of acetabula cups from a total hip joint replacement using a non-contact measurement system.

Zou L, Samarawickrama DYD, Jovanovski V and Shelton JC. *International Journal of Machine Tools & Manufacture* vol. 41, (13-14) 2023-2030.

A hip simulator study of the influence of patient activity level on the wear of crosslinked polyethylene under smooth and roughened femoral conditions.

SHELTON JC and Bowsher JG. *Wear* vol. 250, (1-2) 167-179.

Influence of training on reliability of surgical knots.

Ind TEJ, Shelton JC and Shepherd JH. *Brit J Obstet Gynaec* vol. 108, (10) 1013-1016.

2000

Biological response of cyclic strain on developed cell seeded collagen gel model.

Berry CC, Cacou C, Shelton JC, Bader DL and Lee DA. *Second Smith and Nephew International Symposium - Tissue Engineering 2000: Advances in Tissue Engineering, Biomaterials and Cell.*

Investigation and quantification of the blood trauma caused by the combined dynamic forces experienced during cardiopulmonary bypass.

Mulholland JW, Massey W and Shelton JC. *Perfusion* vol. 15, (6) 485-494.

A system for monitoring the response of uniaxial strain on cell seeded collagen gels.

Cacou C, Palmer D, Lee DA, Bader DL and Shelton JC. *Med Eng Phys* vol. 22, (5) 327-333.

Fixation of the acetabular cup in cemented total hip replacement: improving the anchorage hole profile using finite element method.

Mootanah R, Ingle P, Dowell J, Cheah K and Shelton JC. *Technol Health Care* vol. 8, (6) 343-355.

1998

Influence of aging heat treatment on mechanical properties of biomedical Ti-Zr based ternary alloys containing niobium.

Kobayashi E, Doi H, Yoneyama T, Hamanaka H, Gibson IR, Best SM, Shelton JC and Bonfield W. *J Mater Sci Mater Med* vol. 9, (11) 625-630.

Laser speckle photography to measure surface displacements on cortical bone--verification of an automated analysis system.

Mo N and Shelton JC. *Med Eng Phys* vol. 20, (8) 594-601.

Quantification of holographic fringe data: comparison of intact and implanted femurs.

Katz DM, Blatcher S and Shelton JC. *Med Eng Phys* vol. 20, (2) 114-123.

1996

Fatigue failure in a plasma sprayed hydroxyapatite coated titanium alloy.

Forrest DJ, Shelton JC and Gregson PJ. *Transactions of The Annual Meeting of The Society For Biomaterials in Conjunction With The International Biomaterials Symposium* vol. 1,.

Multiaxial fatigue testing of medical grade titanium alloy.

McDougall I, Gregson PJ and Shelton JC. *Transactions of The Annual Meeting of The Society For Biomaterials in Conjunction With The International Biomaterials Symposium* vol. 1,.

Alloy-design of titanium-zirconium based alloys containing niobium as biomedical materials.

Kobayashi E, Doi H, Yoneyama T, Hamanaka H, Best SM, Shelton JC and Bonfield W. *Transactions of The Annual Meeting of The Society For Biomaterials in Conjunction With The International Biomaterials Symposium* vol. 2,.

Cutting thread at flexible endoscopy.

Gong F, Swain P, Kadiramanathan S, Hepworth C, Laufer J, Shelton J and Mills T. *Gastrointest Endosc* vol. 44, (6) 667-674.

Strengths and weaknesses of laparoscopic and open mesh inguinal hernia repair: a randomized controlled experimental study.

Horgan LF, Shelton JC, O'Riordan DC, Moore DP, Winslet MC and Davidson BR. *Br J Surg* vol. 83, (10) 1463-1467.

Pull-out strength of screws from cortical bone in the maxillo-facial region.

Shelton JC and Loukota RA. *J Mater Sci-Mater M* vol. 7, (4) 231-235.

A comparison of the strength of knots tied by hand and at laparoscopy.

Kadiramanathan SS, Shelton JC, Hepworth CC, Laufer JG and Swain CP. *J Am Coll Surg* vol. 182, (1) 46-54.

1995

Mechanical analysis of maxillofacial miniplates.

Loukota RA and Shelton JC. *Br J Oral Maxillofac Surg* vol. 33, (3) 174-179.

ARE KNOTS TIED AT LAPAROSCOPY AS SECURE AS HAND TIED KNOTS.

KADIRKAMANATHAN SS, LAUFER JG, HEPWORTH CC, SHELTON JC and SWAIN CP. *Gastrointest Endosc* vol. 41, (4) 432-432.

1993

Hydrogels as an interface between bone and an implant.

Netti PA, Shelton JC, Revell PA, Pirie C, Smith S, Ambrosio L, Nicolais L and Bonfield W. *Biomaterials* vol. 14, (14) 1098-1104.

1991

Laser interferometric techniques in orthopaedics.

Shelton JC and Katz DM. *J Med Eng Technol* vol. 15, (6) 209-221.

1990

THE APPLICATION OF HOLOGRAPHY TO EXAMINE PLATED FRACTURE FIXATION SYSTEMS.

SHELTON JC, GORMAN D and BONFIELD W. *J Mater Sci-Mater M* vol. 1, (3) 146-153.

1989

Double exposure holographic interferometric evaluation of plated fracture systems.

Shelton JC, Gorman D and Bonfield W. *Journal of Biomechanics* vol. 22, (10).