

## Dr Karin Hing

CEng, PhD, BSc, MIMMM, FRMS, FWES, FHEA

School of Engineering and Materials Science  
Queen Mary University of London  
Mile End Road  
London E1 4NS

tel: +44 (0)20 7882 7804

email: k.a.hing@qmul.ac.uk web: www.sems.qmul.ac.uk/k.a.hing

---

### 2021

**Photoelectrochemical imaging system with high spatiotemporal resolution for visualizing dynamic cellular responses.**

Zhou B, Das A, Zhong M, Guo Q, Zhang DW, Hing KA, Sobrido AJ, Titirici MM and Krause S. *Biosensors and Bioelectronics* vol. 180,.

### 2020

**Decellularized porcine xenograft for anterior cruciate ligament reconstruction: A histological study in sheep comparing cross-pin and cortical suspensory femoral fixation.**

Hexter AT, Hing KA, Haddad FS and Blunn G. *Bone and Joint Research* vol. 9, (6) 293-301. *The British Editorial Society of Bone & Joint Surgery*.

### 2019

**Photoelectrochemical Imaging System for the Mapping of Cell Surface Charges.**

Wu F, Zhou B, Wang J, Zhong M, Das A, Watkinson M, Hing K, Zhang D-W and Krause S. *Anal Chem*.

### 2017

**Use of a fluorescent probe to monitor the enhanced affinity of rh-BMP-2 to silicated-calcium phosphate synthetic bone graft substitutes under competitive conditions.**

Mafina MK, Sullivan AC and Hing KA. *Materials Science and Engineering C* vol. 80, 207-212.

**The effect of the incorporation of fluoride into strontium containing bioactive glasses.**

Sriranganathan D, Chen X, Hing KA, Kanwal N and Hill RG. *Journal of Non-Crystalline Solids* vol. 457, 25-30.

### 2016

**Porous Bone Graft Substitutes: When Less is More.**

Campion C and Hing KA. *Mechanobiology: Exploitation For Medical Benefit*.

**Strontium substituted bioactive glasses for tissue engineered scaffolds: the importance of octacalcium phosphate.**

Sriranganathan D, Kanwal N, Hing KA and Hill RG. *Journal of Materials Science: Materials in Medicine* vol. 27, (2) 1-10.

**The effect of increased microporosity on bone formation within silicate-substituted scaffolds in an ovine posterolateral spinal fusion model.**

Coathup MJ, Blunn GW, Campion C, Ho C-Y and Hing KA. *J Biomed Mater Res B Appl Biomater* vol. 105, (4) 805-814.

### 2015

**Efficacy of silicate-substituted calcium phosphate with enhanced strut porosity as a standalone bone graft substitute and autograft extender in an ovine distal femoral critical defect model.**

Hutchens SA, Campion C, Assad M, Chagnon M and Hing KA. *J Mater Sci Mater Med* vol. 27, (1) 20-20.

---

**Apatite formation of bioactive glasses is enhanced by low additions of fluoride but delayed in the presence of serum proteins.**

Shah FA, Brauer DS, Hill RG and Hing KA. *Materials Letters* vol. 153, 143-147.

## 2014

Shah FA, Brauer DS, Desai N, Hill RG and Hing KA. *Materials Letters* vol. 119, 96-99.

**Influence of cell culture medium composition on in vitro dissolution behavior of a fluoride-containing bioactive glass.**

Shah FA, Brauer DS, Wilson RM, Hill RG and Hing KA. *Journal of Biomedical Materials Research - Part A* vol. 102, (3) 647-654.

## 2013

**HMSC proliferation and differentiation are dependent on chemistry and surface roughness of calcium phosphate bone substitutes.**

Castagna V, Olivares-Navarrete R, Schwartz Z, Boyan BD and Hing KA. *European Cells and Materials* vol. 26, (SUPPL. 3).

**Microstructure and chemistry affects apatite nucleation on calcium phosphate bone graft substitutes.**

Campion CR, Ball SL, Clarke DL and Hing KA. *Journal of Materials Science: Materials in Medicine* vol. 24, (3) 597-610.

**Development of novel fluorescent probes for the analysis of protein interactions under physiological conditions with medical devices.**

Mafina M-K, Hing KA and Sullivan AC. *Langmuir* vol. 29, (5) 1420-1426.

**Antibacterial effect of incorporating silver ions in electrochemically deposited hydroxyapatite coating: An experimental study.**

Ghani Y, Coathup MJ, Hing KA and Blunn GW. *Jrsm Short Rep* vol. 4, (9).

**Biomimetic bone regeneration.**

Hing KA.

**8 Biomimetic bone regeneration.**

Hing KA. *Biomimetic Biomaterials*.

**Contributor contact details.**

Ruys A, Tampieri A, Sprio S, Ehrlich H, Rabiee R, Dastjerdi AK, Mirkhalaf M, Barthelat F, Chánová EM, Rypáček F, Boughton P, Ruys A, Roger G, Rohanizadeh R, Mason RS, Boughton E, McLennan SV, Le Bao Ha T, Hing KA, Zhu J, Hu J, Marchant RE and Campbell D. *Biomimetic Biomaterials*.

## 2012

**The effects of microporosity on osteoinduction of calcium phosphate bone graft substitute biomaterials.**

Chan O, Coathup MJ, Nesbitt A, Ho CY, Hing KA, Buckland T, Campion C and Blunn GW. *Acta Biomaterialia* vol. 8, (7) 2788-2794.

**Effect of increased strut porosity of calcium phosphate bone graft substitute biomaterials on osteoinduction.**

Coathup MJ, Hing KA, Samizadeh S, Chan O, Fang YS, Campion C, Buckland T and Blunn GW. *Journal of Biomedical Materials Research - Part A* vol. 100 A, (6) 1550-1555.

**Development of a hydroxyapatite coating containing silver for the prevention of peri-prosthetic infection.**

Ghani Y, Coathup MJ, Hing KA and Blunn GW. *J Orthop Res* vol. 30, (3) 356-363.

**Bioactivity And Bone Formation In Silicon-Substituted Hydroxyapatite.**

Ozad U, Parish A and Hing KA. *Sakarya University Journal of Science* vol. 16, (3) 170-177.

## 2011

**The osteoinductivity of silicate-substituted calcium phosphate.**

Coathup MJ, Samizadeh S, Fang YS, Buckland T, Hing KA and Blunn GW. *J Bone Joint Surg Am* vol. 93, (23) 2219-2226.

**The quantitative and qualitative analysis bone ingrowth network quality of hydroxyapatite implants over time to investigate the process of internal bone growth via novel automated 3D image processing.**

Parish A, Davis G and Hing K. *24th European Conference On Biomaterials - Annual Conference of The European Society For Biomaterials*.

**Fibronectin adsorption to stoichiometric and silicate substituted hydroxyapatite sensitive to FN concentration and presence of serum proteins.**

Castagna V, Sullivan A and Hing K. *24th European Conference On Biomaterials - Annual Conference of The European Society For Biomaterials*.

**Effects of serum protein on ionic exchange between culture medium and microporous hydroxyapatite and silicate-substituted hydroxyapatite.**

Guth K, Campion C, Buckland T and Hing KA. *Journal of Materials Science: Materials in Medicine* vol. 22, (10) 2155-2164.

**Increasing strut porosity in silicate-substituted calcium-phosphate bone graft substitutes enhances osteogenesis.**

Campion CR, Chander C, Buckland T and Hing K. *Journal of Biomedical Materials Research - Part B Applied Biomaterials* vol. 97 B, (2) 245-254.

**Behaviour of fibronectin on interaction with stoichiometric and silicate substituted hydroxyapatite bone graft substitutes.**

Castagna V, Sullivan A and Hing KA. *European Cells and Materials* vol. 22, (SUPPL.2).

**Recording and evaluating the effect of silicon-substitution on protein adsorption/desorption to hydroxyapatite.**

Mafina MK, Sullivan AC and Hing KA. *European Cells and Materials* vol. 22, (SUPPL.2).

**Automated computation of 3D histomorphometry within implanted hydroxyapatite porous scaffolds.**

Parish AJB, Davis GR and Hing KA. *European Cells and Materials* vol. 22, (SUPPL.2).

## 2010

**Tissue engineering.**

Hing K. *Mater World* vol. 18, (9) 28-30.

**Surface physiochemistry affects protein adsorption to stoichiometric and silicate-substituted microporous hydroxyapatites.**

Guth K, Campion C, Buckland T and Hing KA. *Advanced Engineering Materials* vol. 12, (4).

**Effect of silicate-substitution on attachment and early development of human osteoblast-like cells seeded on microporous hydroxyapatite discs.**

Guth K, Campion C, Buckland T and Hing KA. *Advanced Engineering Materials* vol. 12, (1-2).

## 2009

**Monitoring the effect of silicate substitution on protein adsorption/desorption to hydroxyapatite.**

Mafina MK, Sullivan AC and Hing KA. *European Cells and Materials* vol. 18, (SUPPL. 2).

## 2008

**Osseinduction by calcium phosphate bone substitutes is a function of chemical composition and structure.**

Samizadeh S, Amogbokpa J, Fang SC, Coathup MJ, Hing KA, Buckland T and Blunn GW. *8th World Biomaterials Congress 2008* vol. 2,.

**Biomaterials - Where biology, physics, chemistry, engineering and medicine meet.**

Hing KA. *Journal of Physics: Conference Series* vol. 105, (1).

**Nano-scale manipulation of silicate-substituted apatite chemistry impacts surface charge, hydrophilicity, protein adsorption and cell attachment.**

Rashid N, Harding I, Buckland T and HING KA. *International Journal of Nano and Biomaterials* vol. 1, (3) 299-319.  
Editors: Meenan BJ and Boyd AR.

## 2007

### **Comparative performance of three ceramic bone graft substitutes.**

Hing KA, Wilson LF and Buckland T. *Spine J* vol. 7, (4) 475-490.

## 2006

### **Effect of silicon level on rate, quality and progression of bone healing within silicate-substituted porous hydroxyapatite scaffolds.**

Hing KA, Revell PA, Smith N and Buckland T. *Biomaterials* vol. 27, (29) 5014-5026.

### **In vitro testing of Nd : YAG laser processed calcium phosphate coatings.**

De Carlos A, Lusquinos F, Pou J, Leon B, Perez-Amor M, Driessens FCM, HING KA, Best S and Bonfield W. *Journal of Materials Science Materials in Medicine* vol. 17, (11) 1153-1160.

## 2005

### **Surface charge and the effect of excess calcium ions on the hydroxyapatite surface.**

Harding IS, Rashid N and Hing KA. *Biomaterials* vol. 26, (34) 6818-6826.

### **Hydroxyapatite promotes superior keratocyte adhesion and proliferation in comparison with current keratoprosthesis skirt materials.**

Mehta JS, Futter CE, Sandeman SR, Faragher RGAF, Hing KA, Tanner KE and Allan BDS. *Br J Ophthalmol* vol. 89, (10) 1356-1362.

### **Microporosity enhances bioactivity of synthetic bone graft substitutes.**

HING KA, Annaz B, Saeed S, Revell PA and Buckland T. *Journal of Materials Science Materials in Medicine* vol. 16, (5) 467-475.

### **Bioceramic bone graft substitutes: Influence of porosity and chemistry.**

Hing KA. *Int J Appl Ceram Tec* vol. 2, (3) 184-199.

## 2004

### **Bone repair in the twenty-first century: biology, chemistry or engineering?.**

Hing KA. *Philos Trans a Math Phys Eng Sci* vol. 362, (1825) 2821-2850.

### **Effect of silicate substitution on the surface charge of hydroxyapatite.**

Rashid N, Harding I and Hing KA. *Transactions - 7th World Biomaterials Congress.*

### **Bone development is sensitive to silicon level in substituted apatites.**

Hing KA, Saeed S, Annaz B, Buckland T and Revell PA. *Transactions - 7th World Biomaterials Congress.*

### **Microporosity enhances bioactivity of synthetic bone graft substitutes.**

Hing KA, Saeed S, Annaz B, Buckland T and Revell PA. *Transactions - 7th World Biomaterials Congress.*

### **HA activates T cells and causes inflammation in liver and spleen from rabbits following intraosseous implantation.**

Saeed S, Hing K and Revell PA. *Transactions - 7th World Biomaterials Congress.*

### **The role of microporosity in synthetic porous ceramics.**

Annaz B, Hing KA, Kayser M, Buckland T and Di Silvio L. *Transactions - 7th World Biomaterials Congress.*

### **An ultrastructural study of cellular response to variation in porosity in phase-pure hydroxyapatite.**

Annaz B, Hing KA, Kayser M, Buckland T and Di Silvio L. *J Microsc* vol. 216, (Pt 2) 97-109.

### **Porosity variation in hydroxyapatite and osteoblast morphology: a scanning electron microscopy study.**

Annaz B, Hing KA, Kayser M, Buckland T and Di Silvio L. *J Microsc* vol. 215, (Pt 1) 100-110.

### **Mediation of bone ingrowth in porous hydroxyapatite bone graft substitutes.**

HING KA, Tanner KE, Best SM, Bonfield W and Revell PA. *Journal of Biomedical Materials Research* vol. 68A, 187-200.

**Novel Bioceramic Foams For Bone Grafting.**

HING KA, Revell PA, McInness T and Damien E. *Journal of Bone & Joint Surgery - British Volume* vol. 86-B Suppl 1:II.

**Mediation of bone ingrowth in porous hydroxyapatite bone graft substitutes.**

Hing KA, Best SM, Tanner KE, Bonfield W and Revell PA. *J Biomed Mater Res A* vol. 68, (1) 187-200.

**2003****A preliminary study on the enhancement of the osteointegration of a novel synthetic hydroxyapatite scaffold in vivo.**

Damien E, Hing K, Saeed S and Revell PA. *J Biomed Mater Res A* vol. 66, (2) 241-246.

**Calcium phosphate coatings obtained by Nd:YAG laser cladding: physicochemical and biologic properties.**

LusquiÃ±os F, De Carlos A, Pou J, Arias JL, Boutinguiza M, LeÃ³n B, PÃ©rez-Amor M, Driessens FCM, Hing K, Gibson I, Best S and Bonfield W. *J Biomed Mater Res A* vol. 64, (4) 630-637.

**2002****A comparative study on the in vivo behavior of hydroxyapatite and silicon substituted hydroxyapatite granules.**

Patel N, Best SM, Bonfield W, Gibson IR, Hing KA, Damien E and Revell PA. *J Mater Sci Mater Med* vol. 13, (12) 1199-1206.

**2001****Insulin like growth factor (IGF-I) increases the bioactivity of porous hydroxyapatite (PHA) in vivo in rabbits.**

Damien E, MacInnes T, Hing K and Revell PA. *J Pathol* vol. 193, 6A-6A.

**1999****Characterization of porous hydroxyapatite.**

Hing KA, Best SM and Bonfield W. *J Mater Sci Mater Med* vol. 10, (3) 135-145.

**Macroporous hydroxyapatites: Potential drug delivery systems.**

Di Silvio L, Hing K and Bonfield W. *Proceedings of The Controlled Release Society* (26) 1152-1153.

**Quantification of bone ingrowth within bone-derived porous hydroxyapatite implants of varying density.**

Hing KA, Best SM, Tanner KE, Bonfield W and Revell PA. *Journal of Materials Science: Materials in Medicine* vol. 10, (10-11) 663-670.

**1998****Prize-winning peeks at the microscopic world.**

Hing K and Knight M.

**Histomorphological and biomechanical characterization of calcium phosphates in the osseous environment.**

Hing KA, Best SM, Tanner KE, RÃ©veil PA and Bonfield W. *Proceedings of The Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* vol. 212, (6) 437-451.

**1997****Biomechanical assessment of bone ingrowth in porous hydroxyapatite.**

Hing KA, Best SM, Tanner KE, Bonfield W and Revell PA. *Journal of Materials Science: Materials in Medicine* vol. 8, (12) 731-736.

**1996****Histomorphometric and biomechanical assessment of bone ingrowth in porous hydroxyapatite.**

Hing KA, Best SM, Revell PA, Tanner KE and Bonfield W. *Transactions of The Annual Meeting of The Society For Biomaterials in Conjunction With The International Biomaterials Symposium* vol. 2.,

**Assessment of porous hydroxyapatite for bone replacement.**

HING KA. Editors: Best SM and Bonfield W.