

Prof Kaspar Althoefer

PhD

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 3419
email: k.althoefer@qmul.ac.uk web: www.sems.qmul.ac.uk/k.althoefer

2023

The 40th International Conference on Robotics and Automation (ICRA) 2023: Embracing the Future: Making Robots for Humans [Conference Highlights].

Althoefer K. *Ieee Robotics & Automation Magazine* vol. 30, (4) 105-109. *Institute of Electrical and Electronics Engineers (Ieee)*.

Intelligent Shape Decoding of a Soft Optical Waveguide Sensor.

Mak C-H, Li Y, Wang K, Wu M, Ho JD-L, Dou Q, Sze K-Y, Althoefer K and Kwok K-W. *Advanced Intelligent Systems* vol. 6, (2). *Wiley*.

Artificial intelligence meets medical robotics.

Yip M, Salcudean S, Goldberg K, Althoefer K, Menciassi A, Opfermann JD, Krieger A, Swaminathan K, Walsh CJ, Huang HH and Lee I-C. *Science* vol. 381, (6654) 141-146. *American Association For The Advancement of Science (Aaas)*.

L\$^{(3)}\$ F-TOUCH: A Wireless GelSight With Decoupled Tactile and Three-Axis Force Sensing.

Li W, Wang M, Li J, Su Y, Jha DK, Qian X, Althoefer K and Liu H. *Ieee Robotics and Automation Letters* vol. 8, (8) 5148-5155. *Institute of Electrical and Electronics Engineers (Ieee)*.

Welcome Page.

. *Institute of Electrical and Electronics Engineers (Ieee)*.

Feeling Good: Validation of Bilateral Tactile Telemanipulation for a Dexterous Robot.

Giudici G, Omarali B, Bonzini AA, Althoefer K, Farkhatdinov I and Jamone L. *Towards Autonomous Robotic Systems* 443-454. *Springer Nature*.

2022

Soft Robotic Fabric Actuator With Elastic Bands for High Force and Bending Performance in Hand Exoskeletons.

Suulker C, Skach S and Althoefer K. *Ieee Robotics and Automation Letters* vol. 7, (4) 10621-10627. *Institute of Electrical and Electronics Engineers (Ieee)*.

Learning to sense three-dimensional shape deformation of a single multimode fiber.

Wang X, Wang Y, Zhang K, Althoefer K and Su L. *Scientific Reports.Nature Research*.

Soft Robot-Assisted Minimally Invasive Surgery and Interventions: Advances and Outlook.

Kwok K-W, Wurdemann H, Arezzo A, Menciassi A and Althoefer K. *Proceedings of The Ieee* vol. 110, (7) 871-892. *Institute of Electrical and Electronics Engineers (Ieee)*.

Magnetic-Field-Inspired Navigation for Robots in Complex and Unknown Environments.

Ataka A, Lam HK and Althoefer K. *Frontiers in Robotics and Ai* vol. 9,. *Frontiers Media*.

Variable weight algorithm for convolutional neural networks and its applications to classification of seizure phases and types.

Jia G, Lam H-K and Althoefer K. *Pattern Recognition* vol. 121,. *Elsevier*.

2021

A Suite of Robotic Solutions for Nuclear Waste Decommissioning.

Vitanov I, Farkhatdinov I, Denoun B, Palermo F, Otaran A, Brown J, Omarali B, Abrar T, Hansard M, Oh C, Poslad S, Liu C, Godaba H, Zhang K, Jamone L and Althoefer K. *Robotics* vol. 10, (4) 112-112.

LargeScale Surface Shape Sensing with LearningBased Computational Mechanics.

Wang K, Mak C, Ho JDL, Liu Z, Sze K, Wong KKY, Althoefer K, Liu Y, Fukuda T and Kwok K-W. *Advanced Intelligent Systems* vol. 3, (11). Wiley.

Fusing dexterity and perception for soft robot-assisted minimally invasive surgery: What we learnt from stiff-flop.

Dawood AB, Fras J, Aljaber F, Mintz Y, Arezzo A, Godaba H and Althoefer K. *Applied Sciences* vol. 11, (14). Mdpi.

Dynamic characterization of a masterslave robotic manipulator using a hybrid grey wolfwhale optimization algorithm.

Obadina OO, Thaha MA, Althoefer K and Shaheed MH. *Journal of Vibration and Control* 10775463211-10775463211. Sage Publications.

Robotics Responds to the COVID-19 Outbreak.

Marques L, Murphy R, Althoefer K, Tadokoro S and Laschi C. *Ieee Robotics & Automation Magazine* vol. 28, (1) 16-17. Institute of Electrical and Electronics Engineers (Ieee).

Innovation in the time of SARS-CoV-2: A collaborative journey between NHS clinicians, engineers, academics and industry.

Din AR, Althoefer K, Farkhatdinov I, Brown J, Morgan C and Shahdad S. *The Surgeon* vol. 19, (5) e281-e288. Elsevier.

Attribution of autonomy and its role in robotic language acquisition.

Frster F and Althoefer K. *Ai & Society* vol. 37, (2) 605-617. Springer Nature.

Chapter 27 Soft Robotics Solutions for Minimally Invasive Surgery: The Need for Stiffness Controllability.

Fras J, Arezzo A, Shiva A and Althoefer K. *Soft Matter For Biomedical Applications* 684-719. Royal Society of Chemistry (Rsc).

2020

Automatic Fracture Characterization Using Tactile and Proximity Optical Sensing.

Palermo F, Konstantinova J, Poslad S, Althoefer K and Farkhatdinov I. *Frontiers in Robotics and Ai*. Frontiers Media.

Attention Enhancement and Motion Assistance for Virtual Reality-Mediated Upper-Limb Rehabilitation.

Li M, Guo W, Xu J, Xue S, Wu D, Liang Z, Yuan H, Xie J, Xu G and Althoefer K. *Ieee Transactions On Medical Robotics and Bionics* vol. 2, (4) 565-568. Institute of Electrical and Electronics Engineers (Ieee).

Plant Bioinspired Ecological Robotics.

Frazier PA, Jamone L, Althoefer K and Calvo P. *Frontiers in Robotics and Ai* vol. 7,. Frontiers Media.

Model-based Pose Control of Inflatable Eversion Robot with Variable Stiffness.

Ataka A, Abrar T, Putzu F, Godaba H and Althoefer K. *Ieee Robotics and Automation Letters* 1-1. Institute of Electrical and Electronics Engineers (Ieee).

Stiffness Imaging with a Continuum Appendage: Real-Time Shape and Tip Force Estimation from Base Load Readings.

Sadati SMH, Shiva A, Herzig N, Rucker CD, Hauser H, Walker ID, Bergeles C, Althoefer K and Nanayakkara T. *Ieee Robotics and Automation Letters* vol. 5, (2) 2824-2831.

TMTDyn: A Matlab Package for Modeling and Control of Hybrid Rigid-Continuum Robots Based on Discretized Lumped System and Reduced-Order Models.

Althoefer K. *International Journal of Robotics Research*. Sage Publications.

An Inhomogeneous Structured Eversion Actuator.

Abrar T, Hassan A, Putzu F, Godaba H, Ataka A and Althoefer K. *Towards Autonomous Robotic Systems* 37-48. Springer Nature.

Silicone Based Capacitive E-Skin Sensor for Soft Surgical Robots.

Dawood AB, Godaba H and Althoefer K. *Towards Autonomous Robotic Systems* 62-65. Springer Nature.

Correction to: Stiffness Control of Soft Robotic Manipulator for Minimally Invasive Surgery (MIS) Using Scale Jamming.

Sadati SMH, Noh Y, Elnaz Naghibi S, Althoefer K and Nanayakkara T. *Intelligent Robotics and Applications c1-c1*. Springer Nature.

F-TOUCH Sensor: Concurrent Geometry Perception and Multi-axis Force Measurement.

Li W, Alomainy A, Vitanov I, Noh Y, Qi P and Althoefer K. *Ieee Sensors Journal* 1-1. Institute of Electrical and Electronics Engineers (Ieee).

Shape Reconstruction of Soft-Body Manipulator: A Learning-Based Approach.

Vitanov I, Rizqi A and Althoefer K. *Towards Autonomous Robotic Systems* 58-61. Springer Nature.

2019

An Attention-Controlled Hand Exoskeleton for the Rehabilitation of Finger Extension and Flexion Using a Rigid-Soft Combined Mechanism.

Li M, He B, Liang Z, Zhao C-G, Chen J, Zhusuo Y, Xu G, Xie J and Althoefer K. *Front Neurorobot* vol. 13, 34-34.

Analysis of a customized clutch joint designed for the safety management of an ultrasound robot.

Wang S, Housden RJ, Noh Y, Singh A, Lindenroth L, Liu H, Althoefer K, Hajnal J, Singh D and Rhode K. *Applied Sciences (Switzerland)* vol. 9, (9).

Adaptive update of reference capacitances in conductive fabric based robotic skin.

Matsuno T, Wang Z, Althoefer K and Hirai S. *Ieee Robotics and Automation Letters* vol. 4, (2) 2212-2219.

Elasticity Versus Hyperelasticity Considerations in Quasistatic Modeling of a Soft Finger-Like Robotic Appendage for Real-Time Position and Force Estimation.

Shiva A, Sadati SMH, Noh Y, Fra J, Ataka A, Wrdeemann H, Hauser H, Walker ID, Nanayakkara T and Althoefer K. *Soft Robotics* vol. 6, (2) 228-249. Mary Ann Liebert.

Design and Implementation of a Bespoke Robotic Manipulator for Extra-corporeal Ultrasound.

Wang S, Housden J, Noh Y, Singh A, Back J, Lindenroth L, Liu H, Hajnal J, Althoefer K, Singh D and Rhode K. *J Vis Exp* (143).

2018

Modelling the Structure of Object-Independent Human Affordances of Approaching to Grasp for Robotic Hands.

COTUGNO G, KONSTANTINOVA J, ALTHOEFER KA and Nanayakkara T. *Plos One. Public Library of Science (Plos)*.

Localised Online Learning-Based Control of a Soft Redundant Manipulator Under Variable Loading.

ALTHOEFER KA. *Advanced Robotics. Taylor & Francis*.

A Modified Computed Torque Control Approach for a Master-Slave Robot Manipulator System.

OBADINA OO, THAHA MA, ALTHOEFER K and SHAHEED MH. *Lecture Notes in Computer Science* 28-39. Editors: Giuliani M, Assaf T and Giannaccini ME. Springer Verlag.

Reactive Magnetic-Field-Inspired Navigation Method for Robots in Unknown Convex 3-D Environments.

ALTHOEFER KA. *Ieee Robotics and Automation Letters. Institute of Electrical and Electronics Engineers*.

iCLAP: Shape Recognition by Combining Proprioception and Touch Sensing.

ALTHOEFER KA. *Autonomous Robots. Springer Verlag*.

Real-Time Vision-Based Stiffness Mapping.

ALTHOEFER KA. *Sensors. Mdpi Ag*.

Antagonistic actuation and stiffness control in soft inflatable robots.

ALTHOEFER KA. *Nature Reviews Materials*.

Three-Dimensional-Printable Thermoactive Helical Interface With Decentralized Morphological Stiffness Control for Continuum Manipulators.

Sadati SMH, Sullivan L, Walker ID, Althoefer K and Nanayakkara T. *Ieee Robotics and Automation Letters* vol. 3, (3) 2283-2290.

Soft Robotics. Bio-inspired Antagonistic Stiffening.

Stilli A, Althoefer K and Wurdemann HA. *Developing Support Technologies* 207-214. Springer Nature.

Soft and Stiffness-controllable Robotics Solutions for Minimally Invasive Surgery:.

Konstantinova J, Wurdemann H, Shafti A, Shiva A and Althoefer K. River Publishers.

2017

Highly dexterous 2module soft robot for intraorgan navigation in minimally invasive surgery.

Abidi H, Gerboni G, Brancadoro M, Fras J, Diodato A, Cianchetti M, Wurdemann H, Althoefer K and Menciassi A. *International Journal of Medical Robotics and Computer Assisted Surgery* vol. 14, (1). Wiley.

Nonparametric Online Learning Control for Soft Continuum Robot: An Enabling Technique for Effective Endoscopic Navigation.

Lee KH, Fu DKC, Leong MCW, Chow M, Fu HC, Althoefer K, Sze KY, Yeung CK and Kwok KW. *Soft Robotics* vol. 4, (4) 324-337.

Anchoring like octopus: biologically inspired soft artificial sucker.

ALTHOEFER KA, Sareh S, Li M, Noh Y, Tramacere F, Sareh P, Mazzolai B and Kovac M. *Journal of The Royal Society Interface* vol. 14, (135). Royal Society, The.

Fingertip Fiber Optical Tactile Array with Two-Level Spring Structure.

KONSTANTINOVA J, Stilli and Althoefer. *Sensors* vol. 17, (10). Mdpi.

Anchoring like octopus: biologically inspired soft artificial sucker.

Sareh S, Althoefer K, Li M, Noh Y, Tramacere F, Sareh P, Mazzolai B and Kovac M. *J R Soc Interface* vol. 14, (135).

Control Space Reduction and Real-Time Accurate Modeling of Continuum Manipulators Using Ritz and RitzGalerkin Methods.

Sadati SMH, Naghibi SE, Walker ID, Althoefer K and Nanayakkara T. *Ieee Robotics and Automation Letters* vol. 3, (1) 328-335.

A geometry deformation model for braided continuum manipulators.

Sadati SMH, Naghibi SE, Shiva A, Noh Y, Gupta A, Walker ID, Althoefer K and Nanayakkara T. *Frontiers Robotics Ai* vol. 4, (JUN).

Probe tracking and its application in automatic acquisition using a trans-esophageal ultrasound robot.

Wang S, Singh D, Lau D, Reddy K, Althoefer K, Rhode K and Housden RJ. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* vol. 10170 LNCS, 14-23.

Wearable haptic based pattern feedback sleeve system.

Ranasinghe A, Althoefer K, Dasgupta P, Nagar A and Nanayakkara T. *Advances in Intelligent Systems and Computing* vol. 547, 302-312.

Detecting NQR signals severely polluted by interference.

Shao W, Barras J, Althoefer K and Kosmas P. *Signal Processing* vol. 138, 256-264.

Knock-Knock: Acoustic object recognition by using stacked denoising autoencoders.

Luo S, Zhu L, Althoefer K and Liu H. *Neurocomputing*.

A Novel Concept for Safe, Stiffness-Controllable Robot Links.

Stilli A, Wurdemann HA and Althoefer K. *Soft Robotics* vol. 4, (1) 16-22.

Evaluation of stiffness feedback for hard nodule identification on a phantom silicone model.

Li M, KONSTANTINOVA J, Xu G, He B, Aminazdeh V, Xie J, Wurdemann H and Althoefer K. *Plos One. Public Library of Science (Plos)*.

Ex vivo study of prostate cancer localization using rolling mechanical imaging towards minimally invasive surgery.

Li J, Liu H, Brown M, Kumar P, Challacombe BJ, Chandra A, Rottenberg G, Seneviratne LD, Althoefer K and Dasgupta P. *Med Eng Phys.*

Palpation Force Modulation Strategies to Identify Hard Regions in Soft Tissue Organs.

KONSTANTINOVA J, Cotugno G, Dasgupta P, Althoefer K and Nanayakkara T. *Plos One. Public Library of Science (Plos).*

Mechanics of continuum manipulators, a comparative study of five methods with experiments.

Sadati SM, Naghibi SE, Shiva A, Walker ID, Althoefer K and Nanayakkara T. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformat vol. 10454 LNAI, 686-702.*

2016

Embroidered Electromyography: A Systematic Design Guide.

ALTHOEFER KA, Shafti A, Ribas Manero RB, Borg AM and Howard MJ. *Ieee Transactions On Neural Systems and Rehabilitation Engineering.*

Multi-axis force/torque sensor based on simply supported beam and optoelectronics.

ALTHOEFER KA, Noh Y, Bimbo J, Sareh S, Wurdemann H, Fras J, Sures Chathuranga D, Liu H, Housden J and Rhode K. *Journal of Sensors Mdpi.*

Robotic Ultrasound: View Planning, Tracking, and Automatic Acquisition of Trans-esophageal Echocardiography.

ALTHOEFER KA. *Ieeerobotics&Automationmagazine.*

Three-Degree-of-Freedom MR-Compatible Multisegment Cardiac Catheter Steering Mechanism.

Ataollahi A, Karim R, Fallah AS, Rhode K, Razavi R, Seneviratne LD, Schaeffter T and Althoefer K. *Ieee Trans Biomed Eng vol. 63, (11) 2425-2435.*

Image-Based Optical Miniaturized Three-Axis Force Sensor for Cardiac Catheterization.

Noh Y, Liu H, Sareh S, Chathuranga DS, Wurdemann H, Rhode K and Althoefer K. *Ieee Sensors Journal vol. 16, (22) 7924-7932.*

Tendon-Based Stiffening for a Pneumatically Actuated Soft Manipulator.

Shiva A, Stilli A, Noh Y, Faragasso A, Falco ID, Gerboni G, Cianchetti M, Menciassi A, Althoefer K and Wurdemann HA. *Ieee Robotics and Automation Letters vol. 1, (2) 632-637.*

Evaluation of Pseudo-Haptic Interactions with Soft Objects in Virtual Environments.

Li M, Sareh S, Xu G, Ridzuan MB, Luo S, Xie J, Wurdemann H and Althoefer K. *Plos One vol. 11, (6) e0157681-e0157681.Zhang D. Public Library of Science.*

Total mesorectal excision using a soft and flexible robotic arm: a feasibility study in cadaver models.

Arezzo A, Mintz Y, Allaix ME, Arolfo S, Bonino M, Gerboni G, Brancadoro M, Cianchetti M, Menciassi A, Wurdemann H, Noh Y, Althoefer K, Fras J, Glowka J, Nawrat Z, Cassidy G, Walker R and Morino M. *Surgical Endoscopy: Surgical and Interventional Techniques.Springer Verlag (Germany).*

A Novel Continuum Manipulator Design Using Serially Connected Double-Layer Planar Springs.

Qi P, Qiu C, Liu H, Dai JS, Seneviratne LD and Althoefer K. *Ieee/Asme Transactions On Mechatronics vol. 21, (3) 1281-1292.*

Stable Grip Control on Soft Objects With Time-Varying Stiffness.

Nanayakkara T, Jiang A, Del Rocío Armas Fernández M, Liu H, Althoefer K and Bimbo J. *Ieee Transactions On Robotics vol. 32, (3) 626-637.*

Authentication of Medicines Using Nuclear Quadrupole Resonance Spectroscopy.

Chen C, Zhang F, Barras J, Althoefer K, Bhunia S and Mandal S. *Ieee/Acm Trans Comput Biol Bioinform vol. 13, (3) 417-430.*

Kinematic Control of Continuum Manipulators Using a Fuzzy-Model-Based Approach.

Qi P, Liu C, Ataka A, Lam HK and Althoefer K. *Ieee Transactions On Industrial Electronics* vol. 63, (8) 5022-5035.

The Role of the Thumb: Study of Finger Motion in Grasping and Reachability Space in Human and Robotic Hands.

Cotugno G, Althoefer K and Nanayakkara T. *Ieee Transactions On Systems, Man, and Cybernetics: Systems* vol. 47, (7) 1061-1070.

Six-Dimensional Compliance Analysis and Validation of Orthoplanar Springs.

Qiu C, Qi P, Liu H, Althoefer K and Dai JS. *Journal of Mechanical Design, Transactions of The Asme* vol. 138, (4).

Robot Competitions: What Did We Learn? [Competitions].

Dias J, Althoefer K and Lima PU. *Ieee Robotics & Automation Magazine* vol. 23, (1) 16-18. *Institute of Electrical and Electronics Engineers (Ieee)*.

Three-Axis Fiber-Optic Body Force Sensor for Flexible Manipulators.

Noh Y, Sareh S, Wurdemann H, Liu H, Back J, Housden J, Rhode K and Althoefer K. *Ieee Sensors Journal* vol. 16, (6) 1641-1651. *Institute of Electrical and Electronics Engineers (Ieee)*.

Salient Feature of Haptic-Based Guidance of People in Low Visibility Environments Using Hard Reins.

Ranasinghe A, Sornkarn N, Dasgupta P, Althoefer K, Penders J and Nanayakkara T. *Ieee Transactions On Cybernetics* vol. 46, (2) 568-579. *Institute of Electrical and Electronics Engineers (Ieee)*.

In-Hand Object Pose Estimation Using Covariance-Based Tactile To Geometry Matching.

Bimbo J, Luo S, Althoefer K and Liu H. *Ieee Robotics and Automation Letters* vol. 1, (1) 570-577. *Institute of Electrical and Electronics Engineers (Ieee)*.

2015

Soft and stretchable sensor using biocompatible electrodes and liquid for medical applications.

Russo S, Ranzani T, Liu H, Nefti-Meziani S, Althoefer K and Menciassi A. *Soft Robotics* vol. 2, (4) 146-154.

Macrobend optical sensing for pose measurement in soft robot arms.

Sareh S, Noh Y, Li M, Ranzani T, Liu H and Althoefer K. *Smart Materials and Structures* vol. 24, (12). *Iop Publishing*.

Off-resonance effects in 14N NQR signals from the pulsed spin-locking (PSL) and three-pulse echo sequence; a study for monoclinic TNT.

Smith JAS, Rowe MD, Althoefer K, Peirson NF and Barras J. *Solid State Nuclear Magnetic Resonance* vol. 71, 41-54. *Elsevier*.

14N NQR, relaxation and molecular dynamics of the explosive TNT.

Smith JAS, Rowe MD, Althoefer K, Peirson NF and Barras J. *Solid State Nuclear Magnetic Resonance* vol. 71, 61-66. *Elsevier*.

Design, testing and modelling of a novel robotic system for trans-oesophageal ultrasound.

Wang S, Housden J, Singh D, Althoefer K and Rhode K. *International Journal of Medical Robotics and Computer Assisted Surgery* vol. 12, (3) 342-354. *Wiley: 12 Months*.

Identification of Haptic Based Guiding Using Hard Reins.

Ranasinghe A, Dasgupta P, Althoefer K and Nanayakkara T. *Plos One* vol. 10, (7). *Public Library of Science (Plos)*.

Novel Tactile-SIFT Descriptor for Object Shape Recognition.

Luo S, Mou W, Althoefer K and Liu H. *Ieee Sensors Journal* vol. 15, (9) 5001-5009. *Institute of Electrical and Electronics Engineers (Ieee)*.

Using visual cues to enhance haptic feedback for palpation on virtual model of soft tissue.

Li M, Konstantinova J, Secco EL, Jiang A, Liu H, Nanayakkara T, Seneviratne LD, Dasgupta P, Althoefer K and Wurdemann HA. *Medical & Biological Engineering & Computing* vol. 53, (11) 1177-1186. *Springer Nature*.

A Fiber-Optics-Based Body Contact Sensor for a Flexible Manipulator.

Xie H, Liu H, Noh Y, Li J, Wang S and Althoefer K. *Ieee Sensors Journal* vol. 15, (6) 3543-3550. *Institute of Electrical and Electronics Engineers (Ieee)*.

Batch-Specific Discrimination Using Nuclear Quadrupole Resonance Spectroscopy.

Kyriakidou G, Jakobsson A, Althoefer K and Barras J. *Analytical Chemistry* vol. 87, (7) 3806-3811. American Chemical Society (Acs).

Global estimation of an objects pose using tactile sensing.

Bimbo J, Kormushev P, Althoefer K and Liu H. *Advanced Robotics* vol. 29, (5) 363-374. Taylor & Francis.

Finger contact sensing and the application in dexterous hand manipulation.

Liu H, Nguyen KC, Perdereau V, Bimbo J, Back J, Godden M, Seneviratne LD and Althoefer K. *Autonomous Robots* vol. 39, (1) 25-41. Springer Nature.

2014

Accurate Bolt Tightening Using Model-Free Fuzzy Control for Wind Turbine Hub Bearing Assembly.

Deters C, Lam H-K, Secco EL, Wurdemann HA, Seneviratne LD and Althoefer K. *Ieee Transactions On Control Systems Technology* vol. 23, (1) 1-12. Institute of Electrical and Electronics Engineers (Ieee).

Pseudo-haptics for rigid tool/soft surface interaction feedback in virtual environments.

Li M, Ridzuan MB, Sareh S, Seneviratne LD, Dasgupta P and Althoefer K. *Mechatronics* vol. 24, (8) 1092-1100. Elsevier.

Multi-fingered haptic palpation using pneumatic feedback actuators.

Li M, Luo S, Nanayakkara T, Seneviratne LD, Dasgupta P and Althoefer K. *Sensors and Actuators a Physical* vol. 218, 132-141. Elsevier.

Robotic Granular Jamming: Does the Membrane Matter?.

Jiang A, Ranzani T, Gerboni G, Lekstutyte L, Althoefer K, Dasgupta P and Nanayakkara T. *Soft Robotics* vol. 1, (3) 192-201. Mary Ann Liebert.

Modeling and Optimizing Output Characteristics of Intensity Modulated Optical Fiber-Based Displacement Sensors.

Wanninayake IB, Dasgupta P, Seneviratne LD and Althoefer K. *Ieee Transactions On Instrumentation and Measurement* vol. 64, (3) 758-767. Institute of Electrical and Electronics Engineers (Ieee).

An Optical Tactile Array Probe Head for Tissue Palpation During Minimally Invasive Surgery.

Xie H, Liu H, Seneviratne LD and Althoefer K. *Ieee Sensors Journal* vol. 14, (9) 3283-3291. Institute of Electrical and Electronics Engineers (Ieee).

Multi-fingered haptic palpation utilizing granular jamming stiffness feedback actuators.

Li M, Ranzani T, Sareh S, Seneviratne LD, Dasgupta P, Wurdemann HA and Althoefer K. *Smart Materials and Structures* vol. 23, (9). Iop Publishing.

Implementation of Tactile Sensing for Palpation in Robot-Assisted Minimally Invasive Surgery: A Review.

Konstantinova J, Jiang A, Althoefer K, Dasgupta P and Nanayakkara T. *Ieee Sensors Journal* vol. 14, (8) 2490-2501. Institute of Electrical and Electronics Engineers (Ieee).

MRIsafe robots.

Althoefer K. *Bju International* vol. 113, (6) 975-976. Wiley.

Soft Robotics Technologies to Address Shortcomings in Today's Minimally Invasive Surgery: The STIFF-FLOP Approach.

Cianchetti M, Ranzani T, Gerboni G, Nanayakkara T, Althoefer K, Dasgupta P and Menciassi A. *Soft Robotics* vol. 1, (2) 122-131. Mary Ann Liebert.

Robot guided bolt tensioning tool with adaptive process control for the automated assembly of wind turbine rotor blade bearings.

Mller R, Hrauf L, Vette M, Martin JLS, Alzaga A, Hohmann J, Althoefer K and Wrdemann H. *Production Engineering* vol. 8, (6) 755-764. Springer Nature.

Behavioral Characteristics of Manual Palpation to Localize Hard Nodules in Soft Tissues.

Konstantinova J, Li M, Mehra G, Dasgupta P, Althoefer K and Nanayakkara T. *Ieee Transactions On Biomedical Engineering* vol. 61, (6) 1651-1659. Institute of Electrical and Electronics Engineers (Ieee).

Intra-operative tumour localisation in robot-assisted minimally invasive surgery: A review.

Li M, Liu H, Jiang A, Seneviratne LD, Dasgupta P, Althoefer K and Wurdemann H. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 228, (5) 509-522. Sage Publications.

Surface flattening of the human left atrium and proof-of-concept clinical applications.

Karim R, Ma Y, Jang M, Housden RJ, Williams SE, Chen Z, Ataollahi A, Althoefer K, Rinaldi CA, Razavi R, O Neill MD, Schaeffter T and Rhode KS. *Computerized Medical Imaging and Graphics* vol. 38, (4) 251-266. Elsevier.

Magnetic Resonance-Compatible Tactile Force Sensor Using Fiber Optics and Vision Sensor.

Xie H, Jiang A, Wurdemann HA, Liu H, Seneviratne LD and Althoefer K. *Ieee Sensors Journal* vol. 14, (3) 829-838. Institute of Electrical and Electronics Engineers (Ieee).

Nuclear quadrupole resonance of pentaerythritol tetranitrate (PETN) in different compositions.

Rowe MD, Smith JAS, Barras J and Althoefer K. *Nato Science For Peace and Security Series B: Physics and Biophysics* 35-43.

2013

Inverse finite-element modeling for tissue parameter identification using a rolling indentation probe.

Liu H, Sangpradit K, Li M, Dasgupta P, Althoefer K and Seneviratne LD. *Medical & Biological Engineering & Computing* vol. 52, (1) 17-28. Springer Nature.

Efficient Break-Away Friction Ratio and Slip Prediction Based on Haptic Surface Exploration.

Song X, Liu H, Althoefer K, Nanayakkara T and Seneviratne LD. *Ieee Transactions On Robotics* vol. 30, (1) 203-219. Institute of Electrical and Electronics Engineers (Ieee).

Nuclear Quadrupole Resonance of Pentaerythritol Tetranitrate (PETN) in Different Compositions.

Rowe MD, Smith JAS, Barras J and Althoefer K. *Magnetic Resonance Detection of Explosives and Illicit Materials* 35-43. Springer Nature.

Air-float Palpation Probe for Tissue Abnormality Identification During Minimally Invasive Surgery.

Wanninayake IB, Dasgupta P, Seneviratne LD and Althoefer K. *Ieee Transactions On Biomedical Engineering* vol. 60, (10) 2735-2744. Institute of Electrical and Electronics Engineers (Ieee).

Control Design for Interval Type-2 Fuzzy Systems Under Imperfect Premise Matching.

Lam HK, Li H, Deters C, Secco EL, Wurdemann HA and Althoefer K. *Ieee Transactions On Industrial Electronics* vol. 61, (2) 956-968. Institute of Electrical and Electronics Engineers (Ieee).

Observational Learning: Basis, Experimental Results and Models, and Implications for Robotics.

Taylor JG, Cutsuridis V, Hartley M, Althoefer K and Nanayakkara T. *Cognitive Computation* vol. 5, (3) 340-354. Springer Nature.

Nitrogen-14 Nuclear Quadrupole Resonance Spectroscopy: A Promising Analytical Methodology for Medicines Authentication and Counterfeit Antimalarial Analysis.

Barras J, Murnane D, Althoefer K, Assi S, Rowe MD, Poplett IJF, Kyriakidou G and Smith JAS. *Analytical Chemistry* vol. 85, (5) 2746-2753. American Chemical Society (Acs).

2012

Novel Force Sensing Approach Employing Prismatic-Tip Optical Fiber Inside an Orthoplanar Spring Structure.

Ataollahi A, Fallah AS, Seneviratne LD, Dasgupta P and Althoefer K. *Ieee/Asme Transactions On Mechatronics* vol. 19, (1) 121-130. Institute of Electrical and Electronics Engineers (Ieee).

Variable-Pitch Rectangular Cross-section Radiofrequency Coils for the Nitrogen-14 Nuclear Quadrupole Resonance Investigation of Sealed Medicines Packets.

Barras J, Katsura S, Sato-Akaba H, Itozaki H, Kyriakidou G, Rowe MD, Althoefer KA and Smith JAS. *Analytical Chemistry* vol. 84, (21) 8970-8972. American Chemical Society (Acs).

Developing a Magnetic Resonance-Compatible Catheter for Cardiac Catheterization.

Yao W, Schaeffter T, Seneviratne L and Althoefer K. *Journal of Medical Devices* vol. 6, (4). Asme International.

A 2-Axis Optical Force/Torque Fingertip Sensor for Dexterous Grasping Using Linear Polarizers.
Sargeant R, Seneviratne LD and Althoefer K. *Ieee Transactions On Instrumentation and Measurement* vol. 61, (12) 3363-3377. *Institute of Electrical and Electronics Engineers (Ieee)*.

Automated Screw Insertion Monitoring Using Neural Networks: A Computational Intelligence Approach to Assembly in Manufacturing.
Lara B, Seneviratne LD and Althoefer K. *Computational Intelligence and Its Applications* 183-209. *World Scientific Publishing*.

Miniature 3-Axis Distal Force Sensor for Minimally Invasive Surgical Palpation.
Puangmali P, Liu H, Seneviratne LD, Dasgupta P and Althoefer K. *Ieee/Asme Transactions On Mechatronics* vol. 17, (4) 646-656. *Institute of Electrical and Electronics Engineers (Ieee)*.

The Emerging Field of Medicines Authentication by Nuclear Quadrupole Resonance Spectroscopy.
Barras J, Althoefer K, Rowe MD, Poplett IJ and Smith JAS. *Applied Magnetic Resonance* vol. 43, (4) 511-529. *Springer Nature*.

Triaxial Catheter-Tip Force Sensor for MRI-Guided Cardiac Procedures.
Polygerinos P, Seneviratne LD, Razavi R, Schaeffter T and Althoefer K. *Ieee/Asme Transactions On Mechatronics* vol. 18, (1) 386-396. *Institute of Electrical and Electronics Engineers (Ieee)*.

A stiffness probe based on force and vision sensing for soft tissue diagnosis.
Li J, Liu H, Althoefer K and Seneviratne LD. *Annual International Conference of The Ieee Engineering in Medicine and Biology Society (Embc)* vol. 2012, 944-947. *Institute of Electrical and Electronics Engineers (Ieee)*.

2011

14N quadrupole resonance and 1H T1 dispersion in the explosive RDX.
Smith JAS, Blanz M, Rayner TJ, Rowe MD, Bedford S and Althoefer K. *Journal of Magnetic Resonance* vol. 213, (1) 98-106. *Elsevier*.

POD-06.03 Prostate Tumour Identification Using a Force-Sensitive Rolling Indentation Probe.
Kumar P, Li J, Liu H, Challacombe B, Chandra A, Seneviratne L, Althoefer K and Dasgupta P. *Urology* vol. 78, (3) s20-s21. *Elsevier*.

Tactile sensing for dexterous in-hand manipulation in roboticsA review.
Yousef H, Boukallel M and Althoefer K. *Sensors and Actuators a Physical* vol. 167, (2) 171-187. *Elsevier*.

Rolling Indentation Probe for Tissue Abnormality Identification during Minimally Invasive Surgery.
Liu H, Li J, Song X, Seneviratne LD and Althoefer K. *Ieee Transactions On Robotics* vol. 27, (3) 450-460. *Institute of Electrical and Electronics Engineers (Ieee)*.

Finite-Element Modeling of Soft Tissue Rolling Indentation.
Sangpradit K, Liu H, Dasgupta P, Althoefer K and Seneviratne LD. *Ieee Transactions On Biomedical Engineering* vol. 58, (12) 3319-3327. *Institute of Electrical and Electronics Engineers (Ieee)*.

2010

MRI-Compatible Intensity-Modulated Force Sensor for Cardiac Catheterization Procedures.
Polygerinos P, Ataollahi A, Schaeffter T, Razavi R, Seneviratne LD and Althoefer K. *Ieee Transactions On Biomedical Engineering* vol. 58, (3) 721-726. *Institute of Electrical and Electronics Engineers (Ieee)*.

Modeling of Light Intensity-Modulated Fiber-Optic Displacement Sensors.
Polygerinos P, Seneviratne LD and Althoefer K. *Ieee Transactions On Instrumentation and Measurement* vol. 60, (4) 1408-1415. *Institute of Electrical and Electronics Engineers (Ieee)*.

MRI-Compatible Fiber-Optic Force Sensors for Catheterization Procedures.
Polygerinos P, Zbyszewski D, Schaeffter T, Razavi R, Seneviratne LD and Althoefer K. *Ieee Sensors Journal* vol. 10, (10) 1598-1608. *Institute of Electrical and Electronics Engineers (Ieee)*.

A Comparative Study Between an Improved Novel Air-Cushion Sensor and a Wheeled Probe for Minimally Invasive Surgery.
Zbyszewski D, Challacombe B, Li J, Seneviratne L, Althoefer K, Dasgupta P and Murphy D. *Journal of Endourology* vol. 24, (7) 1155-1159. *Mary Ann Liebert*.

Trackterrain modelling and traversability prediction for tracked vehicles on soft terrain.
Al-Milli S, Seneviratne LD and Althoefer K. *Journal of Terramechanics* vol. 47, (3) 151-160. Elsevier.

A Kalman Filter-Integrated Optical Flow Method for Velocity Sensing of Mobile Robots.
Song X, Seneviratne LD and Althoefer K. *Ieee/Asme Transactions On Mechatronics* vol. 16, (3) 551-563. Institute of Electrical and Electronics Engineers (Ieee).

An indentation depthforce sensing wheeled probe for abnormality identification during minimally invasive surgery.

Liu H, Puangmali P, Zbyszewski D, Elhage O, Dasgupta P, Dai JS, Seneviratne L and Althoefer K. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 224, (6) 751-763. Sage Publications.

Magnetic field-cycling NMR and ^{14}N , ^{17}O quadrupole resonance in the explosive pentaerythritol tetranitrate (PETN).

Smith JAS, Rayner TJ, Rowe MD, Barras J, Peirson NF, Stevens AD and Althoefer K. *Journal of Magnetic Resonance* vol. 204, (1) 139-144. Elsevier.

Force Sensing in Medical Robotics.

Althoefer K, Liu H, Puangmali P, Zbyszewski D, Noonan D and Seneviratne LD. *Mechatronics in Action* 157-172. Springer Nature.

2009

Rolling Mechanical Imaging for Tissue Abnormality Localization During Minimally Invasive Surgery.

Liu H, Noonan DP, Challacombe BJ, Dasgupta P, Seneviratne LD and Althoefer K. *Ieee Transactions On Biomedical Engineering* vol. 57, (2) 404-414. Institute of Electrical and Electronics Engineers (Ieee).

Air-Cushion Force-Sensitive Probe for Soft Tissue Investigation During Minimally Invasive Surgery.

Zbyszewski D, Challacombe B, Liu H, Seneviratne L, Dasgupta P, Murphy D and Althoefer K. *Journal of Endourology* vol. 23, (9) 1421-1424. Mary Ann Liebert.

Mathematical Modeling of Intensity-Modulated Bent-Tip Optical Fiber Displacement Sensors.

Puangmali P, Althoefer K and Seneviratne LD. *Ieee Transactions On Instrumentation and Measurement* vol. 59, (2) 283-291. Institute of Electrical and Electronics Engineers (Ieee).

THE SCIENCE BEHIND HAPTICS IN ROBOTIC UROLOGICAL SURGERY.

Vivekananda U, Henderson A, Murphy DG, Althoefer K, Seneviratne L and Dasgupta P. *Bju International* vol. 104, (4) 433-434. Wiley.

Quantitative ^{35}Cl Nuclear Quadrupole Resonance in Tablets of the Antidiabetic Medicine Diabinese.

Tate E, Althoefer K, Barras J, Rowe MD, Smith JAS, Pearce GES and Wren SAC. *Analytical Chemistry* vol. 81, (13) 5574-5576. American Chemical Society (Acs).

Hybrid Soil Parameter Measurement and Estimation Scheme for Excavation Automation.

Althoefer K, Tan CP, Zweiri YH and Seneviratne LD. *Ieee Transactions On Instrumentation and Measurement* vol. 58, (10) 3633-3641. Institute of Electrical and Electronics Engineers (Ieee).

The modelling and estimation of driving forces for unmanned ground vehicles in outdoor terrain.

Seneviratne L, Zweiri Y, Hutangkabodee S, Song Z, Song X, Chhaniyara S, Milli SA and Althoefer K. *International Journal of Modelling Identification and Control* vol. 6, (1). Inderscience Publishers.

A fibre-optic catheter-tip force sensor with MRI compatibility: a feasibility study.

Polygerinos P, Schaeffter T, Seneviratne L and Althoefer K. *Annu Int Conf Ieee Eng Med Biol Soc* vol. 2009, 1501-1054.

A Vision Based Wheel Slip Estimation Technique for Mining Vehicles.

Song X, Seneviratne L and Althoefer K. *Ifac-Paperonline* vol. 42, (23) 179-184. Elsevier.

2008

Slip parameter estimation of a single wheel using a non-linear observer.

Song ZB, Seneviratne LD, Althoefer K, Song XJ and Zweiri YH. *Robotica* vol. 27, (6) 801-811. Cambridge University Press (Cup).

Robust Detection of Stochastic Nuclear Quadrupole Resonance Signals.

Somasundaram SD, Jakobsson A, Rowe MD, Smith JAS, Butt NR and Althoefer K. *Ieee Transactions On Signal Processing* vol. 56, (9) 4221-4229. *Institute of Electrical and Electronics Engineers (Ieee)*.

Automated failure classification for assembly with self-tapping threaded fastenings using artificial neural networks.

Althoefer K, Lara B, Zweiri YH and Seneviratne LD. *Proceedings of The Institution of Mechanical Engineers Part C Journal of Mechanical Engineering Science* vol. 222, (6) 1081-1095. *Sage Publications*.

A new soft-tissue indentation model for estimating circular indenter forcedisplacement characteristics.

Al-ja'afreh T, Zweiri Y, Seneviratne L and Althoefer K. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 222, (5) 805-815. *Sage Publications*.

State-of-the-Art in Force and Tactile Sensing for Minimally Invasive Surgery.

Puangmali P, Althoefer K, Seneviratne LD, Murphy D and Dasgupta P. *Ieee Sensors Journal* vol. 8, (4) 371-381. *Institute of Electrical and Electronics Engineers (Ieee)*.

Non-linear observer for slip estimation of tracked vehicles.

Song Z-B, Zweiri YH, Seneviratne LD and Althoefer K. *Proceedings of The Institution of Mechanical Engineers Part D Journal of Automobile Engineering* vol. 222, (4) 515-533. *Sage Publications*.

Wheel/Tissue Force Interaction: A New Concept for Soft Tissue Diagnosis during MIS.

Zbyszewski D, Liu H, Puangmali P, Althoefer K, Nunes CS, Seneviratne LD, Challacombe B, Murphy D and Dasgupta P. *Annual International Conference of The Ieee Engineering in Medicine and Biology Society (Embc)* vol. 2008, 5556-5559. *Institute of Electrical and Electronics Engineers (Ieee)*.

Modelling soft tissue-mechatronic tool interactions during indentation.

ja'afreh TMA, Zweiri YH, Seneviratne LD and Althoefer K. *International Journal of Modelling Identification and Control* vol. 4, (4). *Inderscience Publishers*.

Non-linear observer for slip estimation of tracked vehicles.

Song ZB, Zweiri YH, Seneviratne LD and Althoefer K. *Proceedings of The Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering* vol. 222, (4) 515-533.

Optical Flow Algorithm for Velocity Estimation of Ground Vehicles: A Feasibility Study.

Chhaniyara S, Bunnun P, Seneviratne LD and Althoefer K. *International Journal On Smart Sensing and Intelligent Systems* vol. 1, (1) 245-267. *De Gruyter*.

Soil Estimation Based on Dissipation Energy during Autonomous Excavation.

Vahed SM, Song X, Dai JS, Lam HK, Seneviratne LD and Althoefer K. *Ifac-Papersonline* vol. 41, (2) 13821-13826. *Elsevier*.

2007

VISION-BASED VELOCITY ESTIMATION FOR UNMANNED GROUND VEHICLES.

SONG X, SENEVIRATNE LD, ALTHOEFER K and SONG Z. *International Journal of Information Acquisition* vol. 4, (04) 303-315. *World Scientific Publishing*.

An Ultrasonic Profiling Method for the Inspection of Tubular Structures.

Gomez F, Althoefer K and Seneviratne LD. *Computer-Aided Civil and Infrastructure Engineering* vol. 22, (6) 400-418. *Wiley*.

Equipamiento y tecnologa en robtica.

Murphy D, Challacombe B, Nedorost T, Elhage O, Althoefer K, Seneviratne L and Dasgupta P. *Archivos Espa±oles De UrologA-A* vol. 60, (4) 349-355. *Archivos Espanoles De Urologia*.

Exploiting Spin Echo Decay in the Detection of Nuclear Quadrupole Resonance Signals.

Somasundaram SD, Jakobsson A, Smith JAS and Althoefer K. *Ieee Transactions On Geoscience and Remote Sensing* vol. 45, (4) 925-933. *Institute of Electrical and Electronics Engineers (Ieee)*.

Automated Pipe Defect Detection and Categorization Using Camera/Laser-Based Profiler and Artificial Neural Network.

Duran O, Althoefer K and Seneviratne LD. *Ieee Transactions On Automation Science and Engineering* vol. 4, (1) 118-126. *Institute of Electrical and Electronics Engineers (Ieee)*.

MODEL-BASED SOIL PARAMETER IDENTIFICATION FOR WHEEL-TERRAIN INTERACTION DYNAMICS.

Hutangkabodee S, Zweiri YH, Seneviratne LD and Althoefer K. *Ifac-Paperonline* vol. 40, (20) 578-583. Elsevier.

2006

Multi-solution problem for track-terrain interaction dynamics and lumped soil parameter identification.

Hutangkabodee S, Zweiri YH, Seneviratne LD and Althoefer K. *Springer Tracts in Advanced Robotics* vol. 25, 517-528.

Modelling of closed-chain manipulators on an excavator vehicle.

Zweiri YH, Seneviratne LD and Althoefer K. *Mathematical and Computer Modelling of Dynamical Systems* vol. 12, (4) 329-345. Taylor & Francis.

Soil parameter identification for wheel-terrain interaction dynamics and traversability prediction.

Hutangkabodee S, Zweiri YH, Seneviratne LD and Althoefer K. *Machine Intelligence Research* vol. 3, (3) 244-251. Springer Nature.

Simulation of ultrasound imaging inside fully charged pipes.

Gomez F, Althoefer K and Seneviratne LD. *Automation in Construction* vol. 15, (3) 355-364. Elsevier.

2005

Stability analysis of a three-term backpropagation algorithm.

Zweiri YH, Seneviratne LD and Althoefer K. *Neural Networks* vol. 18, (10) 1341-1347. Elsevier.

Wheel-Tooling Gap Measurement System for Conform Extrusion Machinery Based on a Capacitive Sensor.

Khawaja K, Seneviratne L and Althoefer K. *Journal of Manufacturing Science and Engineering* vol. 127, (2) 394-401. Asme International.

Online Soil Parameter Estimation Scheme Based on NewtonRaphson Method for Autonomous Excavation.

Tan CP, Zweiri YH, Althoefer K and Seneviratne LD. *Ieee/Asme Transactions On Mechatronics* vol. 10, (2) 221-229. Institute of Electrical and Electronics Engineers (Ieee).

Monitoring of Self-Tapping Screw Fastenings Using Artificial Neural Networks.

Althoefer K, Lara B and Seneviratne LD. *Journal of Manufacturing Science and Engineering* vol. 127, (1) 236-243. Asme International.

2004

Model Based Monitoring Strategies for Threaded Assembly System.

Klingajay M, Seneviratne LD and Althoefer K. *Ifac-Paperonline* vol. 37, (4) 533-538. Elsevier.

2003

Pipe Inspection Using a Laser-Based Transducer and Automated Analysis Techniques.

Duran O, Althoefer K and Seneviratne LD. *Ieee/Asme Transactions On Mechatronics* vol. 8, (3). Institute of Electrical and Electronics Engineers (Ieee).

Modelling and control of an unmanned excavator vehicle.

Zweiri YH, Seneviratne LD and Althoefer K. *Proceedings of The Institution of Mechanical Engineers Part I Journal of Systems and Control Engineering* vol. 217, (4) 259-274. Sage Publications.

2002

A Comparison of Dynamic Models of Various Complexity for Diesel Engines.

Zweiri YH, Whidborne JF, Seneviratne LD and Althoefer K. *Mathematical and Computer Modelling of Dynamical Systems* vol. 8, (3) 273-289. Taylor & Francis.

State of the art in sensor technologies for sewer inspection.

Duran O, Althoefer K and Seneviratne LD. *Ieee Sensors Journal* vol. 2, (2) 73-81. Institute of Electrical and Electronics Engineers (Ieee).

2001

Reinforcement learning in a rule-based navigator for robotic manipulators.

Althoefer K, Krekelberg B, Husmeier D and Seneviratne L. *Neurocomputing* vol. 37, (1-4) 51-70. Elsevier.

Theoretical modelling of the self-tapping screw fastening process.

Seneviratne LD, Ngemoh FA, Earles SWE and Althoefer KA. *Proceedings of The Institution of Mechanical Engineers Part C Journal of Mechanical Engineering Science* vol. 215, (2) 135-154. Sage Publications.

2000

Mechatronic strategies for torque control of electric powered screwdrivers.

Althoefer K, Seneviratne LD and Shields R. *Proceedings of The Institution of Mechanical Engineers Part C Journal of Mechanical Engineering Science* vol. 214, (12) 1485-1501. Sage Publications.

1998

Fuzzy Navigation for Robotic Manipulators.

Althoefer K, Seneviratne LD, Zavlangas P and Krekelberg B. *International Journal of Uncertainty Fuzziness and Knowledge-Based Systems* vol. 6, (02) 179-188. World Scientific Publishing.

1995

Rapid path planning for robotic manipulators using an emulated resistive grid.

Althoefer K, Fraser DA and Bugmann G. *Electronics Letters* vol. 31, (22) 1960-1961. Institution of Engineering and Technology (Iet).