

Prof Elizabeth Tanner

OBE, FREng, FRSE, PhD (Hon Caus), MA, DPhil, FIMMM, FIMechE, FIPEM, CEng, CSci

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 6785
email: k.e.tanner@qmul.ac.uk web: www.sems.qmul.ac.uk/k.e.tanner

2023

The IB protein BCL3 controls osteogenesis and bone health.

TANNER KE. *Arthritis & Rheumatology* vol. 75, (12) 2148-2160. Wiley.

Functional trait plasticity diverges between sexes in African cichlids: A contribution toward ecological sexual dimorphism?.

McWhinnie K, Negi D, Tanner KE and Parsons KJ. *Ecology and Evolution* vol. 13, (11). Wiley.

2022

Assessing the Levels of Functional Adaptation: Finite Element Analysis Reveals Species, Hybrid, and Sexual Variation in the Biomechanics of African Cichlid Mandibles.

McWhinnie K, Gibson J, Gilason MK, TANNER K, Windmill JFC, Albertson R and Parsons K. *Evolutionary Biology* vol. 49, (2) 205-220. Springer (Part of Springer Nature).

Methods of producing three dimensional electrospun scaffolds for bone tissue engineering: A review.

TANNER KE and Kareem MM. *Proceedings of The Institution of Mechanical Engineers Part H: Journal of Engineering in Medicine*. Sage Publications.

2021

Editorial - Our New Board.

Tanner L. *Proceedings of The Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine* vol. 235, (11) 1219-1220.

Testing meshes in a computer model of a laparoscopic ventral hernia repair.

Qandeel H, Chew C, Tanner KE and O Dwyer PJ. *Surgical Endoscopy* vol. 36, (6) 4124-4128. Springer Nature.

Editorial.

TANNER KE. *Proc Inst Mech Eng H* vol. 235, (9) 975-975.

Are Shell Strength Phenotypic Traits in Mussels Associated with Species Alone?.

Carboni S, Evans S, Tanner KE, Davie A, Bekaert M and Fitzer SC. *Aquaculture Journal* vol. 1, (1) 3-13. Mdpi Ag.

2020

Bone mineral as a drug-seeking moiety and a waste dump.

TANNER K, Raina DB, Liu Y, Jacobson O, Tägil M and Lidgren L. *Bone & Joint Research* vol. 9, (10). The British Editorial Society of Bone & Joint Surgery.

Nanovibrational Stimulation of Mesenchymal Stem Cells Induces Therapeutic Reactive Oxygen Species and Inflammation for Three-Dimensional Bone Tissue Engineering.

Orapiriyakul W, Tsimbouri MP, Childs P, Campsie P, Wells J, Fernandez-Yague MA, Burgess K, Tanner KE, Tassieri M, Meek D, Vassalli M, Biggs MJP, Salmeron-Sanchez M, Oreffo ROC, Reid S and Dalby MJ. *Acs Nano*. American Chemical Society.

Optimising Micro-Hydroxyapatite Reinforced Poly(lactide acid) Electrospun Scaffolds for Bone Tissue Engineering.

TANNER K and Karen MM. *Journal of Materials Science: Materials in Medicine*. Springer Verlag.

Long Term Response to a Bioactive Biphasic Biomaterial in the Femoral Neck of Osteoporotic Rats.

Raina DB, Širka A, Qayoom I, Teotia AK, Liu Y, Tarasevicius S, TANNER K, Isaksson H, Kumar A, Tägil M and Lidgren L. *Tissue Engineering Part A*. Mary Ann Liebert.

Recycling implants: a sustainable solution for musculoskeletal research.

Lidgren L, Raina DB, Tägil M and Tanner KE. *Acta Orthopaedica* vol. 91, (2) 125-125. Informa Healthcare.

2019

Global and site-specific analysis of bone in a rat model of spinal cord injury-induced osteoporosis.

Williams JA, Windmill JFC, TANNER KE, Riddell JS and Coupaud S. *Bone Reports*. Elsevier.

Hybrid Core-Shell Scaffolds for Bone Tissue Engineering.

Kareem MM, Hodgkinson T, Salmeron Sanchez M, Dalby MJ and TANNER KE. *Biomedical Materials* vol. 14. Iop Publishing.

2018

Relationship between fatigue parameters and fatigue crack growth in PMMA bone cement.

Sheafi EM and TANNER KE. *International Journal of Fatigue* vol. 120, 319-328.

Ultrasound-guided adductor canal block: a cadaver study investigating the effect of a thigh tourniquet.

Nair A, Dolan J, Tanner KE, Kerr CM, Jones B, Pollock PJ and Kellett CF. *British Journal of Anaesthesia* vol. 121, (4) 890-898.

Calcium Sulphate/Hydroxyapatite Carrier for Bone Formation in the Femoral Neck of Osteoporotic Rats.

Širka A, Raina DB, Isaksson H, TANNER KE, Smalys A, Kumar A, Tarasevicius Š, Tägil M and Lidgren L. *Tissue Engineering Part A*.

2017

S-N Analysis of Fatigue Performance of PMMA Bone Cement: Effects of Testing Specimen Variables and Stress Amplitude.

Sheafi EM and TANNER KE. *International Journal of Fatigue* vol. 105, 119-127. Elsevier.

Mechanical behaviour of biodegradable AZ31 magnesium alloy after long term in vitro degradation.

Adekanmbi I, Mosher CZ, Lu HH, Riehle M, Kubba H and Tanner KE. *Materials Science and Engineering C* vol. 77, 1135-1144. Elsevier.

2016

Patient-specific bone mineral density distribution in the tibia of individuals with chronic spinal cord injury, derived from multi-slice peripheral Quantitative Computed Tomography (pQCT) A cross-sectional study.

Coupaud S, Gislason MK, Purcell M, Sasagawa K and Tanner KE. *Bone* vol. 97, 29-37. Elsevier.

Interfacial modulus mapping of layered dental ceramics using nanoindentation.

CATTELL MJ, Theocaropoulos A, Bushby AJ, Png KMY, TANNER KE and Wilson RW. *Journal of Advanced Prosthodontics* vol. 8, (6) 479-488. Kim SH.

Exclusive expression of MeCP2 in the nervous system distinguishes between brain and peripheral Rett syndrome-like phenotypes.

Ross PD, Guy J, Selfridge J, Kamal B, Bahey N, Tanner KE, Gillingwater TH, Jones RA, Loughrey CM, McCarroll CS, Bailey MES, Bird A and Cobb S. *Human Molecular Genetics* vol. 25, (20) 4389-4404.

Characterisation of CorGlaes() Pure 107 fibres for biomedical applications.

Colquhoun R, Gadegaard N, Healy DM and Tanner KE. *J Mater Sci Mater Med* vol. 27, (10) 149-149.

A Novel Surgical Approach for the Reconstruction of Critical-Size Mandibular Defects Using Calcium Sulphate/Hydroxyapatite Cement, BMP-7 and Mesenchymal Stem Cells-Histological Assessment.
Alfotawi R, Ayoub AF, Tanner KE, Dalby MJ, Naudi KB and McMahon J. *Journal of Biomaterials and Tissue Engineering* vol. 6, (1) 1-11. American Scientific Publishers.

2015

Mechanical behaviour of degradable phosphate glass fibres and composites a review.
Colquhoun R and Tanner KE. *Biomedical Materials* vol. 11, (1). Iop Publishing.

Finite element study of the acetabulum in cemented hip arthroplasty investigating retention or removal of the subchondral bone plate.
Tanner KE, Svensson I, Samuelsson F and Flivik G. *Biomedical Engineering / Biomedizinische Technik* vol. 61, (5) 525-536. De Gruyter.

Influence of test specimen fabrication method and cross-section configuration on tensile fatigue life of PMMA bone cement.
Sheafi EM and Tanner KE. *Journal of The Mechanical Behavior of Biomedical Materials* vol. 51, 380-387. Elsevier.

Ocean acidification alters the material properties of *Mytilus edulis* shells.
Fitzer SC, Zhu W, Tanner KE, Phoenix VR, Kamenos NA and Cusack M. *Journal of The Royal Society Interface* vol. 12, (103). The Royal Society.

2014

Biomechanical properties of bone in a mouse model of Rett syndrome.
Kamal B, Russell D, Payne A, Constante D, Tanner KE, Isaksson H, Mathavan N and Cobb SR. *Bone* vol. 71, 106-114. Elsevier.

Radiological Assessment of Bioengineered Bone in a Muscle Flap for the Reconstruction of Critical-Size Mandibular Defect.
Al-Fotawei R, Ayoub AF, Heath N, Naudi KB, Tanner KE, Dalby MJ and McMahon J. *Plos One* vol. 9, (9). Public Library of Science (Plos).

Prediction of risk of fracture in the tibia due to altered bone mineral density distribution resulting from disuse: A finite element study.
Gislason MK, Coupaud S, Sasagawa K, Tanabe Y, Purcell M, Allan DB and Tanner KE. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 228, (2) 165-174. Sage Publications.

2013

Effects of test sample shape and surface production method on the fatigue behaviour of PMMA bone cement.
Sheafi EM and Tanner KE. *Journal of The Mechanical Behavior of Biomedical Materials* vol. 29, 91-102. Elsevier.

D. Wang, M. Lucas and K. E. Tanner.
Wang D, Lucas M and Tanner KE. *Strain* vol. 49, (5) 409-419. Wiley.

Self-folding nano- and micropatterned hydrogel tissue engineering scaffolds by single step photolithographic process.
Vasiev I, Greer AIM, Khokhar AZ, Stormonth-Darling J, Tanner KE and Gadegaard N. *Microelectronic Engineering* vol. 108, 76-81. Elsevier.

Effects of hydroxyapatite and PDGF concentrations on osteoblast growth in a nanohydroxyapatite-polylactic acid composite for guided tissue regeneration.
Talal A, McKay IJ, Tanner KE and Hughes FJ. *Journal of Materials Science: Materials in Medicine* vol. 24, (9) 2211-2221. Springer Nature.

Correction: The Skeletal Phenotype of Chondroadherin Deficient Mice.
Hessle L, Stordalen GA, Wenglön C, Petzold C, Tanner EK, Brorson S-H, Baekkevold ES, Ånnerfjord P, Reinholt FP and Heinegård D. *Plos One* vol. 8, (7). Public Library of Science (Plos).

The Skeletal Phenotype of Chondroadherin Deficient Mice.

Hessle L, Stordalen GA, Wenglén C, Petzold C, Tanner EK, Brorson S-H, Baekkevold ES, Önnerfjord P, Reinholt FP and Heinegård D. *Plos One* vol. 8, (6). *Public Library of Science (Plos)*.

Assessment of cellular viability on calcium sulphate/hydroxyapatite injectable scaffolds.

Alfotawi R, Naudi K, Dalby MJ, Tanner KE, McMahon JD and Ayoub A. *Journal of Tissue Engineering* vol. 4,. *Sage Publications*.

2012

Bone and its adaptation to mechanical loading: a review.

Mellon SJ and Tanner KE. *International Materials Reviews* vol. 57, (5) 235-255. *Sage Publications*.

Structure and Biomechanics of Biological Composites.

Screen HRC and Tanner KE. *Wiley Encyclopedia of Composites 1-12*. Wiley.

Small But Extremely Tough.

Tanner KE. *Science* vol. 336, (6086) 1237-1238. *American Association For The Advancement of Science (Aaas)*.

Introduction to biomaterials for spinal surgery.

Raucci MG, Gloria A, De Santis R, Ambrosio L and Tanner E.

Optimising the properties of injectable materials for vertebroplasty and kyphoplasty.

Tanner E. *Biomaterials For Spinal Surgery* 385-403.

Artificial intervertebral discs.

Gloria A, De Santis R, Ambrosio L and Tanner E. *Biomaterials For Spinal Surgery* 295-312.

The effects and interactions of fabrication parameters on the properties of selective laser sintered hydroxyapatite polyamide composite biomaterials.

Savalani MM, Hao L, Dickens PM, Zhang Y, Tanner KE and Harris RA. *Rapid Prototyping Journal* vol. 18, (1) 16-27. *Emerald*.

Biomaterials for Spinal Surgery.

Ambrosio L and Tanner E.

Contributor contact details.

Ambrosio L, Tanner KE, Raucci MG, Gloria A, De Santis R, Ambrosio L, Tanner KE, Alcock B, Quaye M, Harvey J, Wilke H-J, Rohrmann A, Noailly J, Lacroix D, Mohan V, Gupta MC, Logoscino G, Proietti L, Pola E, Gloria A, De Santis R, Ambrosio L, Tanner KE, Revell PA, Baxter MD, Yeh J, Tanner KE, Bauer TW, Persson C and Engqvist H. *Biomaterials For Spinal Surgery* xiii-xvii. *Elsevier*.

2011

In silico evaluation of a new composite disc substitute with a L3L5 lumbar spine finite element model.

Noailly J, Ambrosio L, Elizabeth Tanner K, Planell JA and Lacroix D. *European Spine Journal* vol. 21, (Suppl 5) 675-687. *Springer Nature*.

PHOSPHO1 is essential for mechanically competent mineralization and the avoidance of spontaneous fractures.

Huesa C, Yadav MC, Finnilä MAJ, Goodyear SR, Robins SP, Tanner KE, Aspden RM, Milln JL and Farquharson C. *Bone* vol. 48, (5) 1066-1074. *Elsevier*.

Modified femoral pressuriser generates a longer lasting high pressure during cement pressurisation.

Wang J-S, Garellick G, Kjellson F, Tanner E and Flivik G. *Journal of Orthopaedic Surgery and Research* vol. 6, (1). *Springer Nature*.

2010

Guest Editorial.

Tanner KE and Dalby MJ. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 224, (12) i-iv. *Sage Publications*.

Bioactive composites for bone tissue engineering.

Tanner KE. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 224, (12) 1359-1372. Sage Publications.

Bioactive ceramic-reinforced composites for bone augmentation.

Tanner KE. *Journal of The Royal Society Interface* vol. 7, (suppl_5) s541-s557. The Royal Society.

A Multi-component Fiber-reinforced PHEMA-based Hydrogel/HAPExTM Device for Customized Intervertebral Disc Prosthesis.

Gloria A, De Santis R, Ambrosio L, Causa F and Tanner KE. *Journal of Biomaterials Applications* vol. 25, (8) 795-810. Sage Publications.

3 Hard tissue applications of biocomposites.

Tanner KE. *Biomedical Composites* 44-58. Elsevier.

2009

In vitro biocompatibility of hydroxyapatite-reinforced polymeric composites manufactured by selective laser sintering.

Zhang Y, Hao L, Savalani MM, Harris RA, Di Silvio L and Tanner KE. *J Biomed Mater Res A* vol. 91, (4) 1018-1027.

Comparison of two methods of fatigue testing bone cement.

Tanner KE, Wang J-S, Kjellson F and Lidgren L. *Acta Biomaterialia* vol. 6, (3) 943-952. Elsevier.

Absorption and release of protein from hydroxyapatite-polylactic acid (HA-PLA) membranes.

Talal A, Waheed N, Al-Masri M, McKay IJ, Tanner KE and Hughes FJ. *Journal of Dentistry* vol. 37, (11) 820-826. Elsevier.

Rapid manufacturing of bioceramic/polymer composite implants by selective laser sintering.

Hao L, Savalani MM, Harris RA, Zhang Y and Tanner KE. *International Journal of Computer Applications in Technology* vol. 36, (1). Inderscience Publishers.

Hard tissue applications of biocomposites.

Tanner KE. *Biomedical Composites* 44-58.

Effect of ultrasound on the setting characteristics of glass ionomer cements studied by Fourier transform infrared spectroscopy.

Talal A, Tanner KE, Billington R and Pearson GJ. *J Mater Sci Mater Med* vol. 20, (1) 405-411.

2008

Nucleation and growth of apatite on NaOH-treated PEEK, HDPE and UHMWPE for artificial cornea materials.

Pino M, Stingelin N and Tanner KE. *Acta Biomater* vol. 4, (6) 1827-1836.

Comparison of the visco-elastic behavior of a pre-impregnated reinforced glass fiber composite with resin-based composite.

Khan AS, Phillips MJ, Tanner KE and Wong FS. *Dent Mater* vol. 24, (11) 1534-1538.

Characterization and dynamic mechanical analysis of selective laser sintered hydroxyapatite-filled polymeric composites.

Zhang Y, Hao L, Savalani MM, Harris RA and Tanner KE. *J Biomed Mater Res A* vol. 86, (3) 607-616.

Effect of filler surface morphology on the impact behaviour of hydroxyapatite reinforced high density polyethylene composites.

Zhang Y and Tanner KE. *J Mater Sci-Mater M* vol. 19, (2) 761-766.

2007

Fabrication of porous bioactive structures using the selective laser sintering technique.

Savalani MM, Hao L, Zhang Y, Tanner KE and Harris RA. *P I Mech Eng H* vol. 221, (H8) 873-886.

Characterization of selective laser-sintered hydroxyapatite-based biocomposite structures for bone replacement.

Hao L, Savalani MM, Zhang Y, Tanner KE, Heath RJ and Harris RA. *P R Soc A vol. 463*, (2084) 1857-1869.

Effect of iodixanol particle size on the mechanical properties of a PMMA based bone cement.

Kjellson F, Abdulghani S, Tanner KE, McCarthy ID and Lidgren L. *J Mater Sci-Mater M vol. 18*, (6) 1043-1051.

In vitro osteoblastic response to 30 vol% hydroxyapatite-polyethylene composite.

Zhang Y, Tanner KE, Gurav N and Di Silvio L. *J Biomed Mater Res A vol. 81A*, (2) 409-417.

Mechanical properties of carbon-fibre reinforced silicate matrix composites.

Cortes DA, Hogg PJ, Tanner KE and Ren G. *Mater Design vol. 28*, (5) 1547-1554.

2006

2-Dimensional MEMS dielectrophoresis device for osteoblast cell stimulation.

Zou H, Mellon S, Syms RRA and Tanner KE. *Biomed Microdevices vol. 8*, (4) 353-359.

Relationship between locking-bolt torque and load pre-tension in the Ilizarov frame.

Osei NA, Bradley BM, Culpan P, Mitchell JB, Barry M and Tanner KE. *Injury vol. 37*, (10) 941-945.

Effects of material morphology and processing conditions on the characteristics of hydroxyapatite and high-density polyethylene biocomposites by selective laser sintering.

Hao L, Savalani MM, Zhang Y, Tanner KE and Harris RA. *P I Mech Eng L-J Mat vol. 220*, (L3) 125-137.

Selective laser sintering of hydroxyapatite reinforced polyethylene composites for bioactive implants and tissue scaffold development.

Hao L, Savalani MM, Zhang Y, Tanner KE and Harris RA. *P I Mech Eng H vol. 220*, (H4) 521-531.

Biodegradable and semi-biodegradable composite hydrogels as bone substitutes: morphology and mechanical characterization.

Sanginario V, Ginebra MP, Tanner KE, Planell JA and Ambrosio L. *J Mater Sci-Mater M vol. 17*, (5) 447-454.

Interfacial stick-slip transition in hydroxyapatite filled high density polyethylene composite.

Joseph R, Martyn MT, Tanner KE and Coates PD. *B Mater Sci vol. 29*, (1) 85-89.

2005

A circumferentially flanged tibial tray minimizes bone-tray shear micromotion.

Barker DS, Tanner KE and Ryd L. *P I Mech Eng H vol. 219*, (H6) 449-456.

Hydroxyapatite promotes superior keratocyte adhesion and proliferation in comparison with current keratoprostheses skirt materials.

Mehta JS, Futter CE, Sandeman SR, Faragher RGAF, Hing KA, Tanner KE and Allan BDS. *Br J Ophthalmol vol. 89*, (10) 1356-1362.

In vitro and in vivo biological responses to a novel radiopacifying agent for bone cement.

Wang JS, Diaz J, Sabokbar A, Athanasou N, Kjellson F, Tanner KE, McCarthy ID and Lidgren L. *J Roy Soc Interface vol. 2*, (2) 71-78.

Effect of morphological features and surface area of hydroxyapatite on the fatigue behavior of hydroxyapatite-polyethylene composites.

Joseph R and Tanner KE. *Biomacromolecules vol. 6*, (2) 1021-1026.

2004

Effect of particle morphology and polyethylene molecular weight on the fracture toughness of hydroxyapatite reinforced polyethylene composite.

Eniwumide JO, Joseph R and Tanner KE. *J Mater Sci Mater Med vol. 15*, (10) 1147-1152.

Bone cement X-ray contrast media: A clinically relevant method of measuring their efficacy.

Kjellson F, Almén T, Tanner KE, McCarthy ID and Lidgren L. *Journal of Biomedical Materials Research - Part B Applied Biomaterials vol. 70*, (2) 354-361.

Investigation of the molecular nature of low-molecular-mass cobalt(II) ions in isolated osteoarthritic knee-joint synovial fluid.

Silwood CJL, Chikanza IC, Tanner KE, Shelton JC, Bowsher JG and Grootveld M. *Free Radic Res* vol. 38, (6) 561-571.

Biodegradation and biocompatibility of a calcium sulphate-hydroxyapatite bone substitute.

Nilsson M, Wang J-S, Wielanek L, Tanner KE and Lidgren L. *The Bone & Joint Journal* vol. 86, (1) 120-125. British Editorial Society of Bone & Joint Surgery.

Mediation of bone ingrowth in porous hydroxyapatite bone graft substitutes.

Hing KA, Tanner KE, Best SM, Bonfield W and Revell PA. *Journal of Biomedical Materials Research* vol. 68A, 187-200.

Bone Cement X-ray Contrast Media: A Clinically Relevant Method of Measuring their Efficacy.

TANNER KE, Lidgren L, Almen T, Kjellson F and McCarthy ID. *Journal of Biomedical Materials Research* vol. 70B, (2) 354-371.

Mediation of bone ingrowth in porous hydroxyapatite bone graft substitutes.

Hing KA, Best SM, Tanner KE, Bonfield W and Revell PA. *J Biomed Mater Res A* vol. 68, (1) 187-200.

2003

Impact behavior of hydroxyapatite reinforced polyethylene composites.

Zhang Y and Tanner KE. *J Mater Sci-Mater M* vol. 14, (1) 63-68.

Factors Influencing the Compressive Strength of an Injectable Calcium Sulfate-Hydroxyapatite Cement.

TANNER KE, Wielanek L, Lidgren L, Nilsson M and Wang JS. *Journal of Materials Science: Materials in Medicine* vol. 14, (5) 399-404.

Experimental validation of a microcracking-based toughening mechanism for cortical bone.

Vashishth D, Tanner KE and Bonfield W. *J Biomech* vol. 36, (1) 121-124.

2002

A biomechanical study on fixation stability with twin hook or lag screw in artificial cancellous bone.

Olsson O, Tanner KE, Ceder L and Ryd L. *Int Orthop* vol. 26, (6) 349-355.

Effect of hydroxyapatite morphology/surface area on the rheology and processability of hydroxyapatite filled polyethylene composites.

Joseph R, McGregor WJ, Martyn MT, Tanner KE and Coates PD. *Biomaterials* vol. 23, (21) 4295-4302.

Roentgen single-plane photogrammetric analysis (RSPA).

Yuan X, Ryd L, Tanner KE and Lidgren L. *The Bone & Joint Journal* vol. 84-B, (6) 908-914. British Editorial Society of Bone & Joint Surgery.

Lactic acid based PEU/HA and PEU/BCP composites: Dynamic mechanical characterization of hydrolysis.

Rich J, Tuominen J, Kylma J, Seppala J, Nazhat SN and Tanner KE. *J Biomed Mater Res* vol. 63, (3) 346-353.

Effect of filler content on mechanical and dynamic mechanical properties of particulate biphasic calcium phosphate-polylactide composites.

Bleach NC, Nazhat SN, Tanner KE, Kellomaki M and Tormala P. *Biomaterials* vol. 23, (7) 1579-1585.

Effect of polymer matrix on the rheology of hydroxyapatite-filled polyethylene composites.

Joseph R, McGregor WJ, Martyn MT, Tanner KE, Coates PD and Bonfield W. *Polym Eng Sci* vol. 42, (2) 326-335.

Anisotropic mechanical properties of oriented HAPEX (TM).

Bonner M, Saunders LS, Ward IM, Davies GW, Wang M, Tanner KE and Bonfield W. *J Mater Sci* vol. 37, (2) 325-334.

The Effect of Intra-articular Methylprednisolone Acetate and Exercise on Equine Carpal Subchondral and Cancellous Bone Microhardness.

TANNER KE, Znaor N, Goodship AE, Gaughan EM, DeBowes RM and Murray RC. *Equine Veterinary Journal* vol. 34, (3) 306-310.

Arch-shaped versus flat arthrodesis of the ankle joint: strength measurements using synthetic cancellous bone.
Lauge-Pedersen H, Aspenberg P, Ryd L and Tanner KE. *P I Mech Eng H* vol. 216, (H1) 43-49.

Effects of acetabular resurfacing component material and fixation on the strain distribution in the pelvis.
Thompson MS, Northmore-Ball MD and Tanner KE. *P I Mech Eng H* vol. 216, (H4) 237-245.

2001

Fatigue of cortical bone under combined axial-torsional loading.
Vashishth D, Tanner KE and Bonfield W. *J Orthopaed Res* vol. 19, (3) 414-420.

A quarter century of European Biomaterials Conferences.
Tanner KE. *J Mater Sci-Mater M* vol. 12, (10-12) 847-848.

Hydroxyapatite/polypropylene composite: A novel bone substitute material.
Bonner M, Ward IM, McGregor W, Tanner KE and Bonfield W. *J Mater Sci Lett* vol. 20, (22) 2049-2051.

Dynamic mechanical characterization of biodegradable composites of hydroxyapatite and polylactides.
Nazhat SN, Kellomäki M, Trmälä P, Tanner KE and Bonfield W. *J Biomed Mater Res* vol. 58, (4) 335-343.

Rheological characterisation of hydroxyapatite filled polyethylene composites Part 2 - Isothermal compressibility and wall slip.
Joseph R, Martyn MT, Tanner KE, Coates PD and Bonfield W. *Plast Rubber Compos* vol. 30, (5) 205-212.

Rheological characterisation of hydroxyapatite filled polyethylene composites Part 1 - Shear and extensional behaviour.
Joseph R, Martyn MT, Tanner KE, Coates PD and Bonfield W. *Plast Rubber Compos* vol. 30, (5) 197-204.

Effect of filler type on the mechanical properties of self-reinforced polylactide-calcium phosphate composites.
Bleach NC, Tanner KE, Kellomaki M and Tormala P. *Journal of Materials Science-Materials in Medicine* vol. 12, (10-12) 911-915.

2000

Acetabular morphology and resurfacing design.
Thompson MS, Dawson T, Kuiper JH, Northmore-Ball MD and Tanner KE. *Journal of Biomechanics* vol. 33, (12) 1645-1653. Elsevier.

Dynamic mechanical characterization of hydroxyapatite reinforced polyethylene: effect of particle size.
Nazhat SN, Joseph R, Wang M, Smith R, Tanner KE and Bonfield W. *Journal of Materials Science: Materials in Medicine* vol. 11, (10) 621-628. Springer Nature.

Bone fracture analysis on the short rod chevron-notch specimens using the X-ray computer micro-tomography.
Santis RD, Anderson P, Tanner KE, Ambrosio L, Nicolais L, Bonfield W and Davis GR. *Journal of Materials Science: Materials in Medicine* vol. 11, (10) 629-636. Springer Nature.

Fatigue properties of isotropic and hydrostatically extruded HAPEXTM.
McGregor WJ, Tanner KE, Bonfield W, Bonner MJ, Saunders LS and Ward IM. *Journal of Materials Science Letters* vol. 19, (20) 1787-1788. Springer Nature.

Contribution, development and morphology of microcracking in cortical bone during crack propagation.
Vashishth D, Tanner KE and Bonfield W. *Journal of Biomechanics* vol. 33, (9) 1169-1174. Elsevier.

Hydrostatically extruded HAPEX.
Wang M, Ladizesky NH, Tanner KE, Ward IM and Bonfield W. *Journal of Materials Science* vol. 35, (4) 1023-1030. Springer Nature.

Fatigue characterization of a hydroxyapatite reinforced polyethylene composite. I. Uniaxial fatigue.
That PTT, Tanner KE and Bonfield W. *Journal of Biomedical Materials Research* vol. 51, (3) 453-460. Wiley.

Fatigue characterization of a hydroxyapatite reinforced polyethylene composite. II. Biaxial fatigue.
That PTT, Tanner KE and Bonfield W. *Journal of Biomedical Materials Research* vol. 51, (3) 461-468. Wiley.

1999

In vivo measurement of acetabular cement pressurization using a simple new design of cement pressurizer.

New AMR, Northmore-Ball MD, Tanner KE and Cheah SK. *The Journal of Arthroplasty* vol. 14, (7) 854-859. Elsevier.

Quantification of bone ingrowth within bone-derived porous hydroxyapatite implants of varying density.

Hing KA, Best SM, Tanner KE, Bonfield W and Revell PA. *Journal of Materials Science: Materials in Medicine* vol. 10, (10-11) 663-670. Springer Nature.

Torsional stability of primary total knee replacement tibial prostheses A biomechanical study in cadaveric bone.

Sala M, Taylor M and Tanner KE. *The Journal of Arthroplasty* vol. 14, (5) 610-615. Elsevier.

1998

Comparison between the polymerization behavior of a new bone cement and a commercial one: modeling and in vitro analysis.

Borzacchiello A, Ambrosio L, Nicolais L, Harper EJ, Tanner KE and Bonfield W. *Journal of Materials Science: Materials in Medicine* vol. 9, (12) 835-838. Springer Nature.

Isothermal and non-isothermal polymerization of a new bone cement.

Borzacchiello A, Ambrosio L, Nicolais L, Harper EJ, Tanner KE and Bonfield W. *Journal of Materials Science: Materials in Medicine* vol. 9, (6) 317-324. Springer Nature.

Histomorphological and biomechanical characterization of calcium phosphates in the osseous environment.

Hing KA, Best SM, Tanner KE, Revell PA and Bonfield W. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 212, (6) 437-451. Sage Publications.

Interfaces in analogue biomaterials.

Bonfield W, Wang M and Tanner KE. *Acta Materialia* vol. 46, (7) 2509-2518. Elsevier.

Finite element analysis of the implanted proximal tibia a relationship between the initial cancellous bone stresses and implant migration.

Taylor M, Tanner KE and Freeman MAR. *Journal of Biomechanics* vol. 31, (4) 303-310. Elsevier.

Influence of sterilization by gamma irradiation and of thermal annealing on creep of hydroxyapatite reinforced polyethylene composites.

Suwanprateeb J, Tanner KE, Turner S and Bonfield W. *Journal of Biomedical Materials Research* vol. 39, (1) 16-22. Wiley.

1997

Biomechanical assessment of bone ingrowth in porous hydroxyapatite.

HING KA, BEST SM, TANNER KE, BONFIELD W and REVELL PA. *Journal of Materials Science: Materials in Medicine* vol. 8, (12) 731-736. Springer Nature.

Influence of Ringers solution on creep resistance of hydroxyapatite reinforced polyethylene composites.

SUWANPRATEEB J, TANNER KE, TURNER S and BONFIELD W. *Journal of Materials Science: Materials in Medicine* vol. 8, (8) 469-472. Springer Nature.

Fatigue failure of cancellous bone: a possible cause of implant migration and loosening.

Taylor M and Tanner KE. *The Bone & Joint Journal* vol. 79, (2) 181-182. British Editorial Society of Bone & Joint Surgery.

Authors' response.

Taylor ME, Tanner KE, Freeman MAR and Yettram AL. *Medical Engineering & Physics* vol. 19, (1) 99-100. Elsevier.

1996

Hydroxyapatite-polyethylene composites: effect of grafting and surface treatment of hydroxyapatite.

Deb S, Wang M, Tanner KE and Bonfield W. *Journal of Materials Science: Materials in Medicine* vol. 7, (4) 191-193. Springer Nature.

Stress and strain distribution within the intact femur: compression or bending?.

Taylor ME, Tanner KE, Freeman MAR and Yettram AL. *Medical Engineering & Physics* vol. 18, (2) 122-131. Elsevier.

1995

Creep in polyethylene and hydroxyapatite reinforced polyethylene composites.

Suanprateeb , Tanner KE, Turner S and Bonfield W. *Journal of Materials Science: Materials in Medicine* vol. 6, (12) 804-807.Springer Nature.

Cancellous bone stresses surrounding the femoral component of a hip prosthesis: an elastic-plastic finite element analysis.

Taylor M, Tanner KE, Freeman MAR and Yettram AL. *Medical Engineering & Physics* vol. 17, (7) 544-550. Elsevier.

Corrigendum.

. *Medical Engineering & Physics* vol. 17, (6).

Is stem length important in uncemented endoprostheses?.

Tanner KE, Yettram AL, Loeffler M, Goodier WD, Freeman MAR and Bonfield W. *Medical Engineering & Physics* vol. 17, (4) 291-296. Elsevier.

1992

Factors affecting the strength of flexor tendon repair.

BHATIA D, TANNER KE, BONFIELD W and CITRON ND. *Journal of Hand Surgery (European Volume)* vol. 17, (5) 550-552. Sage Publications.

Factors Affecting the Strength of Flexor Tendon Repair.

Bhatia D, Tanner KE, Bonfield W and Citron ND. *Journal of Hand Surgery (British and European Volume)* vol. 17, (5) 550-552.

1991

In vitro and in vivo evaluation of polyhydroxybutyrate and of polyhydroxybutyrate reinforced with hydroxyapatite.

Doyle C, Tanner ET and Bonfield W. *Biomaterials* vol. 12, (9) 841-847. Elsevier.

Mechanical behaviour of trabecular bone of the human femoral head in females.

Deligianni DD, Missirlis YF, Tanner KE and Bonfield W. *Journal of Materials Science: Materials in Medicine* vol. 2, (3) 168-175. Springer Nature.

Ochronosis of the Hip Joint Case Report with Biomechanical Study.

Tanner KE, Warren NP and Coombs RR. *Scandinavian Journal of Rheumatology* vol. 20, (1) 63-64. Taylor & Francis.

1990

Measurement of the density of trabecular bone.

Sharp DJ, Tanner KE and Bonfield W. *Journal of Biomechanics* vol. 23, (8) 853-857. Elsevier.

1989

Torsional stability of the femoral component of hip arthroplasty. Response to an anteriorly applied load.

Nunn D, Freeman M, Tanner K and Bonfield W. *The Bone & Joint Journal* vol. 71, (3) 452-455. British Editorial Society of Bone & Joint Surgery.

1988

Rotational Movement of Femoral Components of Total Hip Replacements in Response to an Anteriorly Applied Load.

Tanner KE, Bonfield W, Nunn D and Freeman MAR. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 17, (3) 127-129. Sage Publications.

A system for modelling forces on the hip joint in one-legged stance.

Tanner KE, Reed PE, Bonfield W, Rasmussen GL and Freeman MAR. *Medical Engineering & Physics* vol. 10, (3) 289-290. Elsevier.

1985

An Engineering Evaluation of the Oxford External Fixator with Sliding Clamps: Fixator Stiffness and Fracture Healing Assessment.

Churches AE, Tanner KE and Harris JD. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 14, (1) 21-29. Sage Publications.

Fracture Healing Assessment with External Fixation.

Churches AE, Tanner KE, Evans M and Gwillim J. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 14, (1) 13-20. Sage Publications.

The Oxford External Fixator: Fixator Stiffness and the Effects of Bone Pin Loosening.

Churches AE, Tanner KE and Harris JD. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 14, (1) 3-11. Sage Publications.

1984

Control of movement and fracture stiffness monitoring with external fixation.

Harris JD, Kenwright J, Evans M, Tanner KE and Gwillim J. *Orthopedics* vol. 7, (3) 485-490. Slack.

1979

Analysis of Single-Sided External Fracture Fixation.

Evans M, Kenwright J and Tanner KE. *Proceedings of The Institution of Mechanical Engineers Part H Journal of Engineering in Medicine* vol. 8, (3) 133-137. Sage Publications.