

Prof Michael Reece
BSc, PhD, PGCE, MIMMM, FECerS

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8732
email: m.j.reece@qmul.ac.uk web: www.sems.qmul.ac.uk/m.j.reece

2022

Synthesis and thermoelectric properties of high-entropy half-Heusler $\text{MFe}_{1-x}\text{CoxSb}$ (M = equimolar Ti, Zr, Hf, V, Nb, Ta).

Chen K, Zhang R, Bos JWG and Reece MJ. *Journal of Alloys and Compounds* vol. 892,.

Densifying $(\text{Hf}_{0.2}\text{Zr}_{0.2}\text{Ta}_{0.2}\text{Nb}_{0.2}\text{Ti}_{0.2})\text{C}$ high-entropy ceramics by two-step pressureless sintering.

Yu D, Zhang B, Yin J, Wang Y, Liu X, Reece MJ and Huang Z. *Journal of The American Ceramic Society* vol. 105, (1) 76-81.

2021

Hardness anisotropy and active slip systems in a $(\text{Hf-Ta-Zr-Nb})\text{C}$ high-entropy carbide during nanoindentation.

Csanádi T, Girman V, Maj Á, Morgiel J, Reece MJ and Dusza J. *International Journal of Refractory Metals and Hard Materials* vol. 100,.

Ultrafast high-temperature sintering (UHS) of fine grained $\alpha\text{-Al}_2\text{O}_3$.

Kermani M, Dong J, Biesuz M, Linx Y, Deng H, Sglavo VM, Reece MJ, Hu C and Grasso S. *Journal of The European Ceramic Society* vol. 41, (13) 6626-6633.

Thermally-insulated ultra-fast high temperature sintering (UHS) of zirconia: A master sintering curve analysis.

Dong J, Pouchly V, Biesuz M, Tyrpekl V, Vilčmová M, Kermani M, Reece M, Hu C and Grasso S. *Scripta Materialia* vol. 203,.

Solidification microstructures of multielement carbides in the high entropy Zr-Nb-Hf-Ta-Cx system produced by arc melting.

Biesuz M, Saunders TG, Veverka J, Bortolotti M, Vontorová J, Vilčmová M and Reece MJ. *Scripta Materialia* vol. 203,.

High-Entropy Ceramics.

Zhang RZ and Reece MJ. *Encyclopedia of Materials: Metals and Alloys*.

Scalable and environmentally friendly mechanochemical synthesis of nanocrystalline rhodostannite $(\text{Cu}_2\text{FeSn}_3\text{S}_8)$.

Baláček M, Dobrozhan O, Tešínská M, Zhang RZ, Dáunda R, Dutková E, Raják M, Chen K, Reece MJ and Baláček P. *Powder Technology* vol. 388, 192-200.

Enhanced mechanical and thermal properties of ferroelastic high-entropy rare-earth-niobates.

Zhu J, Xu J, Zhang P, Meng X, Cao S, Wu J, Wei M, Shi Y, Reece MJ and Gao F. *Scripta Materialia* vol. 200,.

Strength analysis and stress-strain deformation behavior of 3 mol% $\gamma\text{-tZp}$ and 21 wt.% Al_2O_3 -3 mol% $\gamma\text{-tZp}$.

Vladislavova L, Smolorz T, Orlovskaya N, Lugovy M, Reece MJ, Köbel S, Kopia A, Makowska M, Graule T and Blugan G. *Materials* vol. 14, (14).

Low temperature densification mechanism and properties of Ta_{1-x}Hf_xC solid solutions with decarbonization and phase transition of Cr₃C₂.

Zhang B, Yin J, Wang Y, Yu D, Liu H, Liu X, Reece MJ and Huang Z. *Journal of Materiomics* vol. 7, (4) 672-682.

Effect of loading and heating history on deformation of LaCoO₃.

Lugovy M, Verbylo D, Orlovskaya N, Reece M, Kuebler J, Graule T and Blugan G. *Materials* vol. 14, (13).

Pressure assisted flash sintering of Mn-Co based spinel coatings for solid oxide electrolysis cells (SOECs).

Javed H, Saunders T, Reece MJ, Zanchi E, Sabato AG, Boccaccini AR and Smeacetto F. *Ceramics International* vol. 47, (12) 17804-17808.

Pressureless sintering and properties of (Hf_{0.2}Zr_{0.2}Ta_{0.2}Nb_{0.2}Ti_{0.2})C high-entropy ceramics: The effect of pyrolytic carbon.

Yu D, Yin J, Zhang B, Liu X, Reece MJ, Liu W and Huang Z. *Journal of The European Ceramic Society* vol. 41, (6) 3823-3831.

ZrB₂, HfB₂, OsB₂ and IrB₂ boride ceramics: Processing, structure, and properties.

Orlovskaya N, Hyer H, Sohn Y, Lugovy M, Blugan G, Graule T, Kuebler J, Yarmolenko S, Sankar J and Reece MJ. *Encyclopedia of Materials: Technical Ceramics and Glasses*.

A review of electromagnetic processing of materials (EPM): Heating, sintering, joining and forming.

Biesuz M, Saunders T, Ke D, Reece MJ, Hu C and Grasso S. *Journal of Materials Science and Technology* vol. 69, 239-272.

Dual-phase rare-earth-zirconate high-entropy ceramics with glass-like thermal conductivity.

Zhu J, Meng X, Zhang P, Li Z, Xu J, Reece MJ and Gao F. *Journal of The European Ceramic Society* vol. 41, (4) 2861-2869.

Pyrochlore-fluorite dual-phase high-entropy ceramic foams with extremely low thermal conductivity from particle-stabilized suspension.

Meng X, Xu J, Zhu J, Zhang P, Rydosz A, Reece MJ and Gao F. *Scripta Materialia* vol. 194.

Oxidation resistance of (Hf-Ta-Zr-Nb)C high entropy carbide powders compared with the component monocarbides and binary carbide powders.

Wang Y and Reece MJ. *Scripta Materialia* vol. 193, 86-90.

Electronic structure and thermal properties of Sm³⁺-doped La₂Zr₂O₇: First-principles calculations and experimental study.

Li Y, Meng X, Chen Q, Zhu J, Xu J, Reece MJ and Gao F. *Journal of The American Ceramic Society* vol. 104, (3) 1475-1488.

Thermoelectric Cu-S-Based Materials Synthesized via a Scalable Mechanochemical Process.

Baláček P, Achimovičová M, Baláček M, Chen K, Dobrozhan O, Guilmeau E, Hejtmánek J, Knápek K, Kuběňková L, Levinský P, Pucháček V, Reece MJ, Varga P and Zhang R. *Acs Sustainable Chemistry and Engineering* vol. 9, (5) 2003-2016.

Fast synthesis of n-type half-Heusler TiNiSn thermoelectric material.

Chen K, Nuttall C, Stefanaki E, Placha K, Tuley R, Simpson K, Bos JWG and Reece MJ. *Scripta Materialia* vol. 191, 71-75.

Effect of processing on the structures and properties of bismuth sodium titanate compounds.

Mahajan A, Zhang H, Wu J, Venkata Ramana E, Yu C, Tarakina NV, Reece MJ and Yan H. *Journal of Materials Research* 1-11. Springer.

Multi elements substituted Aurivillius phase relaxor ferroelectrics using high entropy design concept.

Zhang M, Xu X, Yue Y, Palma M, Reece MJ and Yan H. *Materials and Design* 109447-109447. Elsevier.

Response to comment on "point defect structure of La-doped SrTiO₃ ceramics with colossal permittivity".

Qin M, Gao F, Cizek J, Yang S, Fan X, Zhao L, Xu J, Dong G, Reece M and Yan H. *Scripta Materialia* vol. 190, 118-120.

Ultra-low thermal conductivity and enhanced mechanical properties of high-entropy rare earth niobates (RE₃NbO₇, RE = Dy, Y, Ho, Er, Yb).

Zhu J, Meng X, Xu J, Zhang P, Lou Z, Reece MJ and Gao F. *Journal of The European Ceramic Society* vol. 41, (1) 1052-1057.

Flash Spark Plasma Sintering of SiC: Impact of Additives.

Sharma SK, Fides M, Hvizdoš P, Reece MJ and Grasso S. *Silicon*.

Terahertz Characterization of Lead-Free Dielectrics for Different Applications.

Zhang M, Zhang H, Jiang Q, Gao F, Chen R, Zhang D, Reece MJ, Yang B, Viola G and Yan H. *Acs Applied Materials and Interfaces*.

2020

Ultrafast Electric Field-Induced Phase Transition in Bulk Bi_{0.5}Na_{0.5}TiO₃ under High-Intensity Terahertz Irradiation.

Zhang M, McKinnon RA, Viola G, Yang B, Zhang D, Reece MJ, Abrahams I and Yan H. *Acs Photonics.American Chemical Society*.

Flash cold sintering: Combining water and electricity.

Kermani M, Biesuz M, Dong J, Deng H, Bortolotti M, Chiappini A, Reece MJ, Sglavo VM, Hu C and Grasso S. *Journal of The European Ceramic Society* vol. 40, (15) 6266-6271.

High Tunability and Low Loss in Layered Perovskite Dielectrics through Intrinsic Elimination of Oxygen Vacancies.

Zhang H, Gidden H, Saunders TG, Liu N, Aurillo-Peters V, Xu X, Palma M, Reece MJ, Abrahams I, Yan H and Hao Y. *Chemistry of Materials.American Chemical Society (Acs)*.

Low-loss High Entropy Relaxor-like Ferroelectrics with A-site Disorder.

Xiong W, Zhang H, Cao S, Gao F, Svec P, Dusza J, Reece MJ and Yan H. *Journal of The European Ceramic Society. Elsevier*.

Small scale fracture and strength of high-entropy carbide grains during microcantilever bending experiments.

Csanádi T, Vojtko M, Dankházi Z, Reece MJ and Dusza J. *Journal of The European Ceramic Society* vol. 40, (14) 4774-4782.

Hierarchically porous lanthanum zirconate foams with low thermal conductivity from particle-stabilized foams.

Meng X, Xu J, Zhu J, Li Z, Zhao J, Reece MJ and Gao F. *Journal of The American Ceramic Society* vol. 103, (11) 6088-6095.

The role of multi-elements and interlayer on the oxidation behaviour of (Hf-Ta-Zr-Nb)C high entropy ceramics.

Wang Y, Zhang RZ, Zhang B, Skurikhina O, Balaz P, Aurillo-Peters V and Reece MJ. *Corrosion Science* vol. 176,.

Enhancing the thermoelectric performance of calcium cobaltite ceramics by tuning composition and processing.

Yu J, Chen K, Azough F, Alvarez-Ruiz DT, Reece MJ and Freer R. *Acs Applied Materials and Interfaces* vol. 12, (42) 47634-47646.

Multiscale understanding of electric polarization in poly(vinylidene fluoride)-based ferroelectric polymers.

Meng N, Ren X, Zhu X, Wu J, Yang B, Gao F, Zhang H, Liao Y, Bilotti E, Reece MJ and Yan H. *Journal of Materials Chemistry C.Royal Society of Chemistry*.

Oxidation protective glass coating for magnesium silicide based thermoelectrics.

D'Isanto F, Smeacetto F, Reece MJ, Chen K and Salvo M. *Ceramics International* vol. 46, (15) 24312-24317.

Hybrid Flash-SPS of TiNiCu_{0.05}Sn with reduced thermal conductivity.

Gucci F, Saunders TG, Srinivasan B, Cheviri F, Ferluccio DA, Bos JWG and Reece MJ. *Journal of Alloys and Compounds* vol. 837,.

Enhanced Hardness in High-Entropy Carbides Through Atomic Randomness.

Wang Y, Csanádi T, Zhang H, Dusza J, Reece M and Zhang R-Z. *Advanced Theory and Simulations.Wiley-Blackwell*.

Structural and electronic evolution in the Cu₃SbS₄-Cu₃SnS₄ solid solution.

Chen K, Di Paola C, Laricchia S, Reece MJ, Weber C, McCabe E, Abrahams I and Bonini N. *Journal of Materials Chemistry C* vol. 8, (33) 11508-11516. Royal Society of Chemistry.

Improved creep resistance of high entropy transition metal carbides.

Han X, Girman V, Sedlak R, Dusza J, Castle EG, Wang Y, Reece M and Zhang C. *Journal of The European Ceramic Society* vol. 40, (7) 2709-2715.

Interfacial reaction between ZrNbHfTa foil and graphite: Formation of high-entropy carbide and the effect of heating rate on its microstructure.

Biesuz M, Saunders TG, Chen K, Bortolotti M, Salvo M, Grasso S and Reece MJ. *Journal of The European Ceramic Society* vol. 40, (7) 2699-2708.

Substitutional doping of hybrid organic-inorganic perovskite crystals for thermoelectrics.

TANG W, Zhang J, RATNASINGHAM SR, Liscio F, CHEN K, Liu T, Wan K, Suena Galindez E, Bilotti E, Reece M, Baxendale M, Milita S, McLachlan M, Su L and Fenwick O. *Journal of Materials Chemistry A. Royal Society of Chemistry (Rsc)*.

Colossal thermoelectric enhancement in Cu_{2+x}Zn_{1-x}SnS₄ solid solution by local disordering of crystal lattice and multi-scale defect engineering.

Jiang Q, Yan H, Lin Y, Shen Y, Yang J and Reece MJ. *Journal of Materials Chemistry A* vol. 8, (21) 10909-10916. Royal Society of Chemistry.

An investigation of the corrosion behavior of 316L stainless steel fabricated by SLM and SPS techniques.

Kale AB, Kim BK, Kim DI, Castle EG, Reece M and Choi SH. *Materials Characterization* vol. 163,.

Magnetic field-induced alignment of nanofibrous supramolecular membranes: a molecular design approach to create tissue-like biomaterials.

Radvar E, Shi Y, Grasso S, Edwards-Gayle CJC, Liu X, Mauter MS, Castelletto V, Hamley IW, Reece MJ and Azevedo HS. *Acs Applied Materials and Interfaces. American Chemical Society*.

A review of cold sintering processes.

Grasso S, Biesuz M, Zoli L, Taveri G, Duff AI, Ke D, Jiang A and Reece MJ. *Advances in Applied Ceramics* vol. 119, (3) 115-143.

Highly textured and strongly anisotropic TiB₂ ceramics prepared using magnetic field alignment (9T).

Tatarko P, Grasso S, Kovalová A, Medved D, Dlouhá I and Reece MJ. *Journal of The European Ceramic Society* vol. 40, (4) 1111-1118.

Spark plasma sintered B₄C-structural, thermal, electrical and mechanical properties.

Kuliev R, Orlovskaya N, Hyer H, Sohn Y, Lugovy M, Ha D, Radovic M, Castle EG, Reece MJ, Sasikumar PVW, Conti L, Graule T, Kuebler J and Blugan G. *Materials* vol. 13, (7).

Photocatalytic activity of 2D nanosheets of ferroelectric Dion-Jacobson compounds.

Xiong W, Porwal H, Luo H, Araullo-Peters V, Feng J, Titirici MM, Reece MJ and Briscoe J. *Journal of Materials Chemistry A* vol. 8, (14) 6564-6568. Royal Society of Chemistry.

Giant energy storage density in PVDF with internal stress engineered polar nanostructures.

Ren X, Meng N, Zhang H, Wu J, Abrahams I, Yan H, Bilotti E and Reece MJ. *Nano Energy* vol. 72, Elsevier.

High thermoelectric performance of Ca₃Co₄O₉ ceramics with duplex structure fabricated via two-step pressureless sintering.

Shi Z, Xu J, Zhu J, Zhang R, Qin M, Lou Z, Gao T, Reece M and Gao F. *Journal of Materials Science: Materials in Electronics* vol. 31, (4) 2938-2948.

Effect of MnO₂ on the microstructure and electrical properties of 0.83Pb(Zr_{0.5}Ti_{0.5})O₃-0.11Pb(Zn_{1/3}Nb_{2/3})O₃-0.06Pb(Ni_{1/3}Nb_{2/3})O₃ piezoelectric ceramics.

Li L, Liu J, Xu J, Cao S, Chen Q, Pawlikowska E, Szafran M, Gao F, Reece M and Yan H. *Ceramics International* vol. 46, (1) 180-185.

The contribution of electrical conductivity, dielectric permittivity and domain switching in ferroelectric hysteresis loops.

Yan H, Inam F, Viola G, Ning H, Zhang H, Jiang Q, Zeng T, Gao Z and Reece MJ. *Progress in Advanced Dielectrics*.

Strength enhancement and slip behaviour of high-entropy carbide grains during micro-compression.

Csanádi T, Castle E, Reece MJ and Dusza J. *Scientific Reports* vol. 9, (1).

Flash joining of conductive ceramics in a few seconds by flash spark plasma sintering.

Biesuz M, Saunders TG, Grasso S, Speranza G, Sorar¹ GD, Campostrini R, Sglavo VM and Reece MJ. *Journal of The European Ceramic Society* vol. 39, (15) 4664-4672.

Ultrahigh γ -phase content poly(vinylidene fluoride) with relaxor-like ferroelectricity for high energy density capacitors.

Meng N, Ren X, Santagiuliana G, Ventura L, Zhang H, Wu J, Yan H, Reece MJ and Bilotti E. *Nature Communications* vol. 10, (1).

European Radioisotope Thermoelectric Generators (RTGs) and Radioisotope Heater Units (RHUs) for Space Science and Exploration.

Ambrosi RM, Williams H, Watkinson EJ, Barco A, Mesalam R, Crawford T, Bicknell C, Samara-Ratna P, Vernon D, Bannister N, Ross D, Sykes J, Perkinson MC, Burgess C, Stroud C, Gibson S, Godfrey A, Slater RG, Reece MJ, Chen K, Simpson K, Tuley R, Sarsfield M, Tinsley TP, Stephenson K, Freis D, Vigier JF, Konings RJM, Fongarland C and Libessart M. *Space Science Reviews* vol. 215, (8).

The structure and thermoelectric properties of tungsten bronze Ba₆Ti₂Nb₈O₃₀.

Jiang D, Ekren D, Azough F, Day SJ, Chen K, Mahajan A, Kepaptsoglou DM, Ramasse QM, Reece MJ and Freer R. *Journal of Applied Physics* vol. 126, (12).

High temperature stiffening of ferroelastic LaCoO₃.

Orlovskaya N, Lugovy M, Verbylo D, Reece MJ, Graule T and Kuebler J. *Journal of The European Ceramic Society* vol. 39, (11) 3338-3343.

Design and development of ring-on-ring jig for biaxial strength testing of brittle ceramic composite materials: ZrB₂-30wt-%SiB₆.

Carrasco-Pena A, Jordan R, Dieguez J, Coronado-Rodríguez A, Ozdemir VB, Kwok K, Orlovskaya N, Vazquez-Molina DA, Uribe-Romo FJ, Bolon A, Radovic M, Grasso S and Reece MJ. *Advances in Applied Ceramics* vol. 118, (4) 159-168.

A novel microstructural design to improve the oxidation resistance of ZrB₂-SiC ultra-high temperature ceramics (UHTCs).

Zhang H, Jayaseelan DD, Bogomol I, Reece MJ, Hu C, Grasso S and Lee WE. *Journal of Alloys and Compounds* vol. 785, 958-964.

Flash spark plasma sintering of 3YSZ.

Biesuz M, Sedlák R, Saunders T, Kovalová A, Dusza J, Reece M, Zhu D, Hu C and Grasso S. *Journal of The European Ceramic Society* vol. 39, (5) 1932-1937.

Mechanochemistry for Thermoelectrics: Nanobulk Cu₆Fe₂Sn₈/Cu₂FeSn₄ Composite Synthesized in an Industrial Mill.

Balácz P, Hegedüs M, Reece M, Zhang RZ, Su T, Árkovány I, Briançin J, Balácz M, Mihálik M, Tešný M and Achimovičová M. *Journal of Electronic Materials* vol. 48, (4) 1846-1856.

Microstructure and broadband dielectric properties of Zn₂SiO₄ ceramics with nano-sized TiO₂ addition.

Weng Z, Song C, Xiong Z, Xue H, Sun W, Zhang Y, Yang B, Reece MJ and Yan H. *Ceramics International*.

Two-step processing of thermoelectric (Ca_{0.9}Ag_{0.1})₃Co₄O₉/nano-sized Ag composites with high ZT.

Shi Z, Gao F, Xu J, Zhu J, Zhang Y, Gao T, Qin M, Reece M and Yan H. *Journal of The European Ceramic Society*.

High entropy Sr((Zr_{0.94}Y_{0.06})_{0.2}Sn_{0.2}Ti_{0.2}Hf_{0.2}Mn_{0.2})O_{3-x} perovskite synthesis by reactive spark plasma sintering.

Biesuz M, Fu S, Dong J, Jiang A, Ke D, Xu Q, Zhu D, Bortolotti M, Reece MJ, Hu C and Grasso S. *Journal of Asian Ceramic Societies* vol. 7, (2) 127-132.

Csanádi T, Wehrs J, Grasso S, Reece M, Michler J and Dusza J. *International Journal of Refractory Metals and Hard Materials* vol. 80, 270-276.

Remarkably enhanced polarisability and breakdown strength in PVDF-based interactive polymer blends for advanced energy storage applications.

Ren X, Meng N, Yan H, Bilotti E and Reece MJ. *Polymer* vol. 168, 246-254.

Oxidation protective hybrid coating for thermoelectric materials.

Gucci F, D'Isanto F, Zhang R, Reece MJ, Smeacetto F and Salvo M. *Materials* vol. 12, (4).

Glass-ceramic oxidation protection of higher manganese silicide thermoelectrics.

Salvo M, Smeacetto F, D'Isanto F, Viola G, Demitri P, Gucci F and Reece MJ. *Journal of The European Ceramic Society* vol. 39, (1) 66-71.

Crystal structure and improved thermoelectric performance of iron stabilized cubic Cu_3SbS_3 compound.

Du B, Zhang R, Liu M, Chen K, Zhang H and Reece MJ. *Journal of Materials Chemistry C* vol. 7, (2) 394-404.

Realizing a stable high thermoelectric $zT \sim 2$ over a broad temperature range in $\text{Ge}_{1-x}\text{Ga}_x\text{Sb}_y\text{Te}$ via band engineering and hybrid flash-SPS processing.

Srinivasan B, Gell   A, Gucci F, Boussard-Pledel C, Fontaine B, Gautier R, Halet JF, Reece MJ and Bureau B. *Inorganic Chemistry Frontiers* vol. 6, (1) 63-73.

Chapter 7 Refined SPS modeling based on calibrated current and voltage measurements.

Gucci F, Saunders T, Reece M and Grasso S. *Spark Plasma Sintering*.

Review of high entropy ceramics: design, synthesis, structure and properties.

Zhang RZ and Reece MJ. *Journal of Materials Chemistry A* vol. 7, (39) 22148-22162.

Anisotropy and enhancement of thermoelectric performance of $\text{Sr}_{0.8}\text{La}_{0.067}\text{Ti}_{0.8}\text{Nb}_{0.2}\text{O}_3$ -? ceramics by graphene additions.

Srivastava D, Norman C, Azough F, Ekren D, Chen K, Reece MJ, Kinloch IA and Freer R. *Journal of Materials Chemistry A* vol. 7, (42) 24602-24613.

2018

Time and frequency dependent mechanical properties of LaCoO_3 -based perovskites: Neutron diffraction and domain mobility.

Lugovy M, Aman A, Orlovskaya N, Slyunyayev V, Graule T, Kuebler J, Reece MJ, Chen Y, Ma D and An K. *Journal of Applied Physics* vol. 124, (20).

Time and frequency dependent mechanical properties of LaCoO_3 -based perovskites: Internal friction and negative creep.

Lugovy M, Orlovskaya N, Pathak S, Radovic M, Lara-Curzio E, Verbylo D, Kuebler J, Graule T and Reece MJ. *Journal of Applied Physics* vol. 124, (20).

Flash spark plasma sintering of HfB_2 ceramics without pre-sintering.

Zou J, Grasso S, Liu LF, Ma HB, Reece M and Binner J. *Scripta Materialia* vol. 156, 115-119.

Data-Driven Design of Ecofriendly Thermoelectric High-Entropy Sulfides.

Zhang R-Z, Gucci F, Zhu H, Chen K and Reece MJ. *Inorg Chem* vol. 57, (20) 13027-13033.

Effect of the Processing Route on the Thermoelectric Performance of Nanostructured $\text{CuPb}_{18}\text{SbTe}_{20}$.

Srinivasan B, Fontaine B, Gucci F, Dorcet V, Saunders TG, Yu M, Chevir   F, Boussard-Pledel C, Halet JF, Gautier R, Reece MJ and Bureau B. *Inorganic Chemistry* vol. 57, (20) 12976-12986.

Point defect structure of La-doped SrTiO_3 ceramics with colossal permittivity.

Qin M, Gao F, Cizek J, Yang S, Fan X, Zhao L, Xu J, Dong G, REECE M and YAN H. *Acta Materialia* vol. 164, 76-89.

Microstructure characterization and thermoelectric properties of $\text{Sr}_{0.9}\text{La}_{0.1}\text{TiO}_3$ ceramics with nano-sized Ag as additive.

Qin M, Gao F, Dong G, Xu J, Fu M, Wang Y, Reece M and Yan H. *Journal of Alloys and Compounds* vol. 762, 80-89.

Effect of heat treatment on the properties of wood-derived biocarbon structures.

Yu M, Saunders T, Su T, Gucci F and Reece MJ. *Materials* vol. 11, (9).

Effectiveness of boria welding flux in improving the wettability of ZrB₂ in contact with molten Cu.

Saunders T, Tatarko P, Grasso S and Reece MJ. *Journal of The European Ceramic Society* vol. 38, (12) 4198-4202.

Bioactive sol-gel glass-coated wood-derived biocarbon scaffolds.

REECE MJ. *Materials Letters* vol. 232, 14-17.

In situ synthesis of m-type unfilled skutterudite with reduced thermal conductivity by hybrid Flash-Spark Plasma sintering.

GUCCI F, SAUNDERS T and REECE M. *Scripta Materialia* vol. 157, 58-61. Elsevier.

Enhanced thermoelectric performance of Sn-doped Cu₃SbS₄.

Chen K, Di Paola C, Du B, Zhang R, Laricchia S, Bonini N, Weber C, Abrahams I, Yan H and Reece M. *Journal of Materials Chemistry C* vol. 6, (31) 8546-8552.

Graphene-reinforced silicon oxycarbide composites prepared by phase transfer.

YU M. *Carbon*.

Investigation of electrochemical, optical and thermal effects during flash sintering of 8YSZ.

Biesuz M, Pinter L, Saunders T, Reece M, Binner J, Sglavo VM and Grasso S. *Materials* vol. 11, (7).

DC-electro softening in soda lime silicate glass: An electro-thermal analysis.

Pinter L, Biesuz M, Sglavo VM, Saunders T, Binner J, Reece M and Grasso S. *Scripta Materialia* vol. 151, 14-18.

Processing and Properties of High Entropy Ultra-High Temperature Carbides.

CASTLE E, Csanádi T, GRASSO S, Dusza J and REECE M. *Scientific Reports* vol. 8, 8609-8609. Nature Publishing Group.

Microstructure of (Hf-Ta-Zr-Nb)C high-entropy carbide at micro and nano/atomic level.

Dusza J, Ávec P, Girman V, Sedlák R, Castle EG, Csanádi T, Kovalová A and Reece MJ. *Journal of The European Ceramic Society*.

Preparation and properties of biomorphic potassium-based geopolymer (KGP)-biocarbon (CB) composite.

Yu M, Bernardo E, Colombo P, Romero AR, Tatarko P, Kannuchamy VK, Titirici MM, Castle EG, Picot OT and Reece MJ. *Ceramics International*.

SrFe₁₂O₁₉ based ceramics with ultra-low dielectric loss in the millimetre-wave band.

YU C, YANG B, ABRAHAMS I and YAN H. *Applied Physics Letters*. Aip Publishing.

Topotactic anion-exchange in thermoelectric nanostructured layered tin chalcogenides with reduced selenium content.

Han G, Popuri SR, Greer HF, Zhang R, Ferre-Llin L, Bos J-WG, Zhou W, Reece MJ, Paul DJ, Knox AR and Gregory DH. *Chem Sci* vol. 9, (15) 3828-3836.

Enhanced thermoelectric performance of Cs doped BiCuSeO prepared through eco-friendly flux synthesis.

Achour A, Chen K, Reece MJ and Huang Z. *Journal of Alloys and Compounds* vol. 735, 861-869.

Tuning of Catalytic Activity by Thermoelectric Materials for Carbon Dioxide Hydrogenation.

Achour A, Chen K, Reece MJ and Huang Z. *Advanced Energy Materials* vol. 8, (5).

Enhanced dielectric tunability and energy storage properties of plate-like Ba_{0.6}Sr_{0.4}TiO₃/poly(vinylidene fluoride) composites through texture arrangement.

Wang L, Gao F, Xu J, Zhang K, Kong J, Reece M and Yan H. *Composites Science and Technology* vol. 158, 112-120.

Impact of Coinage Metal Insertion on the Thermoelectric Properties of GeTe Solid-State Solutions.

Srinivasan B, Gautier R, Gucci F, Fontaine B, Halet JF, Cheviré F, Boussard-Pledel C, Reece MJ and Bureau B. *Journal of Physical Chemistry C* vol. 122, (1) 227-235.

2017

Magnéli phase titanium suboxides by Flash Spark Plasma Sintering.

Yu M, Saunders T, Grasso S, Mahajan A, Zhang H and Reece MJ. *Scripta Materialia* vol. 146, 241-245.

Titanium Dioxide Engineered for Near-dispersionless High Terahertz Permittivity and Ultra-low-loss.

Yu C, Zeng Y, Yang B, Donnan R, Huang J, Xiong Z, Mahajan A, Shi B, Ye H, Binions R, Tarakina NV, Reece MJ and Yan H. *Scientific Reports* vol. 7, (1).

Understanding and quantification of grain growth mechanism in ZrO₂-carbon nanotube composites.

Milsom B, Porwal H, Viola G, Gao Z and Reece MJ. *Materials and Design* vol. 133, 325-331.

Influence of spark plasma sintering parameters on magnetic properties of FeCo alloy.

Albaaji AJ, Castle EG, Reece MJ, Hall JP and Evans SL. *Aip Advances* vol. 8, (4).

The effect of processing conditions on phase and microstructure of CaGeO₃ ceramics.

Viola G, D'Isanto F, Mahmoud AER, Reece MJ, Cempura G, Smeacetto F and Salvo M. *Ceramics International* vol. 43, (15) 12035-12043.

Flash joining of CVD-SiC coated Cf/SiC composites with a Ti interlayer.

Tatarko P, Grasso S, Saunders TG, Casalegno V, Ferraris M and Reece MJ. *Journal of The European Ceramic Society* vol. 37, (13) 3841-3848.

Impact of spark plasma sintering (SPS) on mullite formation in porcelains.

Lerdprom W, Bhowmik A, Grasso S, Zapata-Solvas E, Jayaseelan DD, Reece MJ and Lee WE. *Journal of The American Ceramic Society* vol. 101, (2) 525-535.

The deformation and fracture behaviors of 316L stainless steels fabricated by spark plasma sintering technique under uniaxial tension.

Kale AB, Bag A, Hwang JH, CASTLE E, Reece MJ and Choi SH. *Materials Science and Engineering: A* vol. 707, 362-372. Elsevier.

Rapid spark plasma sintering to produce dense UHTCs reinforced with undamaged carbon fibres.

Zoli L, Vinci A, Silvestroni L, Sciti D, Reece M and Grasso S. *Materials and Design* vol. 130, 1-7.

Enhancement in thermoelectric performance of n-type Pb-deficit Pb-Sb-Te alloys.

Srinivasan B, Gucci F, Boussard-Pledel C, Chevire F, Reece MJ, Tricot S, Calvez L and Bureau B. *Journal of Alloys and Compounds* vol. 729, 198-202.

High coercivity, anisotropic, heavy rare earth-free Nd-Fe-B by Flash Spark Plasma Sintering.

CASTLE E, Sheridan R, Zhou W, Grasso S, Walton A and Reece MJ. *Scientific Reports*. Li S. Nature Publishing Group.

Peltier effect during spark plasma sintering (SPS) of thermoelectric materials.

Maizza G, Mastorillo GD, Grasso S, Ning H and Reece MJ. *Journal of Materials Science* vol. 52, (17) 10341-10352.

Enhancement in the elongation, yield strength and magnetic properties of intermetallic FeCo alloy using spark plasma sintering.

Albaaji A, CASTLE E, Reece MJ, Hall JP and Evans SL. *Journal of Materials Science*.

Sintering trials of analogues of americium oxides for radioisotope power systems.

Watkinson EJ, Ambrosi RM, Kramer DP, Williams HR, Reece MJ, Chen K, Sarsfield MJ, Barklay CD, Fenwick H, Weston DP and Stephenson K. *Journal of Nuclear Materials* vol. 491, 18-30.

Crystallization kinetics and enhanced dielectric properties of free standing lead-free PVDF based composite films.

Meng N, Mao R, Tu W, Odolczyk K, Zhang Q, Bilotti E and Reece MJ. *Polymer* vol. 121, 88-96.

Bertolla L, Dlouhý I, Tatarko P, Viani A, Mahajan A, Chlup Z, Reece MJ and Boccaccini AR. *Journal of The European Ceramic Society* vol. 37, (7) 2727-2736.

Wetting and interfacial phenomena of Ni-Ta alloys on CVD-SiC.

Valenza F, Gambaro S, Muolo ML, Cacciamani G, Tatarko P, Saunders TG, Reece MJ, Schmidt A, Schubert T, Weir T and Passerone A. *International Journal of Applied Ceramic Technology* vol. 14, (3) 295-304.

Densification behaviour and physico-mechanical properties of porcelains prepared using spark plasma sintering.

Lerdprom W, Grasso S, Jayaseelan DD, Reece MJ and Lee WE. *Advances in Applied Ceramics* vol. 116, (6) 307-315.

Thermoelectric properties of highly-crystallized Ge-Te-Se glasses doped with Cu/Bi.

Srinivasan B, Boussard-Pledel C, Dorcet V, Samanta M, Biswas K, Lefèvre R, Gascoin F, Chevire F, Tricot S, Reece M and Bureau B. *Materials* vol. 10, (4).

Flash spark plasma sintering of cold-Pressed TiB₂-hBN.

McKinnon R, Grasso S, Tudball A and Reece MJ. *Journal of The European Ceramic Society* vol. 37, (8) 2787-2794.

Effect of ball-milling time on mechanical and magnetic properties.

Albaaji AJ, CASTLE E, Reece MJ, Hall JP and Evans SL. *Materials and Design*. Elsevier.

Nanoscale Interfacial Electroactivity in PVDF/PVDF-TrFE Blended Films with Enhanced Dielectric and Ferroelectric Properties.

MENG N, Zhu X, Mao R, Reece M and Bilotti E. *Journal of Materials Chemistry C* vol. 5, 3296-3305. Royal Society of Chemistry.

Large-Scale Surfactant-Free Synthesis of p-Type SnTe Nanoparticles for Thermoelectric Applications.

Han G, Zhang R, Popuri SR, Greer HF, Reece MJ, Bos J-WG, Zhou W, Knox AR and Gregory DH. *Materials (Basel)* vol. 10, (3). Mdpi Ag.

Microstructural comparison of effects of hafnium and titanium additions in spark-plasma-sintered Fe-based oxide-dispersion strengthened alloys.

Huang Y, Zhang H, Auger MA, Hong Z, Ning H, Gorley MJ, Grant PS, Reece MJ, Yan H and Roberts SG. *Journal of Nuclear Materials* vol. 487, 433-442.

Effect of Phase Transitions on Thermal Depoling in Lead-Free 0.94(Bi_{0.5}Na_{0.5}TiO₃)-0.06(BaTiO₃) Based Piezoelectrics.

MAHAJAN A, Zhang H, Wu J, Ramana EV, Reece M and Yan H. *The Journal of Physical Chemistry C*. American Chemical Society.

Screening for Cu-S based 1 thermoelectric materials using crystal structure features.

Zhang R, Chen K, Du B and REECE MJ. *Journal of Materials Chemistry A*. Royal Society of Chemistry.

Using graphene networks to build bioinspired self-monitoring ceramics.

Picot OT, Rocha VG, Ferraro C, Ni N, D'Elia E, Meille S, Chevalier J, Saunders T, Peijs T, Reece MJ and Saiz E. *Nat Commun* vol. 8, 14425-14425.

Flash spark plasma sintering of magnesium silicide stannide with improved thermoelectric properties.

Du B, Gucci F, Porwal H, Grasso S, Mahajan A and Reece MJ. *Journal of Materials Chemistry C* vol. 5, (6) 1514-1521.

The impact of lone-pair electrons on the lattice thermal conductivity of the thermoelectric compound CuSbS₂.

Du B, Zhang R, Chen K, Mahajan A and Reece MJ. *Journal of Materials Chemistry A* vol. 5, (7) 3249-3259.

Spontaneous formation of interwoven porous channels in hard-wood-based hard-carbon for high-performance anodes in potassium-ion batteries.

Prabakar SJR, Han SC, Park C, Bhairuba IA, Reece MJ, Sohn KS and Pyo M. *Journal of The Electrochemical Society* vol. 164, (9) A2012-A2016.

2016

Review of flash sintering: materials, mechanisms and modelling.

Yu M, Grasso S, McKinnon R, Saunders T and Reece MJ. *Advances in Applied Ceramics* vol. 116, (1) 24-60. Taylor & Francis.

Theory-Guided Synthesis of an Eco-Friendly and Low-Cost Copper Based Sulfide Thermoelectric Material.

Chen K, Du B, Bonini N, Weber C, Yan H and Reece MJ. *Journal of Physical Chemistry C* vol. 120, (48) 27135-27140.

Joining of CVD-SiC coated and uncoated fibre reinforced ceramic matrix composites with pre-sintered Ti₃SiC₂ MAX phase using Spark Plasma Sintering.

Tatarko P, Casalegno V, Hu C, Salvo M, Ferraris M and Reece MJ. *Journal of The European Ceramic Society* vol. 36, (16) 3957-3967.

Investigating the highest melting temperature materials: A laser melting study of the TaC-HfC system.

Cedillos-Barraza O, Manara D, Boboridis K, Watkins T, Grasso S, Jayaseelan DD, Konings RJM, Reece MJ and Lee WE. *Sci Rep* vol. 6, 37962-37962.

Non-congruence of high-temperature mechanical and structural behaviors of LaCoO₃ based perovskites.

Aman A, Jordan R, Chen Y, Stadelmann R, Lugovy M, Orlovskaya N, Payzant EA, dela Cruz C, Reece MJ, Graule T and Kuebler J. *Journal of The European Ceramic Society* vol. 37, (4) 1563-1576.

High temperature properties of the monolithic CVD α -SiC materials joined with a pre-sintered MAX phase Ti₃SiC₂ interlayer via solid-state diffusion bonding.

Tatarko P, Chlup Z, Mahajan A, Casalegno V, Saunders TG, Dlouhý I and Reece MJ. *Journal of The European Ceramic Society* vol. 37, (4) 1205-1216.

Mechanical and magnetic properties of spark plasma sintered soft magnetic FeCo alloy reinforced by carbon nanotubes.

Albaaji AJ, CASTLE E, Reece MJ, Hall JP and Evans SL. *Journal of Materials Research. Cambridge University Press (Cup): Stm Journals*.

Erratum: Corrigendum to "Mechanical properties and residual stresses in ZrB₂-SiC spark plasma sintered ceramic composites" (J. Eur. Ceram. Soc. (2016) 36(7) (1527-1537)).

Stadelmann R, Lugovy M, Orlovskaya N, Mchaffey P, Radovic M, Sglavo VM, Grasso S and Reece MJ. *Journal of The European Ceramic Society* vol. 36, (14) 3545-3545.

Growth of SiC platelets using contactless flash technique.

Wang C, Wu D, Grasso S, Saunders T, Castle E, Yan H and Reece MJ. *Nippon Seramikkusu Kyokai Gakujutsu Ronbunshi/Journal of The Ceramic Society of Japan* vol. 124, (9) 845-847.

Spark plasma sintering in a flash.

Grasso S, Saunders T, McKinnon R, Castle E, Tatarko P, Du B, Gucci F, Yu M, Porwal H, Milsom B and Reece M. *American Ceramic Society Bulletin* vol. 95, (7) 32-34.

Novel Preparation, Microstructure, and Properties of Polyacrylonitrile-Based Carbon Nanofiber-Graphene Nanoplatelet Materials.

Wu X, Mahalingam S, Amir A, Porwal H, Reece MJ, Naglieri V, Colombo P and Edirisinghe M. *Acs Omega* vol. 1, (2) 202-211.

Processing and Characterization of Free Standing Highly Oriented Ferroelectric Polymer Films with Remarkably Low Coercive Field and High Remnant Polarization.

MENG N, Mao R, Tu W, Zhu X, Wilson R, Bilotti E and Reece M. *Polymer* vol. 100, 69-76.

Synthesis and properties of graphene and graphene/carbon nanotube-reinforced soft magnetic FeCo alloy composites by spark plasma sintering.

Albaaji AJ, Castle EG, Reece MJ, Hall JP and Evans SL. *Journal of Materials Science* vol. 51, (16) 7624-7635.

Oxidation protective glass-ceramic coating for higher manganese silicide thermoelectrics.

Ning H, Reece MJ, Smeacetto F and Salvo M. *Journal of Materials Science* vol. 51, (20) 9484-9489. Springer Verlag (Germany).

Ultrafast-Contactless Flash Sintering using Plasma Electrodes.

Saunders T, Grasso S and Reece MJ. *Scientific Reports* vol. 6,.

Rapid Sintering of Anisotropic, Nanograined Nd-Fe-B by Flash-Spark Plasma Sintering.

CASTLE E, Grasso S, Reece MJ, Sheridan R and Walton A. *Journal of Magnetism and Magnetic Materials*.

Cyclic fatigue effect in particulate ceramic composites.

Lugovy M, Slyunyayev V, Orlovskaya N, Reece M, Graule T and Kuebler J. *Journal of The European Ceramic Society* vol. 36, (14) 3257-3266. Elsevier.

Effect of lateral size of graphene nano-sheets on the mechanical properties and machinability of alumina nano-composites.

Porwal H, Saggarr R, Tatarko P, Grasso S, Saunders T, Dlouhý I and Reece MJ. *Ceramics International* vol. 42, (6) 7533-7542. Elsevier.

Flash Spark Plasma Sintering (FSPS) of SiC .

Grasso S, Saunders T, Porwal H, Milsom B, Tudball A, Reece M and Chen IW. *Journal of The American Ceramic Society* vol. 99, (5) 1534-1543.

Graphene nanoplatelets loaded polyurethane and phenolic resin fibres by combination of pressure and gyration.

Amir A, Mahalingam S, Wu X, Porwal H, Colombo P, Reece MJ and Edirisinghe M. *Composites Science and Technology* vol. 129, 173-182. Elsevier.

Perfluorinated polysiloxane hybridized with graphene oxide for corrosion inhibition of AZ31 magnesium alloy.

Ikhe AB, Kale AB, Jeong J, Reece MJ, Choi S-H and Pyo M. *Corrosion Science* vol. 109, 238-245.

Ultra-Rapid Crystal Growth of Textured SiC Using Flash Spark Plasma Sintering Route.

Grasso S, Kim E-Y, Saunders T, Yu M, Tudball A, Choi S-H and Reece M. *Crystal Growth and Design* vol. 16, (4) 2317-2321. American Chemical Society.

Sintering behaviour, solid solution formation and characterisation of TaC, HfC and TaC-HfC fabricated by spark plasma sintering.

Cedillos-Barraza O, Grasso S, Nasiri NA, Jayaseelan DD, Reece MJ and Lee WE. *Journal of The European Ceramic Society* vol. 36, (7) 1539-1548.

Plasticity in ZrB_2 micropillars induced by anomalous slip activation.

Csanádi T, Szommer P, Chinh NQ, Grasso S, Dusza J and Reece M. *Journal of The European Ceramic Society* vol. 36, (3) 389-394.

Crystallographic Structure and Ferroelectricity of $(\text{AxLa}_{1-x})_2\text{Ti}_2\text{O}_7$ (A = Sm and Eu) Solid Solutions with High T_c .

Chen C, Gao Z, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 99, (2) 523-530.

Mechanical properties and residual stresses in ZrB_2 - SiC spark plasma sintered ceramic composites.

Stadelmann R, Lugovy M, Orlovskaya N, Mchaffey P, Radovic M, Sglavo VM, Grasso S and Reece MJ. *Journal of The European Ceramic Society* vol. 36, (7) 1527-1537.

Efficacy of lone-pair electrons to engender ultralow thermal conductivity.

Du B, Chen K, Yan H and Reece MJ. *Scripta Materialia* vol. 111, 49-53.

Nanohardness and elastic anisotropy of ZrB_2 crystals.

Csanádi T, Grasso S, Kovalová A, Dusza J and Reece M. *Journal of The European Ceramic Society* vol. 36, (1) 239-242.

Ferroelectric materials for fusion energy applications.

Cain MG, Weaver PM and Reece MJ. *Journal of Materials Chemistry A* vol. 4, (27) 10394-10402.

2015

Limiting oxidation of ZrB_2 by application of an electric field across its oxide scale.

Saunders T, Grasso S and Reece MJ. *Journal of Alloys and Compounds* vol. 653, 629-635.

2D Raman mapping and thermal residual stresses in SiC grains of ZrB_2 - SiC ceramic composites.

Stadelmann R, Hughes B, Orlovskaya N, Grasso S and Reece MJ. *Ceramics International* vol. 41, (10) 13630-13637.

A High Curie Point Ferroelectric Ceramic $\text{Ca}_3(\text{VO}_4)_2$.

Ning H, Yan H and Reece MJ. *Ferroelectrics* vol. 487, (1) 94-100.

The effect of spark plasma sintering on lithium disilicate glass-ceramics.

Al Mansour F, Karpukhina N, Grasso S, Wilson RM, Reece MJ and Cattell MJ. *Dental Materials* vol. 31, (10) e226-e235.

Dielectric relaxation and electrical conductivity in Ca₅Nb₄TiO₁₇ ceramics.

Li C, Wei X, Fang L, Yan H and Reece MJ. *Ceramics International* vol. 41, (8) 9923-9930.

Role of synthesis method on microstructure and mechanical properties of graphene/carbon nanotube toughened Al₂O₃ nanocomposites.

Yazdani B, Porwal H, Xia Y, Yan H, Reece MJ and Zhu Y. *Ceramics International* vol. 41, (8) 9813-9822.

Enhanced thermoelectric performance of porous magnesium tin silicide prepared using pressure-less spark plasma sintering.

Ning H, Mastrotillo GD, Grasso S, Du B, Mori T, Hu C, Xu Y, Simpson K, Maizza G and Reece MJ. *Journal of Materials Chemistry A* vol. 3, (33) 17426-17432.

Ceramic composites from mesoporous silica coated multi-wall carbon nanotubes.

Dillon FC, Moghal J, Koós A, Lozano JG, Miranda L, Porwal H, Reece MJ and Grobert N. *Microporous and Mesoporous Materials* vol. 217, 159-166.

Porwal H, Estili M, Grünewald A, Grasso S, Detsch R, Hu C, Sakka Y, Boccaccini AR and Reece MJ. *Journal of Materials Science: Materials in Medicine* vol. 26, (6).

Highly anisotropic single crystal-like La₂Ti₂O₇ ceramic produced by combined magnetic field alignment and templated grain growth.

Gao Z, Suzuki TS, Grasso S, Sakka Y and Reece MJ. *Journal of The European Ceramic Society* vol. 35, (6) 1771-1776.

Thermal Diffusivity of SPS Pressed Silicon Powders and the Potential for Using Bottom-Up Silicon Quantum Dots as a Starting Material.

Ashby SP, Bian T, Ning H, Reece MJ and Chao Y. *Journal of Electronic Materials* vol. 44, (6) 1931-1935.

Observation of Curie transition during spark plasma sintering of ferromagnetic materials.

Mani MK, Viola G, Hall JP, Grasso S and Reece MJ. *Journal of Magnetism and Magnetic Materials* vol. 382, 202-205.

Processing and microstructure characterisation of oxide dispersion strengthened Fe-14Cr-0.4Ti-0.25Y₂O₃ ferritic steels fabricated by spark plasma sintering.

Zhang H, Huang Y, Ning H, Williams CA, London AJ, Dawson K, Hong Z, Gorley MJ, Grovenor CRM, Tatlock GJ, Roberts SG, Reece MJ, Yan H and Grant PS. *Journal of Nuclear Materials* vol. 464, 61-68.

Role of synthesis method on microstructure and mechanical properties of graphene/carbon nanotube toughened Al₂O₃ nanocomposites.

Yazdani B, Porwal H, Xia Y, Yan H, Reece MJ and Zhu Y. *Ceramics International*. Elsevier Ltd.

Spark plasma sintered bismuth telluride-based thermoelectric materials incorporating dispersed boron carbide.

Williams HR, Ambrosi RM, Chen K, Friedman U, Ning H, Reece MJ, Robbins MC, Simpson K and Stephenson K. *Journal of Alloys and Compounds* vol. 626, 368-374.

Nanoindentation and fracture toughness of nanostructured zirconia/multi-walled carbon nanotube composites.

Melk L, Roa Rovira JJ, Garc a-Marro F, Antti ML, Milsom B, Reece MJ and Anglada M. *Ceramics International* vol. 41, (2) 2453-2461.

Efficacy of lone-pair electrons to engender ultralow thermal conductivity.

Du B, Chen K, Yan H and Reece MJ. *Scripta Materialia*.

Study on properties of tantalum-doped La₂Ti₂O₇ ferroelectric ceramics.

Li C, Khaliq J, Ning H, Wei X, Yan H and Reece MJ. *Journal of Advanced Dielectrics* vol. 5, (1).

Reduced thermal conductivity by nanoscale intergrowths in perovskite like layered structure La₂Ti₂O₇.

Khaliq J, Li C, Chen K, Shi B, Ye H, Grande AM, Yan H and Reece MJ. *Journal of Applied Physics* vol. 117, (7).

Thermal Diffusivity of SPS Pressed Silicon Powders and the Potential for Using Bottom-Up Silicon Quantum Dots as a Starting Material.

Ashby SP, Bian T, Ning H, Reece MJ and Chao Y. *Journal of Electronic Materials*.

Ferroelectricity in Dion-Jacobson ABiNb₂O₇ (A = Rb, Cs) compounds.

Chen C, Ning H, Lepadatu S, Cain M, Yan H and Reece MJ. *Journal of Materials Chemistry C* vol. 3, (1) 19-22.

Microwave and terahertz dielectric properties of MgTiO₃-CaTiO₃ ceramics.

Huang JB, Yang B, Yu CY, Zhang GF, Xue H, Xiong ZX, Viola G, Donnan R, Yan HX and Reece MJ. *Materials Letters* vol. 138, 225-227.

Microwave and terahertz dielectric properties of MgTiO₃-CaTiO₃ ceramics.

Huang JB, Yang B, Yu CY, Zhang GF, Xue H, Xiong ZX, Viola G, Donnan R, Yan HX and Reece MJ. *Materials Letters* vol. 138, 225-227.

Ferroelectric and dielectric properties of Nd₂-xCe_{2-x}O₇ ceramics.

Gao ZP, Shi B, Ye H, Yan HX and Reece MJ. *Advances in Applied Ceramics* vol. 114, (4) 191-197.

Improved lithium-storage capability and cyclability of tin dioxide confined in highly crosslinked graphene framework.

Jeong J, Reece MJ and Pyo M. *Journal of The Electrochemical Society* vol. 162, (9) A1702-A1707.

Boron nitride nanosheets reinforced glass matrix composites.

Saggar R, Porwal H, Tatarko P, Dlouhý I and Reece MJ. *Advances in Applied Ceramics* vol. 114, S26-S33.

Scratch behaviour of graphene alumina nanocomposites.

Porwal H, Kasiarova M, Tatarko P, Grasso S, Dusza J and Reece MJ. *Advances in Applied Ceramics* vol. 114, S34-S41.

Guest editorial: GlaCERCo: Glass and ceramic composites for high technology applications - Marie Curie initial training network.

Boccaccini AR, Ferraris M, Reece MJ and Salvo M. *Advances in Applied Ceramics* vol. 114, S1-S2.

Comprehensive study of tellurium based glass ceramics for thermoelectric application.

Cui S, Boussard-Blanchard C, Calvez L, Rojas F, Chen K, Ning H, Reece MJ, Guizouarn T and Bureau B. *Advances in Applied Ceramics* vol. 114, S42-S47.

2014

Dielectric relaxation and electrical conductivity in Ca₅Nb₄TiO₁₇ ceramics.

Li C, Wei X, Fang L, Yan H and Reece MJ. *Ceramics International*. Elsevier Ltd.

Short range polar state transitions and deviation from Rayleigh-type behaviour in Bi_{0.5}Na_{0.5}TiO₃-based perovskites.

Viola G, Tan Y, McKinnon RA, Wei X, Yan H and Reece MJ. *Applied Physics Letters* vol. 105, (10).

Ultra-high temperature spark plasma sintering of α -SiC.

Grasso S, Saunders T, Porwal H and Reece M. *Ceramics International*. Elsevier Ltd.

Fabrication of carbon nanotube reinforced iron based magnetic alloy composites by spark plasma sintering.

Mani MK, Viola G, Reece MJ, Hall JP and Evans SL. *Journal of Alloys and Compounds* vol. 601, 146-153.

Enhancement of thermoelectric properties by atomic-scale percolation in digenite Cu_xS.

Jiang Q, Yan H, Khaliq J, Shen Y, Simpson K and Reece MJ. *Journal of Materials Chemistry A* vol. 2, (25) 9486-9489.

In-situ neutron diffraction of LaCoO₃ perovskite under uniaxial compression. I. Crystal structure analysis and texture development.

Aman A, Chen Y, Lugovy M, Orlovskaya N, Reece MJ, Ma D, Stoica AD and An K. *Journal of Applied Physics* vol. 116, (1).

In-situ neutron diffraction of LaCoO₃ perovskite under uniaxial compression. II. Elastic properties.

Lugovy M, Aman A, Chen Y, Orlovskaya N, Kuebler J, Graule T, Reece MJ, Ma D, Stoica AD and An K. *Journal of Applied Physics* vol. 116, (1).

Toughening effect of multi-walled boron nitride nanotubes and their influence on the sintering behaviour of 3Y-TZP zirconia ceramics.

Tatarko P, Grasso S, Chlup Z, Porwal H, Kašiarová M, Dlouhý I and Reece MJ. *Journal of The European Ceramic Society* vol. 34, (7) 1829-1843.

Porwal H, Grasso S, Cordero-Arias L, Li C, Boccaccini AR and Reece MJ. *J Mater Sci Mater Med* vol. 25, (6) 1403-1413.

Physical, mechanical, and structural properties of highly efficient nanostructured n-and p-silicides for practical thermoelectric applications.

Gelbstein Y, Tunbridge J, Dixon R, Reece MJ, Ning H, Gilchrist R, Summers R, Agote I, Lagos MA, Simpson K, Rouaud C, Feulner P, Rivera S, Torrecillas R, Husband M, Crossley J and Robinson I. *Journal of Electronic Materials* vol. 43, (6) 1703-1711.

Porwal H, Grasso S, Cordero-Arias L, Li C, Boccaccini AR and Reece MJ. *Journal of Materials Science: Materials in Medicine* vol. 25, (6) 1403-1413.

Plasma formation during electric discharge (50V) through conductive powder compacts.

Saunders T, Grasso S and Reece MJ. *Journal of The European Ceramic Society* vol. 35, (3) 871-877.

Large ZT enhancement in hot forged nanostructured p-type Bi_{0.5}Sb_{1.5}Te₃ bulk alloys.

Jiang Q, Yan H, Khaliq J, Ning H, Grasso S, Simpson K and Reece MJ. *Journal of Materials Chemistry A* vol. 2, (16) 5785-5790.

Joining of C/SiC composites by spark plasma sintering technique.

Rizzo S, Grasso S, Salvo M, Casalegno V, Reece MJ and Ferraris M. *Journal of The European Ceramic Society* vol. 34, (4) 903-913.

Effect of dysprosium substitution on crystal structure and physical properties of multiferroic BiFeO₃ ceramics.

Koval V, Skorvanek I, Reece M, Mitoseriu L and Yan H. *Journal of The European Ceramic Society* vol. 34, (3) 641-651.

Influence of coated SiC particulates on the mechanical and magnetic behaviour of Fe-Co alloy composites.

Mani MK, Viola G, Reece MJ, Hall JP and Evans SL. *Journal of Materials Science* vol. 49, (6) 2578-2587.

Utilizing the phonon glass electron crystal concept to improve the thermoelectric properties of combined Yb-stuffed and Te-substituted CoSb₃.

Khaliq J, Jiang Q, Yang J, Simpson K, Yan H and Reece MJ. *Scripta Materialia* vol. 72-73, 63-66.

Reply to the Comment on The Effect of Barium Substitution on the Ferroelectric Properties of Sr₂Nb₂O₇ Ceramics [J. Am. Ceram. Soc., 96 [4] 1163-1170 (2013)].

Gao Z, Shi B, Ye H, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 97, (2) 662-663.

High field ZnO varistors prepared by spark plasma sintering.

Charles S, Evans J, Reece MJ and Yan HX. *Advances in Applied Ceramics* vol. 113, (2) 94-97.

Role of internal field and exhaustion in ferroelectric switching.

Viola G, Boon Chong K, Guiu F and John Reece M. *Journal of Applied Physics* vol. 115, (3).

Mechanical and magnetic characterisation of SiC whisker reinforced Fe-Co alloy composites.

Mani MK, Viola G, Reece MJ, Hall JP and Evans SL. *Materials Science and Engineering A* vol. 592, 19-27.

Effects of dispersion surfactants on the properties of ceramic-carbon nanotube (CNT) nanocomposites.

Inam F, Heaton A, Brown P, Peijs T and Reece MJ. *Ceramics International* vol. 40, (1 PART A) 511-516.

Toughening effect of multi-walled boron nitride nanotubes and their influence on the sintering behaviour of 3Y-TZP zirconia ceramics.

Tatarko P, Grasso S, Chlup Z, Porwal H, Kašiarová M, Dlouhý I and Reece MJ. *Journal of The European Ceramic Society*.

Joining of α -SiC by spark plasma sintering.

Grasso S, Tatarko P, Rizzo S, Porwal H, Hu C, Katoh Y, Salvo M, Reece MJ and Ferraris M. *Journal of The European Ceramic Society* vol. 34, (7) 1681-1686.

Temperature and frequency dependence of electric field-induced phase transitions in PMN-0.32PT.

Wooldridge J, Stewart M, Vecchini C, Cain MG, Gutmann M and Reece M. *Journal of The American Ceramic Society*.

Investigation of the Microstructural and Thermoelectric Properties of the (GeTe)(0.95)(Bi₂Te₃)(0.05) Composition for Thermoelectric Power Generation Applications.

Weintraub L, Davidow J, Tunbridge J, Dixon R, Reece MJ, Ning H, Agote I and Gelbstein Y. *Journal of Nanomaterials* vol. 2014,.

Badica P, Grasso S, Borodianska H, Xie SS, Li P, Tatarko P, Reece MJ, Sakka Y and Vasylykiv O. *Journal of The Ceramic Society of Japan* vol. 122, (1424) 271-275.

Tribological properties of silica-graphene nano-platelet composites.

Porwal H, Tatarko P, Saggarr R, Grasso S, Kumar Mani M, Dlouh \tilde{A} ^{1/2} I, Dusza J and Reece MJ. *Ceramics International* vol. 40, (8 PART A) 12067-12074.

Boron nitride nanotubes as a reinforcement for brittle matrices.

Tatarko P, Grasso S, Porwal H, Chlup Z, Saggarr R, Dlouh \tilde{A} ^{1/2} I and Reece MJ. *Journal of The European Ceramic Society* vol. 34, (14) 3339-3349.

Flash spark plasma sintering (FSPS) of pure ZrB₂.

Grasso S, Saunders T, Porwal H, Cedillos-Barraza O, Jayaseelan DD, Lee WE and Reece MJ. *Journal of The American Ceramic Society* vol. 97, (8) 2405-2408.

Improvement of interfacial bonding in carbon nanotube reinforced Fe-50Co composites by Ni-P coating: Effect on magnetic and mechanical properties.

Mani MK, Viola G, Reece MJ, Hall JP and Evans SL. *Materials Science and Engineering B: Solid-State Materials For Advanced Technology* vol. 188, 94-101.

In situ reduction of graphene oxide nanoplatelet during spark plasma sintering of a silica matrix composite.

Porwal H, Grasso S, Mani MK and Reece MJ. *Journal of The European Ceramic Society* vol. 34, (14) 3357-3364.

Polymer-derived SiC ceramics from polycarbosilane/boron mixtures densified by SPS.

Bernardo E, Ponsot I, Colombo P, Grasso S, Porwal H and Reece MJ. *Ceramics International* vol. 40, (9 PART A) 14493-14500.

Three layer perovskite-like structured Pr₃Ti₂TaO₁₁ ferroelectrics with super-high curie point.

Chen C, Jiang Q, Wei X, Abrahams I, Yan H, Yan H, Reece MJ and Reece MJ. *Journal of The American Ceramic Society* vol. 97, (11) 3624-3630.

Effect of spark plasma sintering on the structure and properties of Ti_{1-x}Zr_xNiSn half-Heusler alloys.

Downie RA, Popuri SR, Ning H, Reece MJ and Bos JWG. *Materials* vol. 7, (10) 7093-7104.

2013

Graphene reinforced alumina nano-composites.

Porwal H, Tatarko P, Grasso S, Khaliq J, Dlouh \tilde{A} ^{1/2} I and Reece MJ. *Carbon* vol. 64, 359-369.

Review of graphene-ceramic matrix composites.

Porwal H, Grasso S and Reece MJ. *Advances in Applied Ceramics* vol. 112, (8) 443-454.

Effect of grain size on domain structures, dielectric and thermal depoling of Nd-substituted bismuth titanate ceramics.

Viola G, Boon Chong K, Eriksson M, Shen Z, Zeng J, Yin Q, Kan Y, Wang P, Ning H, Zhang H, Fitzpatrick ME, Reece MJ and Yan H. *Applied Physics Letters* vol. 103, (18).

Structural and magnetic characterization of spark plasma sintered Fe-50Co alloys.

Mani MK, Viola G, Reece MJ, Hall JP and Evans SL. *Materials Research Society Symposium Proceedings* vol. 1516, 201-207.

Toughened and machinable glass matrix composites reinforced with graphene and graphene-oxide nano platelets.

Porwal H, Tatarko P, Grasso S, Hu C, Boccaccini AR, Dlouhý I and Reece MJ. *Science and Technology of Advanced Materials* vol. 14, (5).

E-MRS 2012 fall meeting, September 17-21, Warsaw university of technology.

Balázsi C, Dusza J, Ąojkowski W, Reece MJ and Riedel R. *Journal of The European Ceramic Society* vol. 33, (12).

Effects of zinc substitution on the dielectric properties of Ca₅Nb₄TiO₁₇ microwave ceramics.

Li C, Wei X, Yan H and Reece MJ. *Journal of Advanced Dielectrics* vol. 03, (04).

Effect of donor dopants cerium and tungsten on the dielectric and electrical properties of high Curie point ferroelectric strontium niobate.

Ning H, Yan H, Gao Z, Wei X and Reece MJ. *Ceramics International* vol. 39, (7) 7669-7675.

Development and testing of an americium-241 radioisotope thermoelectric generator.

Ambrosi RM, Williams HR, Samara-Ratna P, Jordan A, Slade R, Bannister NP, Sykes J, Deacon T, Stephenson K, Simpson K, Reece M, Ning H, Stuttard M, Rice T, Tinsley T, Sarsfield M, Jaegle M, Koenig J, Edgington A and Lerman H. *Nuclear and Emerging Technologies For Space, Nets 2013* 450-454.

Dielectric relaxation, lattice dynamics and polarization mechanisms in Bi_{0.5}Na_{0.5}TiO₃-based lead-free ceramics.

Viola G, Ning H, Wei X, Deluca M, Adomkevicius A, Khaliq J, John Reece M and Yan H. *Journal of Applied Physics* vol. 114, (1).

Wear resistance of Al₂O₃-CNT ceramic nanocomposites at room and high temperatures.

Puchy V, Hvizdos P, Dusza J, Kovac F, Inam F and Reece MJ. *Ceramics International* vol. 39, (5) 5821-5826.

Low-temperature spark plasma sintering of pure nano WC powder.

Grasso S, Poetschke J, Richter V, Maizza G, Sakka Y and Reece MJ. *Journal of The American Ceramic Society* vol. 96, (6) 1702-1705.

Microwave dielectric properties of CaO-La₂O₃-Nb₂O₅-TiO₂ ceramics.

Li C, Wei X, Yan H, Reece MJ and Ye H. *Journal of Materials Science: Materials in Electronics* vol. 24, (6) 1947-1954.

Piezoelectric and dielectric properties of Ce substituted La₂Ti₂O₇ ceramics.

Gao ZP, Yan HX, Ning HP, Wilson R, Wei XY, Shi B, Ye H and Reece MJ. *Journal of The European Ceramic Society* vol. 33, (5) 1001-1008.

Highly transparent γ -alumina obtained by low cost high pressure SPS.

Grasso S, Yoshida H, Porwal H, Sakka Y and Reece M. *Ceramics International* vol. 39, (3) 3243-3248.

The effect of barium substitution on the ferroelectric properties of Sr₂Nb₂O₇ Ceramics.

Gao Z, Ning H, Chen C, Wilson R, Shi B, Ye H, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 96, (4) 1163-1170.

Ultra low thermal conductivity of disordered layered p-type bismuth telluride.

Grasso S, Tsujii N, Jiang Q, Khaliq J, Maruyama S, Miranda M, Simpson K, Mori T and Reece MJ. *Journal of Materials Chemistry C* vol. 1, (12) 2362-2367.

Microstructure and high-temperature oxidation behavior of Ti₃AlC₂/W composites.

Cui B, Zapata-Solvas E, Reece MJ, Wang CA and Lee WE. *Journal of The American Ceramic Society* vol. 96, (2) 584-591.

Ferroelectricity of Pr₂Ti₂O₇ ceramics with super high Curie point.

Gao ZP, Yan HX, Ning HP and Reece MJ. *Advances in Applied Ceramics* vol. 112, (2) 69-74.

Reverse boundary layer capacitor model in glass/ceramic composites for energy storage applications.

Wei X, Yan H, Wang T, Hu Q, Viola G, Grasso S, Jiang Q, Jin L, Xu Z and Reece MJ. *Journal of Applied Physics* vol. 113, (2).

Grasso S, Chinnam RK, Porwal H, Boccaccini AR and Reece MJ. *Journal of Non-Crystalline Solids* vol. 362, (1) 25-29.

Metal matrix composite fuel for space radioisotope energy sources.

Williams HR, Ning H, Reece MJ, Ambrosi RM, Bannister NP and Stephenson K. *Journal of Nuclear Materials* vol. 433, (1-3) 116-123.

Wear resistance of Al₂O₃-CNT ceramic nanocomposites at room and high temperatures.

Puchy V, Hvizdos P, Dusza J, Kovac F, Inam F and Reece MJ. *Ceramics International*.

Effect of donor dopants cerium and tungsten on the dielectric and electrical properties of high Curie point ferroelectric strontium niobate.

Ning H, Yan H, Gao Z, Wei X and Reece MJ. *Ceramics International*.

Low-temperature spark plasma sintering of pure nano wc powder.

Grasso S, Poetschke J, Richter V, Maizza G, Sakka Y and Reece MJ. *Journal of The American Ceramic Society*.

Effects of dispersion surfactants on the properties of ceramic-carbon nanotube (CNT) nanocomposites.

Inam F, Heaton A, Brown P, Peijs T and Reece MJ. *Ceramics International*.

Graphene reinforced alumina nano-composites.

Porwal H, Tatarko P, Grasso S, Khaliq J, Dlouhý I and Reece MJ. *Carbon*.

Active ferroelectricity in nanostructured multiferroic BiFeO₃ bulk ceramics.

Jiang Q, Ning H, Zhang Q, Cain M, Reece MJ and Yan H. *Journal of Materials Chemistry C* vol. 1, (36) 5628-5631.

Effect of dysprosium substitution on crystal structure and physical properties of multiferroic BiFeO₃ ceramics.

Koval V, Skorvanek I, Reece M, Mitoseriu L and Yan H. *Journal of The European Ceramic Society*.

Physical, Mechanical, and Structural Properties of Highly Efficient Nanostructured n- and p-Silicides for Practical Thermoelectric Applications.

Gelbstein Y, Tunbridge J, Dixon R, Reece MJ, Ning H, Gilchrist R, Summers R, Agote I, Lagos MA, Simpson K, Rouaud C, Feulner P, Rivera S, Torrecillas R, Husband M, Crossley J and Robinson I. *Journal of Electronic Materials* 1-9.

Joining of C/SiC composites by spark plasma sintering technique.

Rizzo S, Grasso S, Salvo M, Casalegno V, Reece MJ and Ferraris M. *Journal of The European Ceramic Society*.

Utilizing the phonon glass electron crystal concept to improve the thermoelectric properties of combined Yb-stuffed and Te-substituted CoSb₃.

Khaliq J, Jiang Q, Yang J, Simpson K, Yan H and Reece MJ. *Scripta Materialia*.

Contribution of piezoelectric effect, electrostriction and ferroelectric/ferroelastic switching to strain-electric field response of dielectrics.

Viola G, Saunders T, Wei X, Chong KB, Luo H, Reece MJ and Yan H. *Journal of Advanced Dielectrics* vol. 03, (01).

2012

The effect of carbon nanotubes on the sintering behaviour of zirconia.

Milsom B, Viola G, Gao Z, Inam F, Peijs T and Reece MJ. *Journal of The European Ceramic Society* vol. 32, (16) 4149-4156.

Microwave dielectric properties of La₃Ti₂TaO₁₁ ceramics with perovskite-like layered structure.

Li C, Wei X, Yan H and Reece MJ. *Journal of The European Ceramic Society* vol. 32, (16) 4015-4020.

Toughening of zirconia/alumina composites by the addition of graphene platelets.

Liu J, Yan H, Reece MJ and Jiang K. *Journal of The European Ceramic Society* vol. 32, (16) 4185-4193.

Kinetics of Densification and Grain Growth of Pure Tungsten During Spark Plasma Sintering.

Gao Z, Viola G, Milsom B, Whitaker I, Yan H and Reece MJ. *Metallurgical and Materials Transactions B-Process Metallurgy and Materials Processing Science* vol. 43, (6) 1608-1614.

Ferroelectric ceramics with enhanced remnant polarization by ordered coalescence of nano-crystals.

Shen Z, Yan H, Grüner D, Belova LM, Sakamoto Y, Hu J, Nan CW, Höche T and Reece MJ. *Journal of Materials Chemistry* vol. 22, (44) 23547-23552.

Structural, dielectric, magnetic, and nuclear magnetic resonance studies of multiferroic Y-type hexaferrites.

Khanduri H, Chandra Dimri M, Kooskora H, Heinmaa I, Viola G, Ning H, Reece MJ, Krustok J and Stern R. *Journal of Applied Physics* vol. 112, (7).

Reversibility in electric field-induced transitions and energy storage properties of bismuth-based perovskite ceramics.

Viola G, Ning H, Reece MJ, Wilson R, Correia TM, Weaver P, Cain MG and Yan H. *Journal of Physics D: Applied Physics* vol. 45, (35).

Processing and characterization of high-density zirconia-carbon nanotube composites.

Chintapalli RK, Marro FG, Milsom B, Reece M and Anglada M. *Materials Science and Engineering A* vol. 549, 50-59.

Cobalt-based orthopaedic alloys: Relationship between forming route, microstructure and tribological performance.

Patel B, Favaro G, Inam F, Reece MJ, Angadji A, Bonfield W, Huang J and Edirisinghe M. *Materials Science and Engineering C* vol. 32, (5) 1222-1229.

Phase stability and rapid consolidation of hydroxyapatite-zirconia nano-coprecipitates made using continuous hydrothermal flow synthesis.

Chaudhry AA, Yan H, Viola G, Reece MJ, Knowles JC, Gong K, Rehman I and Darr JA. *Journal of Biomaterials Applications* vol. 27, (1) 79-90.

Shortened carbon nanotubes and their influence on the electrical properties of polymer nanocomposites.

Inam F, Reece MJ and Peijs T. *Journal of Composite Materials* vol. 46, (11) 1313-1322.

Effect of PTFE and OTS on the ferroelectric properties of PVDF-TRFE thin films.

Rozana MD, Reece MJ, Latif F, Wahid MH, Avshad AN and Sanp MN. *World Applied Sciences Journal* vol. 16, (9) 1196-1202.

Microstructural evolution during high-temperature oxidation of spark plasma sintered Ti₂AlN ceramics.

Cui B, Sa R, Jayaseelan DD, Inam F, Reece MJ and Lee WE. *Acta Materialia* vol. 60, (3) 1079-1092.

From the editor.

Reece M. *Advances in Applied Ceramics* vol. 111, (1-2).

Dynamics of ferroelectric switching of [H₃CNH₃]₅[Bi₂Br₁₁].

Wojtaś M and Reece MJ. *Journal of Applied Physics* vol. 111, (2).

Spherical instrumented indentation of porous nanocrystalline zirconia.

Chintapalli RK, Jimenez-Pique E, Marro FG, Yan H, Reece M and Anglada M. *Journal of The European Ceramic Society* vol. 32, (1) 123-132.

Highly transparent α -alumina obtained by low cost high pressure SPS.

Grasso S, Yoshida H, Porwal H, Sakka Y and Reece M. *Ceramics International*.

Microstructure and High-temperature Oxidation Behavior of Ti₃AlC₂/W Composites.

Cui B, Zapata-Solvas E, Reece MJ, Wang C-A and Lee WE. *Journal of The American Ceramic Society*.

Piezoelectric and dielectric properties of Ce substituted La₂Ti₂O₇ ceramics.

Gao ZP, Yan HX, Ning HP, Wilson R, Wei XY, Shi B, Ye H and Reece MJ. *Journal of The European Ceramic Society*.

Microwave dielectric properties of CaO-La₂O₃-Nb₂O₅-TiO₂ ceramics.

Li C, Wei X, Yan H, Reece MJ and Ye H. *Journal of Materials Science: Materials in Electronics* 1-8.

The Effect of Barium Substitution on the Ferroelectric Properties of Sr₂Nb₂O₇ Ceramics.

Gao Z, Ning H, Chen C, Wilson R, Shi B, Ye H, Yan H and Reece MJ. *Journal of The American Ceramic Society*.

2011

The production of advanced fine-grained alumina by carbon nanotube addition.

Inam F, Peijs T and Reece MJ. *Journal of The European Ceramic Society* vol. 31, (15) 2853-2859.

Ferroelectric domain structures and electrical properties of fine-grained lead-free sodium potassium niobate ceramics.

Eriksson M, Yan H, Viola G, Ning H, Gruner D, Nygren M, Reece MJ and Shen Z. *Journal of The American Ceramic Society* vol. 94, (10) 3391-3396.

Indentation toughness of Al₂O₃-CNT nanocomposites.

Puch¹/₂ V, Dusza J, Inam F and Reece MJ. *Chemicke Listy* vol. 105, (17).

Magneto-electric properties of multiferroic Pb(Zr_{0.52}Ti_{0.48})O₃-NiFe₂O₄ nanoceramic composites.

Jiang Q, Liu F, Yan H, Ning H, Libor Z, Zhang Q, Cain M and Reece MJ. *Journal of The American Ceramic Society* vol. 94, (8) 2311-2314.

Carbon nanotubes: Do they toughen brittle matrices?.

Cho J, Inam F, Reece MJ, Chlup Z, Dlouhy I, Shaffer MSP and Boccaccini AR. *Journal of Materials Science* vol. 46, (14) 4770-4779.

Mechanical and electrical properties of al₂o₃-cnt nanocomposites.

Puch¹/₂ V, Dusza J, Hvizdoš P, Inam F and Reece MJ. *Chemicke Listy* vol. 105, (16 SPEC. ISSUE).

Mechanism of chromium oxide formation in cobalt-chromium-molybdenum (F75) alloys prepared using spark plasma sintering.

Patel B, Inam F, Reece MJ, Edirisinghe M, Bonfield W, Huang J and Angadji A. *Advanced Engineering Materials* vol. 13, (5) 411-417.

High-strength nanograined and translucent hydroxyapatite monoliths via continuous hydrothermal synthesis and optimized spark plasma sintering.

Chaudhry AA, Yan HX, Gong KN, Inam F, Viola G, Reece MJ, Goodall JBM, Rehman IU, McNeil-Watson FK, Corbett JCW, Knowles JC and Darr JA. *Acta Biomater* vol. 7, (2) 791-799.

THE CONTRIBUTION OF ELECTRICAL CONDUCTIVITY, DIELECTRIC PERMITTIVITY AND DOMAIN SWITCHING IN FERROELECTRIC HYSTERESIS LOOPS.

Yan H, Inam F, Viola G, Ning H, Zhang H, Jiang Q, Zeng T, Gao Z and Reece MJ. *J. Adv Dielectrics* vol. 1, 107-118. Yao X.

The elastic properties of ferroelectric thin films measured using nanoindentation.

Chima-Okereke C, Roberts WL, Bushby AJ and Reece MJ. *Springer Series in Materials Science* vol. 140, (1) 543-572.

2010

Polarization dynamics and non-equilibrium processes in ferroelectric switching.

Vopson MM, Weaver PM, Cain MG, Reece MJ and Chong KB. *Proceedings of The 2010 Ieee International Symposium On The Applications of Ferroelectrics, Isaf 2010, Co-Located With The 10th.*

A novel route for processing cobalt-chromium-molybdenum orthopaedic alloys.

Patel B, Inam F, Reece M, Edirisinghe M, Bonfield W, Huang J and Angadji A. *Journal of The Royal Society Interface* vol. 7, (52) 1641-1645.

Effect of point defects on thermal depoling behavior of bismuth layer-structured ferroelectric ceramics.

Zeng T, Yan HX and Reece MJ. *J Appl Phys* vol. 108, (9).

Microstructure and electrical properties of Aurivillius phase (CaBi₂Nb₂O₉)(1-x)(BaBi₂Nb₂O₉)(x) solid solution.

Zhang HT, Yan HX and Reece MJ. *J Appl Phys* vol. 108, (1).

Physics with the KLOE-2 experiment at the upgraded DAΦNE.

Amelino-Camelia G, Archilli F, Babusci D, Badoni D, Bencivenni G, Bernabeu J, Bertlmann RA, Boito DR, Bini C, Bloise C, Bocci V, Bossi F, Branchini P, Budano A, Bulychjev SA, Campana P, Capon G, Ceradini F, Ciambrone P, Czerwinski E, Czyz H, D'Amrosio G, Dan¹/₂ E, De Lucia E, De Robertis G, De Santis A, De Simone P, De Zorzi G, Di Domenico A and Di Donato C. *European Physical Journal C* vol. 68, (3-4) 619-681.

Highly conductive low nickel content nano-composite dense cermets from nano-powders made via a continuous hydrothermal synthesis route.

Weng XL, Brett D, Yufit V, Shearing P, Brandon N, Reece M, Yan HX, Tighe C and Darr JA. *Solid State Ionics* vol. 181, (17-18) 827-834.

The sintering and grain growth behaviour of ceramic-carbon nanotube nanocomposites.

Inam F, Yan HX, Peijs T and Reece MJ. *Compos Sci Technol* vol. 70, (6) 947-952.

High temperature lead-free relaxor ferroelectric: Intergrowth Aurivillius phase BaBi₂Nb₂O₉-Bi₄Ti₃O₁₂ ceramics.

Zhang H, Yan H and Reece MJ. *Journal of Applied Physics* vol. 107, (10).

Piezoelectric Strontium Niobate and Calcium Niobate Ceramics with Super-High Curie Points.

Ning HP, Yan HX and Reece MJ. *J Am Ceram Soc* vol. 93, (5) 1409-1413.

Sparking advanced ceramics.

Inam F, Yan HX, Tu W and Reece M. *Mater World* vol. 18, (5) 26-28.

Laser melting of spark plasma-sintered zirconium carbide: Thermophysical properties of a generation IV very high-temperature reactor material.

Jackson HF, Jayaseelan DD, Lee WE, Reece MJ, Inam F, Manara D, Casoni CP, De Bruycker F and Boboridis K. *International Journal of Applied Ceramic Technology* vol. 7, (3) 316-326.

Structural and chemical stability of multiwall carbon nanotubes in sintered ceramic nanocomposite.

Inam F, Yan H, Reece MJ and Peijs T. *Adv Appl Ceram* vol. 109, (4) 240-245.

Textured high Curie point piezoelectric ceramics prepared by spark plasma sintering.

Yan HX, Ning HP, Zhang HT and Reece MJ. *Adv Appl Ceram* vol. 109, (3) 139-142.

Stability of Nanocrystalline Spark Plasma Sintered 3Y-TZP.

Chintapalli R, Mestra A, Marro FG, Yan H, Reece M and Anglada M. *Materials* vol. 3, (2) 800-814.

Low temperature consolidated lead-free ferroelectric niobate ceramics with improved electrical properties.

Eriksson M, Yan HX, Nygren M, Reece MJ and Shen ZJ. *J Mater Res* vol. 25, (2) 240-247.

Electrically conductive alumina-carbon nanocomposites prepared by Spark Plasma Sintering.

Inam F, Yan HX, Jayaseelan DD, Peijs T and Reece MJ. *Journal of The European Ceramic Society* vol. 30, (2) 153-157.

2009

Hot pressed and spark plasma sintered zirconia/carbon nanofiber composites.

Dusza J, Blugan G, Morgiel J, Kuebler J, Inam F, Peijs T, Reece MJ and Puchy V. *Journal of The European Ceramic Society* vol. 29, (15) 3177-3184.

Degradation resistance of 3Y-TZP ceramics sintered using spark plasma sintering.

Chintapalli R, Marro FG, Valle JA, Yan H, Reece MJ and Anglada M. *Iop Conference Series: Materials Science and Engineering* vol. 5,.

Piezoelectric and Ferroelectric Properties of Bismuth Tungstate Ceramics Fabricated by Spark Plasma Sintering.

Zeng T, Yan HX, Ning HP, Zeng JT and Reece MJ. *J Am Ceram Soc* vol. 92, (12) 3108-3110.

Effect of composition on rate dependence of ferroelastic/ferroelectric switching in perovskite ceramics.

Viola G, Verbylo D, Orlovskaya N and Reece MJ. *Materials Science and Technology* vol. 25, (11) 1312-1315.

Piezoelectric Ceramics with Super-High Curie Points.

Yan HX, Ning HP, Kan YM, Wang PL and Reece MJ. *J Am Ceram Soc* vol. 92, (10) 2270-2275.

The grain size effect on the properties of Aurivillius phase Bi_{3.15}Nd_{0.85}Ti₃O₁₂ ferroelectric ceramics.

Zhang H, Yan H, Ning H, Reece MJ, Eriksson M, Shen Z, Kan Y and Wang P. *Nanotechnology* vol. 20, (38).

The grain size effect on the properties of Aurivillius phase Bi_{3.15}Nd_{0.85}Ti₃O₁₂ ferroelectric ceramics.
Zhang H, Yan H, Ning H, Reece MJ, Eriksson M, Shen Z, Kan Y and Wang P. *Nanotechnology* vol. 20, (38).

Fabrication and properties of dense ex situ magnesium diboride bulk material synthesized using spark plasma sintering.

Dancer CEJ, Prabhakaran D, Basoglu M, Yanmaz E, Yan H, Reece M, Todd RI and Grovenor CRM. *Supercond Sci Tech* vol. 22, (9).

The effect of Nd substitution on the electrical properties of Bi₃NbTiO₉ Aurivillius phase ceramics.

Zhang HT, Yan HX and Reece MJ. *J Appl Phys* vol. 106, (4).

High-temperature ferroelectric phase transition observed in multiferroic Bi_{0.91}La_{0.05}Tb_{0.04}FeO₃.

Jiang QH, Liu FT, Nan CW, Lin YH, Reece MJ, Yan HX, Ning HP and Shen ZJ. *Applied Physics Letters* vol. 95, (1).

Dual ferroelasticity of lanthanum chromium-based multicomponent solid solution perovskite.

Orlovskaya N, Lugovy M, Verbylo D and Reece MJ. *Scripta Materialia* vol. 60, (9) 783-786.

2008

Effect of a site substitution on the properties of CaBi₂Nb₂O₉ ferroelectric ceramics.

Zhang X, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 91, (9) 2928-2932.

Room-temperature creep of LaCoO₃-based perovskites: Equilibrium strain under compression.

Lugovy M, Slyunyayev V, Orlovskaya N, Verbylo D and Reece MJ. *Physical Review B - Condensed Matter and Materials Physics* vol. 78, (2).

Dimethylformamide: an effective dispersant for making ceramic-carbon nanotube composites.

Inam F, Yan H, Reece MJ and Peijs T. *Nanotechnology* vol. 19, (19).

Thermal activation of ferroelectric switching.

Chong KB, Guiu F and Reece MJ. *Journal of Applied Physics* vol. 103, (1).

Luminescence of Sr₂SiO_{4-x}N_{2x/3} : Eu²⁺ phosphors prepared by spark plasma sintering.

Sohn KS, Kwak JH, Jung YS, Yan HX and Reece MJ. *J Electrochem Soc* vol. 155, (2) J58-J61.

2007

Dielectric, piezoelectric, and ferroelectric properties of grain-orientated Bi_{3.25}La_{0.75}Ti₃O₁₂ ceramics.

Liu J, Shen Z, Yan H, Reece MJ, Kan Y and Wang P. *J Appl Phys* vol. 102, (10).

Firing on all cylinders.

Inam F, Yan H, Zhang R, Peijs T and Reece M. *Materials World* vol. 15, (10) 24-25.

Microstructure and electrical properties of Si₃N₄-TiN composites sintered by hot pressing and spark plasma sintering.

Guo Z, Blugan G, Kirchner R, Reece M, Graule T and Kuebler J. *Ceramics International* vol. 33, (7) 1223-1229.

The influence of the grain boundary phase on the mechanical properties of Si₃N₄-MoSi₂ composites.

Guo Z, Parlinska-Wojtan M, Blugan G, Graule T, Reece MJ and Kuebler J. *Acta Materialia* vol. 55, (8) 2875-2884.

Enhanced ferroelectric loop asymmetry of lead zirconate titanate thin films under nanoindentation.

Koval V, Reece MJ and Bushby AJ. *Journal of Applied Physics* vol. 101, (2).

The effect of different sintering additives on the electrical and oxidation properties of Si₃N₄-MoSi₂ composites.

Guo Z, Blugan G, Graule T, Reece M and Kuebler J. *Journal of The European Ceramic Society* vol. 27, (5) 2153-2161.

2006

Effect of texture on dielectric properties and thermal depoling of Bi₄Ti₃O₁₂ ferroelectric ceramics.

Yan HX, Reece MJ, Liu J, Shen ZJ, Kan YM and Wang PL. *J Appl Phys* vol. 100, (7).

B-site donor and acceptor doped Aurivillius phase Bi₃NbTiO₉ ceramics.

Yan HX, Zhang HT, Zhang Z, Ubc R and Reece MJ. *J Eur Ceram Soc* vol. 26, (13) 2785-2792.

Orientation dependence of dielectric and relaxor behaviour in Aurivillius phase BaBi₂Nb₂O₉ ceramics prepared by spark plasma sintering.

Yan HX, Zhang HT, Ubc R, Reece M, Liu J and Shen ZJ. *J Mater Sci-Mater El* vol. 17, (9) 657-661.

Inelastic deformation behavior of la 0.6Sr 0.4FeO 3 perovskite.

Orlovskaya N, Anderson H, Brodnikovskyy M, Lugovy M and Reece MJ. *Journal of Applied Physics* vol. 100, (2).

Fractographic montage for a Si₃N₄-SiC nanocomposite.

Kašiarová M, Dusza J, Hnatko M, Ā ajgalĀ-k P and Reece MJ. *Journal of The American Ceramic Society* vol. 89, (5) 1752-1755.

Experimental, analytical, and finite element analyses of nanoindentation of multilayer PZT/Pt/SiO₂ thin film systems on silicon wafers.

Chima-Okereke C, Bushby AJ, Reece MJ, Whatmore RW and Zhang Q. *Journal of Materials Research* vol. 21, (2) 409-419.

Printing gold nanoparticles with an electrohydrodynamic direct-write device.

Samarasinghe SR, Pastoriza-Santos I, Edirisinghe MJ, Reece MJ and Liz-Marzán LM. *Gold Bulletin* vol. 39, (2) 48-53.

2005

Thermal depoling of high Curie point Aurivillius phase ferroelectric ceramics.

Yan HX, Zhang HT, Reece MJ and Dong XL. *Appl Phys Lett* vol. 87, (8).

A Lead-Free High-Curie-Point Ferroelectric Ceramic, CaBi₂Nb₂O₉.

Yan H, Zhang H, Ubc R, Reece MJ, Liu J, Shen Z and Zhang Z. *Cheminform* vol. 36, (28).

Enhanced creep resistant silicon-nitride-based nanocomposite.

Dusza J, KovalĀ-k J, Hvizdoš P, Ā ajgalik P, Hnatko M and Reece MJ. *Journal of The American Ceramic Society* vol. 88, (6) 1500-1503.

A lead-free high-Curie-point ferroelectric ceramic, CaBi₂Nb₂O₉.

Yan HX, Zhang HT, Ubc R, Reece MJ, Liu J, Shen ZJ and Zhang Z. *Adv Mater* vol. 17, (10) 1261-+.

Ferroelectric/ferroelastic behavior and piezoelectric response of lead zirconate titanate thin films under nanoindentation.

Koval V, Reece MJ and Bushby AJ. *Journal of Applied Physics* vol. 97, (7).

2004

Ferroelectric hysteresis loops of (Pb, Ca)TiO₃ thin films under spherical indentation.

Algueró M, Calzada ML, Bushby AJ and Reece MJ. *Applied Physics Letters* vol. 85, (11) 2023-2025.

Creep behavior of a carbon-derived Si₃N₄/SiC nanocomposite.

Dusza J, Kovalik J, Hvizdos P, Sajgalik P, Hnatko M and Reece M. *Journal of The European Ceramic Society* vol. 24, (12) 3307-3315.

Nanoindentation of multilayer PZT/Pt/SiO₂ thin film systems on silicon wafers for MEMS applications.

Chima-Okereke C, Reece MJ, Bushby AJ, Whatmore RW and Zhang Q. *Mrs Advances* vol. 841,.

2003

Short-term high temperature deformation and recovery in Si₃N₄ based materials.

KovalĀ-k J, Hvizdoš P, Dusza J, Ā ajgalĀ-k P, Hnatko M and Reece M. *Kovove Materialy* vol. 41, (6) 377-388.

Crack extension force and rate of mechanical work of fracture in linear dielectrics and piezoelectrics.

Guiu F, Algueró M and Reece MJ. *Philosophical Magazine* vol. 83, (7) 873-888.

2002

Alguero M, Bushby AJ, Reece MJ and Seifert A. *Applied Physics Letters* vol. 81, (3) 421-423.

Ferroelasticity and hysteresis in LaCoO₃ based perovskites.

Orlovskaya N, Gogotsi Y, Reece M, Cheng B and Ion Gibson. *Acta Materialia* vol. 50, (4) 715-723.

Toughening produced by crack-tip-stress-induced domain reorientation in ferroelectric and/or ferroelastic materials.

Reece MJ and Guiu F. *Philosophical Magazine a: Physics of Condensed Matter, Structure, Defects and Mechanical Properties* vol. 82, (1) 29-38.

2001

Stress-induced depolarization of (Pb, La)TiO₃ ferroelectric thin films by nanoindentation.

Alguero M, Bushby AJ, Reece MJ, Poyato R, Ricote J, Calzada ML and Pardo L. *Appl Phys Lett* vol. 79, (23) 3830-3832.

Measurement of electrical charge during nanoindentation of ferroelectric thin films.

Alguero M, Bushby AJ and Reece MJ. *Materials Research Society Symposium - Proceedings* vol. 657,.

Mechanical and electromechanical properties of PZT sol-gel thin films measured by nanoindentation.

Alguero M, Bushby AJ, Hvizdos P, Reece MJ, Whatmore RW and Zhang Q. *Integrated Ferroelectrics* vol. 41, (1-4) 53-62.

Direct measurement of mechanical properties of (Pb,La)TiO₃ ferroelectric thin films using nanoindentation techniques.

Alguero M, Bushby AJ and Reece MJ. *Journal of Materials Research* vol. 16, (4) 993-1002.

High temperature creep/fatigue of single or multiphase ceramics with an additional glass/liquid phase.

Davies CKL, Oddy D, Reece MJ, Stevens RN, Williams K, Fantozzi G, Olagnon C and Torrecillas R. *International Journal of Materials and Product Technology (SPEC ISS. VOL.2)* 530-537.

Fatigue behaviour of mullite studied by the indentation flexure method.

Hvizdoš P, Reece MJ and Torrecillas R. *Journal of The European Ceramic Society* vol. 21, (1) 53-61.

2000

Fracture of PZT piezoelectric ceramics under compression-compression loading.

Cheng BL, Reece MJ, Guiu F and Alguero M. *Scripta Mater* vol. 42, (4) 353-357.

Influence of grain size on the indentation-fatigue behavior of alumina.

Li M and Reece MJ. *Journal of The American Ceramic Society* vol. 83, (4) 967-970.

1999

Crack growth during poling and polarisation reversal in commercial piezoceramics.

Alguero M, Cheng BL, Gibson IR, Guiu F and Reece MJ. *Bol Soc Esp Ceram V* vol. 38, (6) 593-597.

The characterisation of ferroelectric thin films using nanoindentation.

Alguero M, Bushby AJ, Cheng BL, Guiu F, Reece MJ, Calzada ML and Pardo L. *Bol Soc Esp Ceram V* vol. 38, (5) 446-450.

1998

Electrokinetic behavior and stability of silicon carbide nanoparticulate dispersions.

Tartaj P, Reece M and Moya JS. *Journal of The American Ceramic Society* vol. 81, (2) 389-394.

Cyclic fatigue crack growth behaviour in α -(Si-Al-O-N) at ambient and elevated temperatures.

Zhan GD, Reece MJ, Ming LI and Calderon-Moreno JM. *Journal of Materials Science* vol. 33, (15) 3867-3874.

Subcritical crack propagation under cyclic and static loading in mullite and mullite-zirconia.

Davies CKL, Guiu F, Li M, Reece MJ and Torrecillas R. *Journal of The European Ceramic Society* vol. 18, (3) 221-227.

1997

Anisotropic deformation and fracture of indented PZT.

Calderon-Moreno JM, Guiu F, Reece MJ and Sohn KS. *Key Engineering Materials* vol. 132-136, 551-554.

Effect of porosity and grain size on the microwave dielectric properties of sintered alumina.

Penn SJ, Alford NMN, Templeton A, Wang X, Xu M, Reece M and Schrapel K. *Journal of The American Ceramic Society* vol. 80, (7) 1885-1888.

Growth of indentation cracks in poled and unpoled PZT.

Guiu F, Hahn BS, Lee HL and Reece MJ. *Journal of The European Ceramic Society* vol. 17, (4) 505-512.

1996

Si₃N₄-Al₂O₃/Si₃N₄-Y₂O₃ couple diffusion system.

Castanho SM, Moya JS, Blugan GS and Reece MJ. *Acta Mater* vol. 44, (3) 1001-1010.

High-temperature Fatigue of a Gas-Pressure-Sintered Silicon Nitride.

Wang M, Li M, Bushby AJ, Guiu F, Reece MJ and Sammur MFR. *Journal of The European Ceramic Society* vol. 16, (9) 1009-1020.

Structural development and properties of SiC-Si₃N₄ nano/micro-composites.

Á ajgalĀ-k P, Dusza J, Hofer F, Warbichler P, Reece M, Boden G and Kozánková J. *Journal of Materials Science Letters* vol. 15, (1) 72-76.

Microstructures and dielectric properties of ferroelectric glass-ceramics.

Reece MJ, Worrell CA, Hill GJ and Morrell R. *Journal of The American Ceramic Society* vol. 79, (1) 17-26.

1994

Bushby A, Guiu F, Knowles J and Reece MJ. *Key Engineering Materials* vol. 89-91, 673-677.

1992

ROLE OF CRACK-BRIDGING LIGAMENTS IN THE CYCLIC FATIGUE BEHAVIOR OF ALUMINA.

GUIU F, LI M and REECE MJ. *J Am Ceram Soc* vol. 75, (11) 2976-2984.

Preparation of hard particle powders for examination in the transmission electron microscope.

Boswell E, Reece MJ and Gee MG. *Journal of Microscopy* vol. 167, (1) 123-126.

Phase transformation around indentations in zirconia.

Reece MJ, Tetlow PL and Galiotis C. *Journal of Materials Science Letters* vol. 11, (9) 575-577.

1991

Analysis of Si₃N₄+?-Si₃N₄ whisker ceramics.

Dusza J, Sajgalik D and Reece M. *Journal of Materials Science* vol. 26, (24) 6782-6788.

Cyclic fatigue of ceramics.

Guiu F, Reece MJ and Vaughan DAJ. *Journal of Materials Science* vol. 26, (12) 3275-3286.

INDENTATION FATIGUE OF HIGH-PURITY ALUMINA IN FLUID ENVIRONMENTS.

REECE M and GUIU F. *J Am Ceram Soc* vol. 74, (1) 148-154.

Electron microscope study of non-stoichiometric titania.

Reece M and Morrell R. *Journal of Materials Science* vol. 26, (20) 5566-5574.

1990

Static and cyclic fatigue in some structural ceramics.

Guiu F, Reece MJ and Vaughan DAJ. *Proceedings of The Riso International Symposium On Metallurgy and Materials Science* 313-318.

REPEATED INDENTATION METHOD FOR STUDYING CYCLIC FATIGUE IN CERAMICS.

REECE M and GUIU F. *J Am Ceram Soc* vol. 73, (4) 1004-1013.

1989

Cyclic Fatigue Crack Propagation in Alumina under Direct Tension--Compression Loading.

Reece MJ, Guiu F and Sannur MFR. *Journal of The American Ceramic Society* vol. 72, (2) 348-352.

1988

Observations of the influence of ion-bombardment on the microstructure of synthetic and natural ferrite crystals.

Reece MJ and Barber DJ. *Journal of Materials Science Letters* vol. 7, (6) 649-653.

1987

Electron microscopy of second phases in manganese-zinc ferrite crystals.

Reece MJ and Barber DJ. *Journal of Materials Science* vol. 22, (7) 2447-2456.

1984

Slip systems in manganese zinc ferrite crystals.

Callahan SL, Tressler RE, Johnson DW and Reece MJ. *Deformation of Ceramic Materials II* 177-186.