

Prof Michael Reece
BSc, PhD, PGCE, MIMMM, FECerS

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8732
email: m.j.reece@qmul.ac.uk web: www.sems.qmul.ac.uk/m.j.reece

2025

High entropy engineered polymer blends with enhanced dielectric properties and high temperature stability.
. *Nature Communications* vol. 16, (1).Springer Nature.

High-temperature compressive behaviour and failure mechanism of high entropy carbides modified by Cr addition.
. *Materials Science and Engineering A* vol. 920,.Elsevier.

2024

Ecofriendly and low-cost high-entropy sulfides with high thermal stability and $ZT > 1$ via entropy engineering and anion compensation.
. *Nano Energy* vol. 131,.Elsevier.

The effect of configurational entropy and refractory elements on the oxidation behaviour of high entropy carbides containing up to eight refractory elements.
. *Ceramics International* vol. 50, (23) 51589-51595.Elsevier.

Enhanced thermoelectric performance of p-type BiSbTe through incorporation of magnetic CrSb.
. *Applied Physics Letters* vol. 125, (20).Aip Publishing.

Porous Thermoelectric Materials for Energy Conversion by Thermoelectrocatalysis.
. *Energy Technology*.Wiley.

Processing and characterisation of hot rolling pressed PVDF films with enhanced field-induced polarisation.
. *Polymer* vol. 302,.

Temperature and composition insensitivity of thermoelectric properties of high-entropy half-heusler compounds.
. *Acta Materialia* vol. 268,.

Joining of C/C composite with high entropy alloy interlayers via spark plasma sintering and its mechanical strength at 1600 .
. *Journal of The European Ceramic Society* vol. 44, (2) 815-821.

Enhancing the thermoelectric properties of TiO₂-based ceramics through addition of carbon black and graphene oxide.
. *Carbon* vol. 216,.

2023

Improved oxidation resistance of (Zr-Nb-Hf-Ta)(C, N) high entropy carbonitrides.
. *Corrosion Science* vol. 225,.

Carbon deficiency introduced plasticity of rock-salt-structured transition metal carbides.

. *Journal of Materials Science and Technology* vol. 164, 205-214.

Joining graphite with ZrHfNbTa and TiZrHfTa high entropy alloy interlayers by spark plasma sintering.

. *Journal of Materials Processing Technology* vol. 320,.

Simultaneous Increase in Dielectric Breakdown Strength and Thermal Conductivity of Oriented UHMWPE Containing Diamond Nanoparticles.

. *Macromolecules* vol. 56, (20) 8183-8191. *American Chemical Society (Acs)*.

An overview of oxidation in hybrid and glass-based protective coatings for thermoelectric materials for medium-temperature range applications.

. *Advances in Applied Ceramics Structural Functional and Bioceramics* vol. 122, (5-8) 276-286. *Sage Publications*.

Time dependent deformation of LaCoO₃ based perovskites at different temperatures: ferroelastic and non-ferroelastic creep behaviour.

. *Advances in Applied Ceramics Structural Functional and Bioceramics* vol. 122, (5-8) 295-310. *Sage Publications*.

Machine learning of carbon vacancy formation energy in high-entropy carbides.

. *Journal of The European Ceramic Society* vol. 43, (4) 1315-1321. *Elsevier*.

High-entropy MTiO₃ perovskite oxides with glass-like thermal conductivity for thermoelectric applications.

. *Journal of Alloys and Compounds* vol. 937, *Elsevier*.

Optimization of thermoelectric properties of carbon nanotube veils by defect engineering.

. *Materials Horizons* vol. 10, (9) 3601-3609. *Royal Society of Chemistry (Rsc)*.

2022

Ultra-low energy processing of graphite: a fast-track journey towards carbon neutrality.

. *Applied Materials Today* vol. 29, *Elsevier*.

Grain orientation evolution and multi-scale interfaces enhanced thermoelectric properties of textured Sr_{0.9}La_{0.1}TiO₃ based ceramics.

. *Journal of The European Ceramic Society* vol. 42, (15) 7017-7026. *Elsevier*.

Terahertz Faraday Rotation of SrFe₁₂O₁₉ Hexaferrites Enhanced by Nb Doping.

. *Acs Applied Materials and Interfaces* vol. 14, (41) 46738-46747.

The role of Cr addition on the processing and mechanical properties of high entropy carbides.

. *Journal of The European Ceramic Society* vol. 42, (13) 5273-5279. *Elsevier*.

Dielectric polymer composites with ultra-high thermal conductivity and low dielectric loss.

. *Composites Science and Technology* vol. 229, *Elsevier*.

Low thermal conductivity in A-site high entropy perovskite relaxor ferroelectric.

. *Applied Physics Letters* vol. 121, (11). *Aip Publishing*.

A novel high-entropy perovskite ceramics Sr_{0.9}La_{0.1}(Zr_{0.25}Sn_{0.25}Ti_{0.25}Hf_{0.25})O₃ with low thermal conductivity and high Seebeck coefficient.

. *Journal of The European Ceramic Society* vol. 42, (8) 3480-3488. *Elsevier*.

Ablation behavior of (HfTaZrNbTi)C high entropy carbide and (HfTaZrNbTi)C_xSiC composites.

. *Journal of The American Ceramic Society* vol. 105, (10) 6395-6406. *Wiley*.

Ablation behaviour of (Hf-Ta-Zr-Nb)C high entropy carbide ceramic at temperatures above 2,100C.

. *Journal of Material Science and Technology* vol. 113, 40-47. *Elsevier*.

Synthesis, microstructure, and mechanical properties of novel high entropy carbonitrides.

. *Acta Materialia* vol. 231, *Elsevier*.

Low-cost Free-standing ferroelectric polymer films with high polarization produced via pressing-and-folding.
. *Journal of Materiomics* vol. 8, (3) 640-648.Elsevier.

The effects of dual-doping and fabrication route on the thermoelectric response of calcium cobaltite ceramics.
. *Journal of Alloys and Compounds* vol. 902,.Elsevier.

Fabrication and characterisation of single-phase Hf₂Al₄C₅ ceramics.
. *Journal of The European Ceramic Society* vol. 42, (4) 1292-1301.Elsevier.

Synthesis and densification of (Zr-Hf-Nb-Ta)C-Co high entropy cermet prepared by pressureless melt infiltration using spark plasma sintering.
. *Journal of Alloys and Compounds* vol. 900,.Elsevier.

Phase transformations in an Aurivillius layer structured ferroelectric designed using the high entropy concept.
. *Acta Materialia* 117815-117815.Elsevier.

Thermal and electrical properties of a high entropy carbide (Ta, Hf, Nb, Zr) at elevated temperatures.
. *Journal of The American Ceramic Society* vol. 105, (6) 4426-4434.Wiley.

Thermoelectric Performance of nType Magnetic Element Doped Bi₂S₃.
. *Acs Applied Energy Materials* vol. 5, (3) 3845-3853.American Chemical Society (Acs).

Synthesis and thermoelectric properties of high-entropy half-Heusler MFe_{1-x}CoxSb (M = equimolar Ti, Zr, Hf, V, Nb, Ta).
. *Journal of Alloys and Compounds* vol. 892,.Elsevier.

High-entropy (Ca_{0.2}Sr_{0.2}Ba_{0.2}La_{0.2}Pb_{0.2})TiO₃ perovskite ceramics with A-site short-range disorder for thermoelectric applications.
. *Journal of Material Science and Technology* vol. 97, 182-189.Elsevier.

High-Entropy Ceramics.
. *Encyclopedia of Materials: Metals and Alloys* 308-317. Elsevier.

Ultra-high energy density integrated polymer dielectric capacitors.
. *Journal of Materials Chemistry A* vol. 10, (18) 10171-10180.Royal Society of Chemistry (Rsc).

2021

A review on advances in doping with alkali metals in halide perovskite materials.
. *Discover Applied Sciences* vol. 3, (12).Springer Nature.

Terahertz Characterization of Lead-Free Dielectrics for Different Applications.
. *Acs Applied Materials & Interfaces* vol. 13, (45) 53492-53503.American Chemical Society (Acs).

Hardness anisotropy and active slip systems in a (Hf-Ta-Zr-Nb)C high-entropy carbide during nanoindentation.
. *International Journal of Refractory Metals and Hard Materials* vol. 100,.Elsevier.

Flash Spark Plasma Sintering of SiC: Impact of Additives.
. *Silicon* vol. 14, (12) 7377-7382.Springer Nature.

Ultrafast high-temperature sintering (UHS) of fine grained -Al₂O₃.
. *Journal of The European Ceramic Society* vol. 41, (13) 6626-6633.Elsevier.

Thermally-insulated ultra-fast high temperature sintering (UHS) of zirconia: A master sintering curve analysis.
. *Scripta Materialia* vol. 203,.Elsevier.

Solidification microstructures of multielement carbides in the high entropy Zr-Nb-Hf-Ta-Cx system produced by arc melting.
. *Scripta Materialia* vol. 203,.Elsevier.

Densifying (Hf_{0.2}Zr_{0.2}Ta_{0.2}Nb_{0.2}Ti_{0.2})C highentropy ceramics by twostep pressureless sintering.

. *Journal of The American Ceramic Society* vol. 105, (1) 76-81.Wiley.

Scalable and environmentally friendly mechanochemical synthesis of nanocrystalline rhodostannite (Cu₂FeSn₃S₈).

. *Powder Technology* vol. 388, 192-200.Elsevier.

Strength Analysis and Stress-Strain Deformation Behavior of 3 mol% Y-TZP and 21 wt.% Al₂O₃-3 mol% Y-TZP.

. *Materials* vol. 14, (14).Mdpi.

Low temperature densification mechanism and properties of Ta_{1-x} Hf_x C solid solutions with decarbonization and phase transition of Cr₃C₂.

. *Journal of Materiomics* vol. 7, (4) 672-682.Elsevier.

Enhanced mechanical and thermal properties of ferroelastic high-entropy rare-earth-niobates.

. *Scripta Materialia* vol. 200,.Elsevier.

Effect of Loading and Heating History on Deformation of LaCoO₃.

. *Materials* vol. 14, (13).Mdpi.

Pressureless sintering and properties of (Hf_{0.2}Zr_{0.2}Ta_{0.2}Nb_{0.2}Ti_{0.2})C high-entropy ceramics: The effect of pyrolytic carbon.

. *Journal of The European Ceramic Society* vol. 41, (6) 3823-3831.Elsevier.

Pressure assisted flash sintering of Mn-Co based spinel coatings for solid oxide electrolysis cells (SOECs).

. *Ceramics International* vol. 47, (12) 17804-17808.Elsevier.

ZrB₂, HfB₂, OsB₂ and IrB₂ boride ceramics: Processing, structure, and properties.

. *Encyclopedia of Materials Technical Ceramics and Glasses* 200-215.

A review of electromagnetic processing of materials (EPM): Heating, sintering, joining and forming.

. *Journal of Material Science and Technology* vol. 69, 239-272.Elsevier.

Dual-phase rare-earth-zirconate high-entropy ceramics with glass-like thermal conductivity.

. *Journal of The European Ceramic Society* vol. 41, (4) 2861-2869.Elsevier.

Oxidation resistance of (Hf-Ta-Zr-Nb)C high entropy carbide powders compared with the component monocarbides and binary carbide powders.

. *Scripta Materialia* vol. 193, 86-90.Elsevier.

Pyrochlore-fluorite dual-phase high-entropy ceramic foams with extremely low thermal conductivity from particle-stabilized suspension.

. *Scripta Materialia* vol. 194,.Elsevier.

Thermoelectric CuS-Based Materials Synthesized via a Scalable Mechanochemical Process.

. *Acs Sustainable Chemistry & Engineering* vol. 9, (5) 2003-2016.American Chemical Society (Acs).

Effect of processing on the structures and properties of bismuth sodium titanate compounds.

. *Journal of Materials Research* 1-11.Springer.

Multi elements substituted Aurivillius phase relaxor ferroelectrics using high entropy design concept.

. *Materials and Design* 109447-109447.Elsevier.

ZrB₂, HfB₂, OsB₂ and IrB₂ Boride Ceramics: Processing, Structure, and Properties.

. *Encyclopedia of Materials: Technical Ceramics and Glasses* 200-215. Elsevier.

Response to comment on point defect structure of La-doped SrTiO₃ ceramics with colossal permittivity.

. *Scripta Materialia* vol. 190, 118-120.

Ultra-low thermal conductivity and enhanced mechanical properties of high-entropy rare earth niobates (RE₃NbO₇, RE = Dy, Y, Ho, Er, Yb).

. *Journal of The European Ceramic Society* vol. 41, (1) 1052-1057.Elsevier.

Fast synthesis of n-type half-heusler TiNiSn thermoelectric material.

. *Scripta Materialia* vol. 191, 71-75.Elsevier.

2020

Ultrafast Electric Field-Induced Phase Transition in Bulk Bi_{0.5}Na_{0.5}TiO₃ under High-Intensity Terahertz Irradiation.

. *Acs Photonics*.American Chemical Society.

Flash cold sintering: Combining water and electricity.

. *Journal of The European Ceramic Society* vol. 40, (15) 6266-6271.Elsevier.

Electronic structure and thermal properties of Sm³⁺doped La₂Zr₂O₇: Firstprinciples calculations and experimental study.

. *Journal of The American Ceramic Society* vol. 104, (3) 1475-1488.Wiley.

High Tunability and Low Loss in Layered Perovskite Dielectrics through Intrinsic Elimination of Oxygen Vacancies.

. *Chemistry of Materials*.American Chemical Society (Acs).

Low-loss High Entropy Relaxor-like Ferroelectrics with A-site Disorder.

. *Journal of The European Ceramic Society*.Elsevier.

Small scale fracture and strength of high-entropy carbide grains during microcantilever bending experiments.

. *Journal of The European Ceramic Society* vol. 40, (14) 4774-4782.Elsevier.

The role of multi-elements and interlayer on the oxidation behaviour of (Hf-Ta-Zr-Nb)C high entropy ceramics.

. *Corrosion Science* vol. 176,.Elsevier.

Multiscale understanding of electric polarization in poly(vinylidene fluoride)-based ferroelectric polymers.

. *Journal of Materials Chemistry C*.Royal Society of Chemistry.

Enhancing the Thermoelectric Performance of Calcium Cobaltite Ceramics by Tuning Composition and Processing.

. *Acs Applied Materials & Interfaces* vol. 12, (42) 47634-47646.American Chemical Society (Acs).

Hybrid Flash-SPS of TiNiCu_{0.05}Sn with reduced thermal conductivity.

. *Journal of Alloys and Compounds* vol. 837,.Elsevier.

Oxidation protective glass coating for magnesium silicide based thermoelectrics.

. *Ceramics International* vol. 46, (15) 24312-24317.Elsevier.

Enhanced Hardness in HighEntropy Carbides through Atomic Randomness.

. *Advanced Theory and Simulations* vol. 3, (9).Wiley.

Hierarchically porous lanthanum zirconate foams with low thermal conductivity from particlestabilized foams.

. *Journal of The American Ceramic Society* vol. 103, (11) 6088-6095.Wiley.

Improved creep resistance of high entropy transition metal carbides.

. *Journal of The European Ceramic Society* vol. 40, (7) 2709-2715.Elsevier.

Interfacial reaction between ZrNbHfTa foil and graphite: Formation of high-entropy carbide and the effect of heating rate on its microstructure.

. *Journal of The European Ceramic Society* vol. 40, (7) 2699-2708.Elsevier.

Giant energy storage density in PVDF with internal stress engineered polar nanostructures.

. *Nano Energy* vol. 72,.Elsevier.

Colossal thermoelectric enhancement in Cu_{2+x}Zn_{1-x}SnS₄solid solution by local disordering of crystal lattice and multi-scale defect engineering.

. *Journal of Materials Chemistry A* vol. 8, (21) 10909-10916.Royal Society of Chemistry.

An investigation of the corrosion behavior of 316L stainless steel fabricated by SLM and SPS techniques.
. *Materials Characterization* vol. 163,.Elsevier.

Magnetic Field-Induced Alignment of Nanofibrous Supramolecular Membranes: A Molecular Design Approach to Create Tissue-like Biomaterials.
. *Acs Applied Materials & Interfaces* vol. 12, (20) 22661-22672.American Chemical Society (Acs).

Highly textured and strongly anisotropic TiB₂ ceramics prepared using magnetic field alignment (9T).
. *Journal of The European Ceramic Society* vol. 40, (4) 1111-1118.Elsevier.

Spark Plasma Sintered B₄C Structural, Thermal, Electrical and Mechanical Properties.
. *Materials* vol. 13, (7).Mdpi.

The Contribution of Electrical Conductivity, Dielectric Permittivity and Domain Switching in Ferroelectric Hysteresis Loops.
. *Progress in Advanced Dielectrics 1-20. World Scientific Publishing.*

A review of cold sintering processes.
. *Advances in Applied Ceramics* vol. 119, (3) 115-143.Sage Publications.

High thermoelectric performance of Ca₃Co₄O₉ ceramics with duplex structure fabricated via two-step pressureless sintering.
. *Journal of Materials Science: Materials in Electronics* vol. 31, (4) 2938-2948.Springer Nature.

Photocatalytic activity of 2D nanosheets of ferroelectric Dion.Jacobson compounds.
. *Journal of Materials Chemistry A* vol. 8, (14) 6564-6568.Royal Society of Chemistry (Rsc).

Substitutional doping of hybrid organicinorganic perovskite crystals for thermoelectrics.
. *Journal of Materials Chemistry A* vol. 8, (27) 13594-13599.Royal Society of Chemistry (Rsc).

Structural and electronic evolution in the Cu₃SbS₄ Cu₃SnS₄ solid solution.
. *Journal of Materials Chemistry C* vol. 8, (33) 11508-11516.Royal Society of Chemistry (Rsc).

2019

Flash joining of conductive ceramics in a few seconds by flash spark plasma sintering.
. *Journal of The European Ceramic Society* vol. 39, (15) 4664-4672.Elsevier.

European Radioisotope Thermoelectric Generators (RTGs) and Radioisotope Heater Units (RHUs) for Space Science and Exploration.
. *Space Science Reviews* vol. 215, (8).Springer Nature.

Ultrahigh -phase content poly(vinylidene fluoride) with relaxor-like ferroelectricity for high energy density capacitors.
. *Nature Communications* vol. 10, (1).Springer Nature.

The structure and thermoelectric properties of tungsten bronze Ba₆Ti₂Nb₈O₃₀.
. *Journal of Applied Physics* vol. 126, (12).Aip Publishing.

High temperature stiffening of ferroelastic LaCoO₃.
. *Journal of The European Ceramic Society* vol. 39, (11) 3338-3343.Elsevier.

(Invited) Tuning of Catalytic Activity By Thermoelectric Effect.
. *Ecs Meeting Abstracts* vol. MA2019-02, (26) 1204-1204.The Electrochemical Society.

Strength enhancement and slip behaviour of high-entropy carbide grains during micro-compression.
. *Scientific Reports* vol. 9, (1).Springer Nature.

Design and development of ring-on-ring jig for biaxial strength testing of brittle ceramic composite materials: ZrB₂-30wt-%SiB₆.
. *Advances in Applied Ceramics* vol. 118, (4) 159-168.Sage Publications.

Flash spark plasma sintering of 3YSZ.

. *Journal of The European Ceramic Society* vol. 39, (5) 1932-1937.Elsevier.

A novel microstructural design to improve the oxidation resistance of ZrB₂-SiC ultra-high temperature ceramics (UHTCs).

. *Journal of Alloys and Compounds* vol. 785, 958-964.Elsevier.

Microstructure and broadband dielectric properties of Zn₂SiO₄ ceramics with nano-sized TiO₂ addition.

. *Ceramics International*.

Twostep processing of thermoelectric (Ca_{0.9}Ag_{0.1})₃Co₄O₉/nanosized Ag composites with high ZT.

. *Journal of The European Ceramic Society*.

Anomalous slip of ZrB₂ ceramic grains during in-situ micropillar compression up to 500C.

. *International Journal of Refractory Metals and Hard Materials* vol. 80, 270-276.Elsevier.

High entropy Sr((Zr_{0.94}Y_{0.06})_{0.2}Sn_{0.2}Ti_{0.2}Hf_{0.2}Mn_{0.2})O_{3x} perovskite synthesis by reactive spark plasma sintering.

. *Journal of Asian Ceramic Societies* vol. 7, (2) 127-132.Taylor & Francis.

Remarkably enhanced polarisability and breakdown strength in PVDF-based interactive polymer blends for advanced energy storage applications.

. *Polymer* vol. 168, 246-254.

Oxidation Protective Hybrid Coating for Thermoelectric Materials.

. *Materials* vol. 12, (4).Mdpi.

Point defect structure of La-doped SrTiO₃ ceramics with colossal permittivity.

. *Acta Materialia* vol. 164, 76-89.Elsevier.

Mechanochemistry for Thermoelectrics: Nanobulk Cu₆Fe₂Sn₈/Cu₂FeSn₄ Composite Synthesized in an Industrial Mill.

. *Journal of Electronic Materials* vol. 48, (4) 1846-1856.Springer Nature.

Glass-ceramic oxidation protection of higher manganese silicide thermoelectrics.

. *Journal of The European Ceramic Society* vol. 39, (1) 66-71.Elsevier.

Crystal structure and improved thermoelectric performance of iron stabilized cubic Cu₃SbS₃ compound.

. *Journal of Materials Chemistry C* vol. 7, (2) 394-404.Royal Society of Chemistry (Rsc).

Realizing a stable high thermoelectric zT₂ over a broad temperature range in Ge_{1xy}Ga_xSb_yTe via band engineering and hybrid flash-SPS processing.

. *Inorganic Chemistry Frontiers* vol. 6, (1) 63-73.Royal Society of Chemistry (Rsc).

Review of high entropy ceramics: design, synthesis, structure and properties.

. *Journal of Materials Chemistry A* vol. 7, (39) 22148-22162.Royal Society of Chemistry (Rsc).

Anisotropy and enhancement of thermoelectric performance of Sr_{0.8}La_{0.067}Ti_{0.8}Nb_{0.2}O₃ ceramics by graphene additions.

. *Journal of Materials Chemistry A* vol. 7, (42) 24602-24613.Royal Society of Chemistry (Rsc).

Chapter 7 Refined SPS modeling based on calibrated current and voltage measurements.

. *Spark Plasma Sintering* 163-184. Elsevier.

2018

In-situ synthesis of n-type unfilled skutterudite with reduced thermal conductivity by hybrid flash-spark plasma sintering.

. *Scripta Materialia* vol. 157, 58-61.Elsevier.

Bioactive sol-gel glass-coated wood-derived biocarbon scaffolds.

. *Materials Letters* vol. 232, 14-17.Elsevier.

Time and frequency dependent mechanical properties of LaCoO₃-based perovskites: Neutron diffraction and domain mobility.

. *Journal of Applied Physics* vol. 124, (20).Aip Publishing.

Time and frequency dependent mechanical properties of LaCoO₃-based perovskites: Internal friction and negative creep.

. *Journal of Applied Physics* vol. 124, (20).Aip Publishing.

Graphene-reinforced silicon oxycarbide composites prepared by phase transfer.

. *Carbon* vol. 139, 813-823.Elsevier.

Flash spark plasma sintering of HfB₂ ceramics without pre-sintering.

. *Scripta Materialia* vol. 156, 115-119.Elsevier.

Effect of the Processing Route on the Thermoelectric Performance of Nanostructured CuPb₁₈SbTe₂₀.

. *Inorganic Chemistry* vol. 57, (20) 12976-12986.American Chemical Society (Acs).

Data-Driven Design of Ecofriendly Thermoelectric High-Entropy Sulfides.

. *Inorganic Chemistry* vol. 57, (20) 13027-13033.American Chemical Society (Acs).

Microstructure characterization and thermoelectric properties of Sr_{0.9}La_{0.1}TiO₃ ceramics with nano-sized Ag as additive.

. *Journal of Alloys and Compounds* vol. 762, 80-89.

Effect of Heat Treatment on the Properties of Wood-Derived Biocarbon Structures.

. *Materials* vol. 11, (9).Mdpi.

Microstructure of (Hf-Ta-Zr-Nb)C high-entropy carbide at micro and nano/atomic level.

. *Journal of The European Ceramic Society* vol. 38, (12) 4303-4307.Elsevier.

Effectiveness of boron welding flux in improving the wettability of ZrB₂ in contact with molten Cu.

. *Journal of The European Ceramic Society* vol. 38, (12) 4198-4202.Elsevier.

Preparation and properties of biomorphic potassium-based geopolymer (KGP)-biocarbon (CB) composite.

. *Ceramics International* vol. 44, (11) 12957-12964.Elsevier.

Enhanced thermoelectric performance of Sn-doped Cu₃SbS₄.

. *Journal of Materials Chemistry C* vol. 6, (31) 8546-8552.

Investigation of Electrochemical, Optical and Thermal Effects during Flash Sintering of 8YSZ.

. *Materials* vol. 11, (7).Mdpi.

DC-electro softening in soda lime silicate glass: An electro-thermal analysis.

. *Scripta Materialia* vol. 151, 14-18.Elsevier.

Processing and Properties of High-Entropy Ultra-High Temperature Carbides.

. *Scientific Reports* vol. 8, (1).Springer Nature.

SrFe₁₂O₁₉ based ceramics with ultra-low dielectric loss in the millimetre-wave band.

. *Applied Physics Letters* vol. 112, (14).Aip Publishing.

Magnéli phase titanium suboxides by Flash Spark Plasma Sintering.

. *Scripta Materialia* vol. 146, 241-245.Elsevier.

Enhanced dielectric tunability and energy storage properties of plate-like Ba_{0.6}Sr_{0.4}TiO₃/poly(vinylidene fluoride) composites through texture arrangement.

. *Composites Science and Technology* vol. 158, 112-120.

Enhanced thermoelectric performance of Cs doped BiCuSeO prepared through eco-friendly flux synthesis.

. *Journal of Alloys and Compounds* vol. 735, 861-869.Elsevier.

Topotactic anion-exchange in thermoelectric nanostructured layered tin chalcogenides with reduced selenium content.

. *Chemical Science* vol. 9, (15) 3828-3836. *Royal Society of Chemistry (Rsc)*.

2017

Impact of Coinage Metal Insertion on the Thermoelectric Properties of GeTe Solid-State Solutions.

. *The Journal of Physical Chemistry C* vol. 122, (1) 227-235. *American Chemical Society (Acs)*.

Enhancement in thermoelectric performance of n-type Pb-deficit Pb-Sb-Te alloys.

. *Journal of Alloys and Compounds* vol. 729, 198-202. *Elsevier*.

Understanding and quantification of grain growth mechanism in ZrO₂carbon nanotube composites.

. *Materials & Design* vol. 133, 325-331. *Elsevier*.

The deformation and fracture behaviors of 316L stainless steels fabricated by spark plasma sintering technique under uniaxial tension.

. *Materials Science and Engineering A* vol. 707, 362-372. *Elsevier*.

Influence of spark plasma sintering parameters on magnetic properties of FeCo alloy.

. *Aip Advances* vol. 8, (4). *Aip Publishing*.

Tuning of Catalytic Activity by Thermoelectric Materials for Carbon Dioxide Hydrogenation.

. *Advanced Energy Materials* vol. 8, (5). *Wiley*.

Flash joining of CVD-SiC coated Cf/SiC composites with a Ti interlayer.

. *Journal of The European Ceramic Society* vol. 37, (13) 3841-3848. *Elsevier*.

The effect of processing conditions on phase and microstructure of CaGeO₃ ceramics.

. *Ceramics International* vol. 43, (15) 12035-12043. *Elsevier*.

Impact of spark plasma sintering (SPS) on mullite formation in porcelains.

. *Journal of The American Ceramic Society* vol. 101, (2) 525-535. *Wiley*.

High coercivity, anisotropic, heavy rare earth-free Nd-Fe-B by Flash Spark Plasma Sintering.

. *Scientific Reports* vol. 7, (1). *Springer Nature*.

Rapid spark plasma sintering to produce dense UHTCs reinforced with undamaged carbon fibres.

. *Materials & Design* vol. 130, 1-7. *Elsevier*.

Enhancement in the elongation, yield strength and magnetic properties of intermetallic FeCo alloy using spark plasma sintering.

. *Journal of Materials Science* vol. 52, (22) 13284-13295. *Springer Nature*.

Sintering trials of analogues of americium oxides for radioisotope power systems.

. *Journal of Nuclear Materials* vol. 491, 18-30. *Elsevier*.

Titanium Dioxide Engineered for Near-dispersionless High Terahertz Permittivity and Ultra-low-loss.

. *Scientific Reports* vol. 7, (1). *Springer Nature*.

Crystallization kinetics and enhanced dielectric properties of free standing lead-free PVDF based composite films.

. *Polymer* vol. 121, 88-96.

Pressureless spark plasmasintered Bioglass 45S5 with enhanced mechanical properties and stressinduced new phase formation.

. *Journal of The European Ceramic Society* vol. 37, (7) 2727-2736. *Elsevier*.

Flash spark plasma sintering of cold-Pressed TiB₂-hBN.

. *Journal of The European Ceramic Society* vol. 37, (8) 2787-2794. *Elsevier*.

Peltier effect during spark plasma sintering (SPS) of thermoelectric materials.

. *Journal of Materials Science* vol. 52, (17) 10341-10352. Springer Nature.

Effect of ball-milling time on mechanical and magnetic properties of carbon nanotube reinforced FeCo alloy composites.

. *Materials & Design* vol. 122, 296-306. Elsevier.

Densification behaviour and physico-mechanical properties of porcelains prepared using spark plasma sintering.

. *Advances in Applied Ceramics* vol. 116, (6) 307-315. Sage Publications.

Non-congruence of high-temperature mechanical and structural behaviors of LaCoO₃ based perovskites.

. *Journal of The European Ceramic Society* vol. 37, (4) 1563-1576. Elsevier.

High temperature properties of the monolithic CVD -SiC materials joined with a pre-sintered MAX phase Ti₃SiC₂ interlayer via solid-state diffusion bonding.

. *Journal of The European Ceramic Society* vol. 37, (4) 1205-1216. Elsevier.

Microstructural comparison of effects of hafnium and titanium additions in spark-plasma-sintered Fe-based oxide-dispersion strengthened alloys.

. *Journal of Nuclear Materials* vol. 487, 433-442. Elsevier.

Thermoelectric Properties of Highly-Crystallized Ge-Te-Se Glasses Doped with Cu/Bi.

. *Materials* vol. 10, (4). Mdpi.

Effect of Phase Transitions on Thermal Depoling in Lead-Free 0.94(Bi_{0.5} Na_{0.5} TiO₃)_{0.06}(BaTiO₃) Based Piezoelectrics.

. *The Journal of Physical Chemistry C* vol. 121, (10) 5709-5718. American Chemical Society (Acs).

Large-Scale Surfactant-Free Synthesis of p-Type SnTe Nanoparticles for Thermoelectric Applications.

. *Materials* vol. 10, (3). Mdpi.

Using graphene networks to build bioinspired self-monitoring ceramics.

. *Nature Communications* vol. 8, (1). Springer Nature.

Review of flash sintering: Materials, mechanisms and modelling.

. *Advances in Applied Ceramics Structural Functional and Bioceramics* vol. 116, (1) 24-60. Sage Publications.

Nanoscale interfacial electroactivity in PVDF/PVDF-TrFE blended films with enhanced dielectric and ferroelectric properties.

. *Journal of Materials Chemistry C* vol. 5, (13) 3296-3305. Royal Society of Chemistry (Rsc).

Screening for CuS based thermoelectric materials using crystal structure features.

. *Journal of Materials Chemistry A* vol. 5, (10) 5013-5019. Royal Society of Chemistry (Rsc).

Flash spark plasma sintering of magnesium silicide stannide with improved thermoelectric properties.

. *Journal of Materials Chemistry C* vol. 5, (6) 1514-1521. Royal Society of Chemistry (Rsc).

The impact of lone-pair electrons on the lattice thermal conductivity of the thermoelectric compound CuSbS₂.

. *Journal of Materials Chemistry A* vol. 5, (7) 3249-3259. Royal Society of Chemistry (Rsc).

Spontaneous Formation of Interwoven Porous Channels in Hard-Wood-Based Hard-Carbon for High-Performance Anodes in Potassium-Ion Batteries.

. *Journal of The Electrochemical Society* vol. 164, (9) a2012-a2016. The Electrochemical Society.

2016

Wetting and interfacial phenomena of NiTa alloys on CVDSiC.

. *International Journal of Applied Ceramic Technology* vol. 14, (3) 295-304. Wiley.

Joining of CVD-SiC coated and uncoated fibre reinforced ceramic matrix composites with pre-sintered Ti₃SiC₂ MAX phase using Spark Plasma Sintering.

. *Journal of The European Ceramic Society* vol. 36, (16) 3957-3967. Elsevier.

Investigating the highest melting temperature materials: A laser melting study of the TaC-HfC system.
. *Scientific Reports* vol. 6, (1).Springer Nature.

Theory-Guided Synthesis of an Eco-Friendly and Low-Cost Copper Based Sulfide Thermoelectric Material.
. *The Journal of Physical Chemistry C* vol. 120, (48) 27135-27140.American Chemical Society (Acs).

Rapid sintering of anisotropic, nanograined NdFeB by flash-spark plasma sintering.
. *Journal of Magnetism and Magnetic Materials* vol. 417, 279-283.Elsevier.

Cyclic fatigue effect in particulate ceramic composites.
. *Journal of The European Ceramic Society* vol. 36, (14) 3257-3266.Elsevier.

Corrigendum to Mechanical properties and residual stresses in ZrB₂SiC spark plasma sintered ceramic composites [J. Eur. Ceram. Soc. 36 (June (7)) (2016) 15271537].
. *Journal of The European Ceramic Society* vol. 36, (14).Elsevier.

Mechanical and magnetic properties of spark plasma sintered soft magnetic FeCo alloy reinforced by carbon nanotubes.
. *Journal of Materials Research* vol. 31, (21) 3448-3458.Springer Nature.

Processing and characterization of free standing highly oriented ferroelectric polymer films with remarkably low coercive field and high remnant polarization.
. *Polymer* vol. 100, 69-76.Elsevier.

Novel Preparation, Microstructure, and Properties of Polyacrylonitrile-Based Carbon NanofiberGraphene Nanoplatelet Materials.
. *Acs Omega* vol. 1, (2) 202-211.American Chemical Society (Acs).

Perfluorinated polysiloxane hybridized with graphene oxide for corrosion inhibition of AZ31 magnesium alloy.
. *Corrosion Science* vol. 109, 238-245.Elsevier.

Synthesis and properties of graphene and graphene/carbon nanotube-reinforced soft magnetic FeCo alloy composites by spark plasma sintering.
. *Journal of Materials Science* vol. 51, (16) 7624-7635.

Oxidation protective glassceramic coating for higher manganese silicide thermoelectrics.
. *Journal of Materials Science* vol. 51, (20) 9484-9489.Springer Nature.

Ultrafast-Contactless Flash Sintering using Plasma Electrodes.
. *Scientific Reports* vol. 6,.

Sintering behaviour, solid solution formation and characterisation of TaC, HfC and TaCHfC fabricated by spark plasma sintering.
. *Journal of The European Ceramic Society* vol. 36, (7) 1539-1548.Elsevier.

Mechanical properties and residual stresses in ZrB₂SiC spark plasma sintered ceramic composites.
. *Journal of The European Ceramic Society* vol. 36, (7) 1527-1537.Elsevier.

Graphene nanoplatelets loaded polyurethane and phenolic resin fibres by combination of pressure and gyration.
. *Composites Science and Technology* vol. 129, 173-182.Elsevier.

Effect of lateral size of graphene nano-sheets on the mechanical properties and machinability of alumina nano-composites.
. *Ceramics International* vol. 42, (6) 7533-7542.Elsevier.

Ultra-Rapid Crystal Growth of Textured SiC Using Flash Spark Plasma Sintering Route.
. *Crystal Growth & Design* vol. 16, (4) 2317-2321.American Chemical Society (Acs).

Flash Spark Plasma Sintering (FSPS) of and SiC.
. *Journal of The American Ceramic Society* vol. 99, (5) 1534-1543.Wiley.

Plasticity in ZrB₂ micropillars induced by anomalous slip activation.

. *Journal of The European Ceramic Society* vol. 36, (3) 389-394.Elsevier.

Efficacy of lone-pair electrons to engender ultralow thermal conductivity.

. *Scripta Materialia* vol. 111, 49-53.

Efficacy of lone-pair electrons to engender ultralow thermal conductivity.

. *Scripta Materialia* vol. 111, 49-53.Elsevier.

Nanohardness and elastic anisotropy of ZrB₂ crystals.

. *Journal of The European Ceramic Society* vol. 36, (1) 239-242.Elsevier.

Ferroelectric materials for fusion energy applications.

. *Journal of Materials Chemistry A* vol. 4, (27) 10394-10402.Royal Society of Chemistry (Rsc).

Growth of SiC platelets using contactless flash technique.

. *Journal of The Ceramic Society of Japan* vol. 124, (9) 845-847.Ceramic Society of Japan.

2015

2D Raman mapping and thermal residual stresses in SiC grains of ZrB₂SiC ceramic composites.

. *Ceramics International* vol. 41, (10) 13630-13637.Elsevier.

Limiting oxidation of ZrB₂ by application of an electric field across its oxide scale.

. *Journal of Alloys and Compounds* vol. 653, 629-635.Elsevier.

Ceramic composites from mesoporous silica coated multi-wall carbonnanotubes.

. *Microporous and Mesoporous Materials* vol. 217, 159-166.Elsevier.

Crystallographic Structure and Ferroelectricity of (AxLa_{1-x})₂Ti₂O₇ (A = Sm and Eu) Solid Solutions with High T_c.

. *Journal of The American Ceramic Society* vol. 99, (2) 523-530.Wiley.

A High Curie Point Ferroelectric Ceramic Ca₃(VO₄)₂.

. *Ferroelectrics* vol. 487, (1) 94-100.Taylor & Francis.

GlaCERCo: Glass and Ceramic Composites for High Technology Applications Marie Curie Initial Training Network.

. *Advances in Applied Ceramics* vol. 114, (1_suppl) 1-2.Sage Publications.

Dielectric relaxation and electrical conductivity in Ca₅Nb₄TiO₁₇ ceramics.

. *Ceramics International* vol. 41, (8) 9923-9930.Elsevier.

Processing and microstructure characterisation of oxide dispersion strengthened Fe₁₄Cr_{0.4}Ti_{0.25}Y₂O₃ ferritic steels fabricated by spark plasma sintering.

. *Journal of Nuclear Materials* vol. 464, 61-68.Elsevier.

Role of synthesis method on microstructure and mechanical properties of graphene/carbon nanotube toughened Al₂O₃ nanocomposites.

. *Ceramics International* vol. 41, (8) 9813-9822.

Scratch behaviour of graphene alumina nanocomposites.

. *Advances in Applied Ceramics* vol. 114, (1_suppl) 34-41.Sage Publications.

Boron nitride nanosheets reinforced glass matrix composites.

. *Advances in Applied Ceramics* vol. 114, (1_suppl) 26-33.Sage Publications.

Comprehensive study of tellurium based glass ceramics for thermoelectric application.

. *Advances in Applied Ceramics* vol. 114, (1_suppl) 42-47.Sage Publications.

The effect of spark plasma sintering on lithium disilicate glass-ceramics.

. *Dental Materials* vol. 31, (10) e226-e235.Elsevier.

Highly anisotropic single crystal-like La₂Ti₂O₇ ceramic produced by combined magnetic field alignment and templated grain growth.

. *Journal of The European Ceramic Society* vol. 35, (6) 1771-1776. Elsevier.

45S5 Bioglass/MWCNT composite: processing and bioactivity.

. *Journal of Materials Science: Materials in Medicine* vol. 26, (6). Springer Nature.

Thermal Diffusivity of SPS Pressed Silicon Powders and the Potential for Using BottomUp Silicon Quantum Dots as a Starting Material.

. *Journal of Electronic Materials* vol. 44, (6) 1931-1935.

Observation of Curie transition during spark plasma sintering of ferromagnetic materials.

. *Journal of Magnetism and Magnetic Materials* vol. 382, 202-205. Elsevier.

Plasma formation during electric discharge (50V) through conductive powder compacts.

. *Journal of The European Ceramic Society* vol. 35, (3) 871-877. Elsevier.

Nanoindentation and fracture toughness of nanostructured zirconia/multi-walled carbon nanotube composites.

. *Ceramics International* vol. 41, (2) 2453-2461. Elsevier.

Spark plasma sintered bismuth telluride-based thermoelectric materials incorporating dispersed boron carbide.

. *Journal of Alloys and Compounds* vol. 626, 368-374. Elsevier.

Study on properties of tantalum-doped La₂Ti₂O₇ ferroelectric ceramics.

. *Journal of Advanced Dielectrics* vol. 5, (01). World Scientific Publishing.

Reduced thermal conductivity by nanoscale intergrowths in perovskite like layered structure La₂Ti₂O₇.

. *Journal of Applied Physics* vol. 117, (7). Aip Publishing.

Thermal Diffusivity of SPS Pressed Silicon Powders and the Potential for Using BottomUp Silicon Quantum Dots as a Starting Material.

. *Journal of Electronic Materials* vol. 44, (6) 1931-1935. Springer Nature.

Microwave and terahertz dielectric properties of MgTiO₃-CaTiO₃ ceramics.

. *Materials Letters* vol. 138, 225-227.

Ferroelectricity in DionJacobson ABiNb₂O₇ (A = Rb, Cs) compounds.

. *Journal of Materials Chemistry C* vol. 3, (1) 19-22. Royal Society of Chemistry (Rsc).

Microwave and terahertz dielectric properties of MgTiO₃-CaTiO₃ ceramics.

. *Materials Letters* vol. 138, 225-227.

Improved Lithium-Storage Capability and Cyclability of Tin Dioxide Confined in Highly Crosslinked Graphene Framework.

. *Journal of The Electrochemical Society* vol. 162, (9) a1702-a1707. The Electrochemical Society.

Enhanced thermoelectric performance of porous magnesium tin silicide prepared using pressure-less spark plasma sintering.

. *Journal of Materials Chemistry A* vol. 3, (33) 17426-17432. Royal Society of Chemistry (Rsc).

2014

Ferroelectric and dielectric properties of Nd_{2-x}Ce_xTi₂O₇ ceramics.

. *Advances in Applied Ceramics* vol. 114, (4) 191-197. Sage Publications.

Effect of Spark Plasma Sintering on the Structure and Properties of Ti_{1-x}Zr_xNiSn Half-Heusler Alloys.

. *Materials* vol. 7, (10) 7093-7104. Mdpi.

Improvement of interfacial bonding in carbon nanotube reinforced Fe₅₀Co composites by NiP coating: Effect on magnetic and mechanical properties.

. *Materials Science and Engineering B* vol. 188, 94-101. Elsevier.

Short range polar state transitions and deviation from Rayleigh-type behaviour in Bi_{0.5}Na_{0.5}TiO₃-based perovskites.

. *Applied Physics Letters* vol. 105, (10).

Three Layer PerovskiteLike Structured Pr₃Ti₂TaO₁₁ Ferroelectrics with SuperHigh Curie Point.

. *Journal of The American Ceramic Society* vol. 97, (11) 3624-3630. Wiley.

Ultra-high temperature spark plasma sintering of -SiC.

. *Ceramics International*. Elsevier Ltd.

Enhancement of thermoelectric properties by atomic-scale percolation in digenite Cu_xS.

. *Journal of Materials Chemistry A* vol. 2, (25) 9486-9489.

In-situ neutron diffraction of LaCoO₃ perovskite under uniaxial compression. I. Crystal structure analysis and texture development.

. *Journal of Applied Physics* vol. 116, (1).

In-situ neutron diffraction of LaCoO₃ perovskite under uniaxial compression. II. Elastic properties.

. *Journal of Applied Physics* vol. 116, (1).

Fabrication of carbon nanotube reinforced iron based magnetic alloy composites by spark plasma sintering.

. *Journal of Alloys and Compounds* vol. 601, 146-153. Elsevier.

Toughening effect of multi-walled boron nitride nanotubes and their influence on the sintering behaviour of 3Y-TZP zirconia ceramics.

. *Journal of The European Ceramic Society* vol. 34, (7) 1829-1843.

Processing and bioactivity of 45S5 Bioglass()-graphene nanoplatelets composites.

. *J Mater Sci Mater Med* vol. 25, (6) 1403-1413.

Physical, mechanical, and structural properties of highly efficient nanostructured n-and p-silicides for practical thermoelectric applications.

. *Journal of Electronic Materials* vol. 43, (6) 1703-1711.

Processing and bioactivity of 45S5 Bioglass-graphene nanoplatelets composites.

. *Journal of Materials Science Materials in Medicine* vol. 25, (6) 1403-1413.

Large ZT enhancement in hot forged nanostructured p-type Bi_{0.5}Sb_{1.5}Te₃ bulk alloys.

. *Journal of Materials Chemistry A* vol. 2, (16) 5785-5790.

Joining of C/SiC composites by spark plasma sintering technique.

. *Journal of The European Ceramic Society* vol. 34, (4) 903-913.

Effect of dysprosium substitution on crystal structure and physical properties of multiferroic BiFeO₃ ceramics.

. *Journal of The European Ceramic Society* vol. 34, (3) 641-651.

Utilizing the phonon glass electron crystal concept to improve the thermoelectric properties of combined Yb-stuffed and Te-substituted CoSb₃.

. *Scripta Materialia* vol. 72-73, 63-66.

High field ZnO varistors prepared by spark plasma sintering.

. *Advances in Applied Ceramics* vol. 113, (2) 94-97.

Role of internal field and exhaustion in ferroelectric switching.

. *Journal of Applied Physics* vol. 115, (3). Aip Publishing.

Mechanical and magnetic characterisation of SiC whisker reinforced FeCo alloy composites.

. *Materials Science and Engineering A* vol. 592, 19-27. Elsevier.

Effects of dispersion surfactants on the properties of ceramic-carbon nanotube (CNT) nanocomposites.

. *Ceramics International* vol. 40, (1 PART A) 511-516.

Joining of -SiC by spark plasma sintering.

. *Journal of The European Ceramic Society.*

Toughening effect of multi-walled boron nitride nanotubes and their influence on the sintering behaviour of 3Y-TZP zirconia ceramics.

. *Journal of The European Ceramic Society.*

Reply to the Comment on The Effect of Barium Substitution on the Ferroelectric Properties of Sr₂Nb₂O₇ Ceramics [J. Am. Ceram. Soc., 96 [4] 1163-1170 (2013)].

. *Journal of The American Ceramic Society vol. 97, (2) 662-663.*

Investigation of the Microstructural and Thermoelectric Properties of the (GeTe)_{0.95}(Bi₂Te₃)_{0.05} Composition for Thermoelectric Power Generation Applications.

. *Journal of Nanomaterials vol. 2014.*

Temperature and frequency dependence of electric field-induced phase transitions in PMN-0.32PT.

. *Journal of The American Ceramic Society.*

Boron nitride nanotubes as a reinforcement for brittle matrices.

. *Journal of The European Ceramic Society.*

Tough and dense boron carbide obtained by high-pressure (300 MPa) and low-temperature (1600C) spark plasma sintering.

. *Journal of The Ceramic Society of Japan vol. 122, (1424) 271-275.*

Tribological properties of silica-graphene nano-platelet composites.

. *Ceramics International.*

In situ reduction of graphene oxide nanoplatelet during spark plasma sintering of a silica matrix composite.

. *Journal of The European Ceramic Society.*

Polymer-derived SiC ceramics from polycarbosilane/boron mixtures densified by SPS.

. *Ceramics International.*

Flash spark plasma sintering (FSPS) of pure ZrB₂.

. *Journal of The American Ceramic Society vol. 97, (8) 2405-2408.*

Indentation Stiffness Analysis of Ferroelectric Thin Films.

. *Characterisation of Ferroelectric Bulk Materials and Thin Films 221-231. Springer Nature.*

2013

Influence of coated SiC particulates on the mechanical and magnetic behaviour of FeCo alloy composites.

. *Journal of Materials Science vol. 49, (6) 2578-2587. Springer Nature.*

Graphene reinforced alumina nano-composites.

. *Carbon vol. 64, 359-369.*

Review of graphene-ceramic matrix composites.

. *Advances in Applied Ceramics vol. 112, (8) 443-454.*

Effect of grain size on domain structures, dielectric and thermal depoling of Nd-substituted bismuth titanate ceramics.

. *Applied Physics Letters vol. 103, (18).*

Toughened and machinable glass matrix composites reinforced with graphene and graphene-oxide nano platelets.

. *Science and Technology of Advanced Materials vol. 14, (5).*

E-MRS 2012 Fall Meeting, September 17-21, Warsaw University of Technology.

. *Journal of The European Ceramic Society vol. 33, (12). Elsevier.*

Effects of zinc substitution on the dielectric properties of Ca₅Nb₄TiO₁₇ microwave ceramics.

. *Journal of Advanced Dielectrics* vol. 3, (04). World Scientific Publishing.

Effect of donor dopants cerium and tungsten on the dielectric and electrical properties of high Curie point ferroelectric strontium niobate.

. *Ceramics International* vol. 39, (7) 7669-7675.

Dielectric relaxation, lattice dynamics and polarization mechanisms in Bi_{0.5}Na_{0.5}TiO₃-based lead-free ceramics.

. *Journal of Applied Physics* vol. 114, (1).

Wear resistance of Al₂O₃-CNT ceramic nanocomposites at room and high temperatures.

. *Ceramics International* vol. 39, (5) 5821-5826.

Low-temperature spark plasma sintering of pure nano WC powder.

. *Journal of The American Ceramic Society* vol. 96, (6) 1702-1705.

Microwave dielectric properties of CaO-La₂O₃-Nb₂O₅-TiO₂ ceramics.

. *Journal of Materials Science Materials in Electronics* vol. 24, (6) 1947-1954.

Piezoelectric and dielectric properties of Ce substituted La₂Ti₂O₇ ceramics.

. *Journal of The European Ceramic Society* vol. 33, (5) 1001-1008.

Highly transparent -alumina obtained by low cost high pressure SPS.

. *Ceramics International* vol. 39, (3) 3243-3248.

The effect of barium substitution on the ferroelectric properties of Sr₂Nb₂O₇ Ceramics.

. *Journal of The American Ceramic Society* vol. 96, (4) 1163-1170.

Ultra low thermal conductivity of disordered layered p-type bismuth telluride.

. *Journal of Materials Chemistry C* vol. 1, (12) 2362-2367.

Microstructure and high-temperature oxidation behavior of Ti₃AlC₂/W composites.

. *Journal of The American Ceramic Society* vol. 96, (2) 584-591.

Reverse boundary layer capacitor model in glass/ceramic composites for energy storage applications.

. *Journal of Applied Physics* vol. 113, (2).

Low temperature spark plasma sintering of 45S5 Bioglass.

. *Journal of Non Crystalline Solids* vol. 362, (1) 25-29.

Metal matrix composite fuel for space radioisotope energy sources.

. *Journal of Nuclear Materials* vol. 433, (1-3) 116-123.

Wear resistance of Al₂O₃-CNT ceramic nanocomposites at room and high temperatures.

. *Ceramics International*.

Effect of donor dopants cerium and tungsten on the dielectric and electrical properties of high Curie point ferroelectric strontium niobate.

. *Ceramics International*.

Ferroelectricity of Pr₂Ti₂O₇ ceramics with super high Curie point.

. *Advances in Applied Ceramics* vol. 112, (2) 69-74.

Low-temperature spark plasma sintering of pure nano wc powder.

. *Journal of The American Ceramic Society*.

Effects of dispersion surfactants on the properties of ceramic-carbon nanotube (CNT) nanocomposites.

. *Ceramics International*.

Graphene reinforced alumina nano-composites.

. *Carbon*.

Active ferroelectricity in nanostructured multiferroic BiFeO₃ bulk ceramics.

. *Journal of Materials Chemistry C* vol. 1, (36) 5628-5631.

Effect of dysprosium substitution on crystal structure and physical properties of multiferroic BiFeO₃ ceramics.

. *Journal of The European Ceramic Society*.

Joining of C/SiC composites by spark plasma sintering technique.

. *Journal of The European Ceramic Society*.

Utilizing the phonon glass electron crystal concept to improve the thermoelectric properties of combined Yb-stuffed and Te-substituted CoSb₃.

. *Scripta Materialia*.

Contribution of piezoelectric effect, electrostriction and ferroelectric/ferroelastic switching to strain-electric field response of dielectrics.

. *Journal of Advanced Dielectrics* vol. 3, (01). World Scientific Publishing.

2012

The effect of carbon nanotubes on the sintering behaviour of zirconia.

. *Journal of The European Ceramic Society* vol. 32, (16) 4149-4156.

Microwave dielectric properties of La₃Ti₂TaO₁₁ ceramics with perovskite-like layered structure.

. *Journal of The European Ceramic Society* vol. 32, (16) 4015-4020.

Toughening of zirconia/alumina composites by the addition of graphene platelets.

. *Journal of The European Ceramic Society* vol. 32, (16) 4185-4193.

Ferroelectric ceramics with enhanced remnant polarization by ordered coalescence of nano-crystals.

. *Journal of Materials Chemistry* vol. 22, (44) 23547-23552.

Structural, dielectric, magnetic, and nuclear magnetic resonance studies of multiferroic Y-type hexaferrites.

. *Journal of Applied Physics* vol. 112, (7).

Reversibility in electric field-induced transitions and energy storage properties of bismuth-based perovskite ceramics.

. *Journal of Physics D Applied Physics* vol. 45, (35).

Processing and characterization of high-density zirconia-carbon nanotube composites.

. *Materials Science and Engineering A* vol. 549, 50-59.

Cobalt-based orthopaedic alloys: Relationship between forming route, microstructure and tribological performance.

. *Materials Science and Engineering C* vol. 32, (5) 1222-1229.

Shortened carbon nanotubes and their influence on the electrical properties of polymer nanocomposites.

. *Journal of Composite Materials* vol. 46, (11) 1313-1322.

Microstructural evolution during high-temperature oxidation of spark plasma sintered Ti₂AlN ceramics.

. *Acta Materialia* vol. 60, (3) 1079-1092.

From the Editor.

. *Advances in Applied Ceramics* vol. 111, (1-2) 1-1. Sage Publications.

Dynamics of ferroelectric switching of [H₃CNH₃]⁺5[Bi₂Br₁₁]⁻.

. *Journal of Applied Physics* vol. 111, (2).

Spherical instrumented indentation of porous nanocrystalline zirconia.

. *Journal of The European Ceramic Society* vol. 32, (1) 123-132.

Phase stability and rapid consolidation of hydroxyapatite-zirconia nano-coprecipitates made using continuous hydrothermal flow synthesis.

. *Journal of Biomaterials Applications* vol. 27, (1) 79-90.

Highly transparent -alumina obtained by low cost high pressure SPS.

. *Ceramics International*.

Microstructure and High-temperature Oxidation Behavior of Ti 3AlC 2/W Composites.

. *Journal of The American Ceramic Society*.

Piezoelectric and dielectric properties of Ce substituted La₂Ti₂O₇ ceramics.

. *Journal of The European Ceramic Society*.

The Effect of Barium Substitution on the Ferroelectric Properties of Sr₂Nb₂O₇ Ceramics.

. *Journal of The American Ceramic Society*.

Kinetics of Densification and Grain Growth of Pure Tungsten During Spark Plasma Sintering.

. *Metallurgical and Materials Transactions B-Process Metallurgy and Materials Processing Science* vol. 43, (6) 1608-1614.

Structural and magnetic characterization of spark plasma sintered Fe-50Co alloys.

. *Mrs Online Proceedings Library* vol. 1516, (1) 201-207. *Springer Nature*.

2011

The production of advanced fine-grained alumina by carbon nanotube addition.

. *Journal of The European Ceramic Society* vol. 31, (15) 2853-2859.

Ferroelectric domain structures and electrical properties of fine-grained lead-free sodium potassium niobate ceramics.

. *Journal of The American Ceramic Society* vol. 94, (10) 3391-3396.

Magneto-electric properties of multiferroic Pb(Zr_{0.52}Ti_{0.48})O₃-NiFe₂O₄ nanoceramic composites.

. *Journal of The American Ceramic Society* vol. 94, (8) 2311-2314.

Carbon nanotubes: Do they toughen brittle matrices?.

. *Journal of Materials Science* vol. 46, (14) 4770-4779.

Mechanism of chromium oxide formation in cobalt-chromium-molybdenum (F75) alloys prepared using spark plasma sintering.

. *Advanced Engineering Materials* vol. 13, (5) 411-417.

High-strength nanograined and translucent hydroxyapatite monoliths via continuous hydrothermal synthesis and optimized spark plasma sintering.

. *Acta Biomater* vol. 7, (2) 791-799.

THE CONTRIBUTION OF ELECTRICAL CONDUCTIVITY, DIELECTRIC PERMITTIVITY AND DOMAIN SWITCHING IN FERROELECTRIC HYSTERESIS LOOPS.

. *J. Adv Dielectrics* vol. 1, 107-118.

The elastic properties of ferroelectric thin films measured using nanoindentation.

. *Springer Series in Materials Science* vol. 140, (1) 543-572.

2010

Polarization dynamics and non-equilibrium processes in ferroelectric switching.

. *Proceedings of The 2010 IEEE International Symposium On The Applications of Ferroelectrics Isaf 2010 Co Located With The 10th Eu*.

A novel route for processing cobalt-chromium-molybdenum orthopaedic alloys.

. *Journal of The Royal Society Interface* vol. 7, (52) 1641-1645.

Effect of point defects on thermal depoling behavior of bismuth layer-structured ferroelectric ceramics.

. *J Appl Phys* vol. 108, (9).

Microstructure and electrical properties of Aurivillius phase (CaBi₂Nb₂O₉)(1-x)(BaBi₂Nb₂O₉)(x) solid solution.

. *J Appl Phys* vol. 108, (1).

Physics with the KLOE-2 experiment at the upgraded DANE.

. *European Physical Journal C* vol. 68, (3-4) 619-681. Springer Nature.

Highly conductive low nickel content nano-composite dense cermets from nano-powders made via a continuous hydrothermal synthesis route.

. *Solid State Ionics* vol. 181, (17-18) 827-834.

The sintering and grain growth behaviour of ceramic-carbon nanotube nanocomposites.

. *Compos Sci Technol* vol. 70, (6) 947-952.

High temperature lead-free relaxor ferroelectric: Intergrowth Aurivillius phase BaBi₂Nb₂O₉-Bi₄Ti₃O₁₂ ceramics.

. *Journal of Applied Physics* vol. 107, (10).

Piezoelectric Strontium Niobate and Calcium Niobate Ceramics with Super-High Curie Points.

. *J Am Ceram Soc* vol. 93, (5) 1409-1413.

Laser melting of spark plasma-sintered zirconium carbide: Thermophysical properties of a generation IV very high-temperature reactor material.

. *International Journal of Applied Ceramic Technology* vol. 7, (3) 316-326.

Structural and chemical stability of multiwall carbon nanotubes in sintered ceramic nanocomposite.

. *Adv Appl Ceram* vol. 109, (4) 240-245.

Textured high Curie point piezoelectric ceramics prepared by spark plasma sintering.

. *Adv Appl Ceram* vol. 109, (3) 139-142.

Low temperature consolidated lead-free ferroelectric niobate ceramics with improved electrical properties.

. *J Mater Res* vol. 25, (2) 240-247.

Stability of Nanocrystalline Spark Plasma Sintered 3Y-TZP.

. *Materials* vol. 3, (2) 800-814.

Electrically conductive alumina-carbon nanocomposites prepared by Spark Plasma Sintering.

. *Journal of The European Ceramic Society* vol. 30, (2) 153-157.

2009

Hot pressed and spark plasma sintered zirconia/carbon nanofiber composites.

. *Journal of The European Ceramic Society* vol. 29, (15) 3177-3184.

Degradation resistance of 3Y-TZP ceramics sintered using spark plasma sintering.

. *IOP Conference Series Materials Science and Engineering* vol. 5,.

Piezoelectric and Ferroelectric Properties of Bismuth Tungstate Ceramics Fabricated by Spark Plasma Sintering.

. *J Am Ceram Soc* vol. 92, (12) 3108-3110.

Effect of composition on rate dependence of ferroelastic/ferroelectric switching in perovskite ceramics.

. *Mater Sci Tech-Lond* vol. 25, (11) 1312-1315.

Piezoelectric Ceramics with Super-High Curie Points.

. *J Am Ceram Soc* vol. 92, (10) 2270-2275.

The grain size effect on the properties of Aurivillius phase Bi_{3.15}Nd_{0.85}Ti₃O₁₂ ferroelectric ceramics.

. *Nanotechnology* vol. 20, (38).

The grain size effect on the properties of Aurivillius phase Bi_{3.15}Nd_{0.85}Ti₃O₁₂ ferroelectric ceramics.
. *Nanotechnology* vol. 20, (38).

Fabrication and properties of dense ex situ magnesium diboride bulk material synthesized using spark plasma sintering.
. *Supercond Sci Tech* vol. 22, (9).

The effect of Nd substitution on the electrical properties of Bi₃NbTiO₉ Aurivillius phase ceramics.
. *J Appl Phys* vol. 106, (4).

High-temperature ferroelectric phase transition observed in multiferroic Bi_{0.91}La_{0.05}Tb_{0.04}FeO₃.
. *Applied Physics Letters* vol. 95, (1).

Dual ferroelasticity of lanthanum chromium-based multicomponent solid solution perovskite.
. *Scripta Materialia* vol. 60, (9) 783-786.

2008

Effect of a site substitution on the properties of CaBi₂Nb₂O₉ ferroelectric ceramics.
. *Journal of The American Ceramic Society* vol. 91, (9) 2928-2932.

Room-temperature creep of LaCoO₃ -based perovskites: Equilibrium strain under compression.
. *Physical Review B Condensed Matter and Materials Physics* vol. 78, (2).

Dimethylformamide: an effective dispersant for making ceramic-carbon nanotube composites.
. *Nanotechnology* vol. 19, (19).

Thermal activation of ferroelectric switching.
. *Journal of Applied Physics* vol. 103, (1).

Luminescence of Sr₂SiO_{4-x}N_{2x/3} : Eu²⁺ phosphors prepared by spark plasma sintering.
. *J Electrochem Soc* vol. 155, (2) J58-J61.

2007

Dielectric, piezoelectric, and ferroelectric properties of grain-orientated Bi_{3.25}La_{0.75}Ti₃O₁₂ ceramics.
. *J Appl Phys* vol. 102, (10).

Microstructure and electrical properties of Si₃N₄-TiN composites sintered by hot pressing and spark plasma sintering.
. *Ceramics International* vol. 33, (7) 1223-1229.

The influence of the grain boundary phase on the mechanical properties of Si₃N₄-MoSi₂ composites.
. *Acta Materialia* vol. 55, (8) 2875-2884.

Enhanced ferroelectric loop asymmetry of lead zirconate titanate thin films under nanoindentation.
. *Journal of Applied Physics* vol. 101, (2).

The effect of different sintering additives on the electrical and oxidation properties of Si₃N₄-MoSi₂ composites.
. *Journal of The European Ceramic Society* vol. 27, (5) 2153-2161.

2006

Effect of texture on dielectric properties and thermal depoling of Bi₄Ti₃O₁₂ ferroelectric ceramics.
. *J Appl Phys* vol. 100, (7).

B-site donor and acceptor doped Aurivillius phase Bi₃NbTiO₉ ceramics.
. *J Eur Ceram Soc* vol. 26, (13) 2785-2792.

Orientation dependence of dielectric and relaxor behaviour in Aurivillius phase BaBi₂Nb₂O₉ ceramics prepared by spark plasma sintering.
. *J Mater Sci-Mater El* vol. 17, (9) 657-661.

Inelastic deformation behavior of $\text{La}_{0.6}\text{Sr}_{0.4}\text{FeO}_3$ perovskite.

. *Journal of Applied Physics* vol. 100, (2).

Fractographic montage for a Si_3N_4 -SiC nanocomposite.

. *Journal of The American Ceramic Society* vol. 89, (5) 1752-1755.

Experimental, analytical, and finite element analyses of nanoindentation of multilayer PZT/Pt/SiO₂ thin film systems on silicon wafers.

. *Journal of Materials Research* vol. 21, (2) 409-419.

Printing gold nanoparticles with an electrohydrodynamic direct-write device.

. *Gold Bulletin* vol. 39, (2) 48-53.

2005

Thermal depoling of high Curie point Aurivillius phase ferroelectric ceramics.

. *Appl Phys Lett* vol. 87, (8).

A LeadFree HighCuriePoint Ferroelectric Ceramic, $\text{CaBi}_2\text{Nb}_2\text{O}_9$.

. *Cheminform* vol. 36, (28) no-no. Wiley.

Enhanced creep resistant silicon-nitride-based nanocomposite.

. *Journal of The American Ceramic Society* vol. 88, (6) 1500-1503.

A lead-free high-Curie-point ferroelectric ceramic, $\text{CaBi}_2\text{Nb}_2\text{O}_9$.

. *Adv Mater* vol. 17, (10) 1261-+.

Ferroelectric/ferroelastic behavior and piezoelectric response of lead zirconate titanate thin films under nanoindentation.

. *Journal of Applied Physics* vol. 97, (7).

2004

Ferroelectric hysteresis loops of $(\text{Pb}, \text{Ca})\text{TiO}_3$ thin films under spherical indentation.

. *Applied Physics Letters* vol. 85, (11) 2023-2025.

Creep behavior of a carbon-derived Si_3N_4 /SiC nanocomposite.

. *Journal of The European Ceramic Society* vol. 24, (12) 3307-3315.

Nanoindentation of multilayer PZT/Pt/SiO₂ thin film systems on silicon wafers for MEMS applications.

. *Mrs Online Proceedings Library* vol. 841, (1).Springer Nature.

2003

Crack extension force and rate of mechanical work of fracture in linear dielectrics and piezoelectrics.

. *Philosophical Magazine* vol. 83, (7) 873-888.

2002

Anelastic deformation of $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ thin films by non-180 ferroelectric domain wall movements during nanoindentation.

. *Applied Physics Letters* vol. 81, (3) 421-423.

Ferroelasticity and hysteresis in LaCoO_3 based perovskites.

. *Acta Materialia* vol. 50, (4) 715-723.

Toughening produced by crack-tip-stress-induced domain reorientation in ferroelectric and/or ferroelastic materials.

. *Philosophical Magazine a Physics of Condensed Matter Structure Defects and Mechanical Properties* vol. 82, (1) 29-38.

2001

Stress-induced depolarization of (Pb, La)TiO₃ ferroelectric thin films by nanoindentation.

. *Appl Phys Lett* vol. 79, (23) 3830-3832.

Mechanical and electromechanical properties of PZT sol-gel thin films measured by nanoindentation.

. *Integrated Ferroelectrics* vol. 41, (1-4) 53-62.

Direct measurement of mechanical properties of (Pb,La)TiO₃ ferroelectric thin films using nanoindentation techniques.

. *Journal of Materials Research* vol. 16, (4) 993-1002.

Fatigue behaviour of mullite studied by the indentation flexure method.

. *Journal of The European Ceramic Society* vol. 21, (1) 53-61.

2000

Fracture of PZT piezoelectric ceramics under compression-compression loading.

. *Scripta Mater* vol. 42, (4) 353-357.

Influence of grain size on the indentation-fatigue behavior of alumina.

. *Journal of The American Ceramic Society* vol. 83, (4) 967-970.

1999

Crack growth during poling and polarisation reversal in commercial piezoceramics.

. *Bol Soc Esp Ceram V* vol. 38, (6) 593-597.

The characterisation of ferroelectric thin films using nanoindentation.

. *Bol Soc Esp Ceram V* vol. 38, (5) 446-450.

1998

Electrokinetic behavior and stability of silicon carbide nanoparticulate dispersions.

. *Journal of The American Ceramic Society* vol. 81, (2) 389-394.

Cyclic fatigue crack growth behaviour in -(Si-Al-O-N) at ambient and elevated temperatures.

. *Journal of Materials Science* vol. 33, (15) 3867-3874.

Subcritical crack propagation under cyclic and static loading in mullite and mullite-zirconia.

. *Journal of The European Ceramic Society* vol. 18, (3) 221-227.

1997

Anisotropic deformation and fracture of indented PZT.

. *Key Engineering Materials* vol. 132-136, 551-554.

Effect of porosity and grain size on the microwave dielectric properties of sintered alumina.

. *Journal of The American Ceramic Society* vol. 80, (7) 1885-1888.

Growth of indentation cracks in poled and unpoled PZT.

. *Journal of The European Ceramic Society* vol. 17, (4) 505-512.

1996

Si₃N₄-Al₂O₃/Si₃N₄-Y₂O₃ couple diffusion system.

. *Acta Mater* vol. 44, (3) 1001-1010.

High-temperature Fatigue of a Gas-Pressure-Sintered Silicon Nitride.

. *Journal of The European Ceramic Society* vol. 16, (9) 1009-1020.

Structural development and properties of SiC-Si₃N₄ nano/microcomposites.

. *Journal of Materials Science* vol. 15, (1) 72-76. Springer Nature.

Microstructures and dielectric properties of ferroelectric glass-ceramics.

. *Journal of The American Ceramic Society* vol. 79, (1) 17-26.

1994

Determination of Stress Distribution in Fibre Bridged Cracks in Ceramic Matrix Composites.

. *Advanced Composites Letters* vol. 3, (4). Sage Publications.

1992

ROLE OF CRACK-BRIDGING LIGAMENTS IN THE CYCLIC FATIGUE BEHAVIOR OF ALUMINA.

. *J Am Ceram Soc* vol. 75, (11) 2976-2984.

Preparation of hard particle powders for examination in the transmission electron microscope.

. *Journal of Microscopy* vol. 167, (1) 123-126. Wiley.

Phase transformation around indentations in zirconia.

. *Journal of Materials Science Letters* vol. 11, (9) 575-577.

1991

Analysis of Si₃N₄+Si₃N₄ whisker ceramics.

. *Journal of Materials Science* vol. 26, (24) 6782-6788. Springer Nature.

Electron microscope study of non-stoichiometric titania.

. *Journal of Materials Science* vol. 26, (20) 5566-5574. Springer Nature.

Cyclic fatigue of ceramics.

. *Journal of Materials Science* vol. 26, (12) 3275-3286.

INDENTATION FATIGUE OF HIGH-PURITY ALUMINA IN FLUID ENVIRONMENTS.

. *J Am Ceram Soc* vol. 74, (1) 148-154.

1990

REPEATED INDENTATION METHOD FOR STUDYING CYCLIC FATIGUE IN CERAMICS.

. *J Am Ceram Soc* vol. 73, (4) 1004-1013.

1989

Cyclic Fatigue Crack Propagation in Alumina under Direct Tension/Compression Loading.

. *Journal of The American Ceramic Society* vol. 72, (2) 348-352.

1988

Observations of the influence of ion-bombardment on the microstructure of synthetic and natural ferrite crystals.

. *Journal of Materials Science* vol. 7, (6) 649-653. Springer Nature.

1987

Electron microscopy of second phases in manganese-zinc ferrite crystals.

. *Journal of Materials Science* vol. 22, (7) 2447-2456. Springer Nature.

1984

Slip systems in manganese zinc ferrite crystals.

. *Deformation of Ceramic Materials II* 177-186.