

Dr Nader Karimi

BSc, MSc, PhD, FHEA

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8732

email: n.karimi@qmul.ac.uk web: www.sems.qmul.ac.uk/n.karimi

2025

Pathways to sustainable fuel design from a probabilistic deep learning perspective.

. *Advances in Applied Energy* vol. 19, 100226-100226.Elsevier Bv.

Corrigendum to Lithium-ion battery thermal management via advanced cooling parameters: State-of-the-art review on application of machine learning with exergy, economic and environmental analysis [Journal of the Taiwan Institute of Chemical Engineers Volume 148, July 2023, 104854].

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 173, 105154-105154.Elsevier Bv.

Characteristics of the forced convection of heat in wavy channels under a transitional flow regime: A numerical study.

. *Physics of Fluids* vol. 37, (6).Aip Publishing.

Impact of Catalyst Quantity on Premixed Ultralean Hydrogen/Air Combustion in a Packed Bed Reactor.

. *Energy & Fuels* vol. 39, (19) 9121-9133.American Chemical Society (Acs).

Impact of vibration on Li-ion battery cooling: A system dynamics analysis and physical characterisation.

. *International Journal of Thermal Sciences* vol. 210, 109622-109622.Elsevier Bv.

Optimisation of the thermodynamic and environmental performances of a flat plate solar collector with multiple turbulators: An integrated experimental, numerical, and machine learning investigation.

. *Renewable Energy* vol. 242, 122407-122407.Elsevier Bv.

A platinum-coated staggered reactor to intensify lean hydrogen/air combustion: A large eddy simulation study.

. *Fuel* vol. 381, 133386-133386.Elsevier Bv.

Enhancing the performance of catalysts in turbulent premixed fuel-lean hydrogen/air combustion.

. *Chemical Engineering Science* vol. 301, 120747-120747.Elsevier Bv.

2024

Ruelle-Takens-Newhouse and degenerate period-doubling routes to chaos in a wavy-channel flow under mixed convection.

. *Physical Review Fluids* vol. 9, (12).American Physical Society (Aps).

Maximization of Hydrogen Production via Methane Steam Reforming in a Wavy Microreactor by Optimization of Catalyst Coating: A Combined Computational and Data Analytics Approach.

. *Industrial & Engineering Chemistry Research* vol. 63, (43) 18599-18614.American Chemical Society (Acs).

Optically functional bio-based phase change material nanocapsules for highly efficient conversion of sunlight to heat and thermal storage.

. *Energy* vol. 305, 132290-132290.Elsevier Bv.

Radiation and nanoparticle interaction for enhanced light absorption and heat conversion.

. *Journal of Molecular Liquids* vol. 411, 125702-125702.Elsevier Bv.

Waste heat recovery from a green ammonia production plant by Kalina and vapour absorption refrigeration cycles: A comparative energy, exergy, environmental and economic analysis.

. *Sustainable Energy Technologies and Assessments* vol. 69, 103916-103916.Elsevier Bv.

Effects of compositional uncertainties in cracked NH₃/biosyngas fuel blends on the combustion characteristics and performance of a combined-cycle gas turbine: A numerical thermokinetic study.

. *International Journal of Hydrogen Energy* vol. 69, 504-517.Elsevier.

Breaking the symmetry of a wavy channel alters the route to chaotic flow.

. *Physical Review E* vol. 109, (4).American Physical Society (Aps).

Hybridized power-hydrogen generation using various configurations of Brayton-organic flash Rankine cycles fed by a sustainable fuel: Exergy and exergoeconomic analyses with ANN prediction.

. *Energy* vol. 290, 130166-130166.Elsevier Bv.

Thermally enhanced nanocomposite phase change material slurry for solar-thermal energy storage.

. *Journal of Energy Storage* vol. 78, 110110-110110.Elsevier Bv.

Bubble generation mechanisms in microchannel under microgravity and heterogeneous wettability.

. *Physics of Fluids* vol. 36, (2).Aip Publishing.

Introduction to Advances in Sustainable Hydrogen Energy.

. *Rsc Advances* vol. 14, (13) 9351-9352.Royal Society of Chemistry (Rsc).

Price inflation effects on a solar-geothermal system for combined production of hydrogen, power, freshwater and heat.

. *International Journal of Hydrogen Energy* vol. 52, 861-872.Elsevier Bv.

On the effects of adding syngas to an ammonia-MILD combustion regimeA computational study of the reaction zone structure.

. *International Journal of Hydrogen Energy* vol. 52, 226-240.Elsevier Bv.

On the effects of surface waviness upon catalytic steam reforming of methane in micro-structured reactors - a computational study.

. *International Journal of Hydrogen Energy* vol. 52, 465-481.Elsevier Bv.

The potential for anti-icing wing and aircraft applications of mixed-wettability surfaces - A comprehensive review.

. *Cold Regions Science and Technology* vol. 217, 104042-104042.Elsevier Bv.

Energy, economic, and environmental analysis of converging air-based photovoltaic-thermal (air/PV-T) systems: A yearly benchmarking.

. *Journal of Cleaner Production* vol. 434, 139871-139871.Elsevier Bv.

2023

Transient cooling of a lithium-ion battery module during high-performance driving cycles using distributed pipes - A numerical investigation.

. *Journal of Energy Storage* vol. 74, 109278-109278.Elsevier Bv.

Enhancing low-pressure stage steam turbine using the TDLD criterion and the TOPSIS analysis.

. *Proceedings of The Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science* vol. 238, (10) 4822-4839.Sage Publications.

Sensible heat thermal energy storage performance of mono and blended nanofluids in a free convective-radiation inclined system.

. *Case Studies in Thermal Engineering* vol. 51, 103562-103562.Elsevier Bv.

Recent progress on flat plate solar collectors equipped with nanofluid and turbulator: state of the art.

. *Environmental Science and Pollution Research* vol. 30, (51) 109921-109954.Springer Science and Business Media Llc.

Progress in phase change nano-emulsions for energy applications-A concise review.

. *Journal of Molecular Liquids* vol. 387, 122547-122547.Elsevier Bv.

Cold water storage tank enhancement using response surface methodology leading cooling peak shaving along with load shifting.

. *Journal of Cleaner Production* vol. 421, 138422-138422.Elsevier Bv.

Time-dependent analysis of heat transfer enhancement and entropy generation of hybrid nanofluids in a tube with a solid and ellipticalcut twisted tape insert with non-uniform heat flux.

. *Energy Sources, Part a: Recovery, Utilization, and Environmental Effects* vol. 45, (4) 11315-11340.Informa Uk Limited.

Heat transfer characteristics of fluids containing paraffin core-metallic shell nanoencapsulated phase change materials for advanced thermal energy conversion and storage applications.

. *Journal of Molecular Liquids* vol. 385, 122385-122385.Elsevier Bv.

Building integrated photovoltaic/thermal technologies in Middle Eastern and North African countries: Current trends and future perspectives.

. *Renewable and Sustainable Energy Reviews* vol. 182, 113370-113370.Elsevier Bv.

A review of combustion properties, performance, and emission characteristics of diesel engine fueled with Al₂O₃ nanoparticle-containing biodiesel.

. *Clean Technologies and Environmental Policy* vol. 26, (11) 3715-3737.Springer Science and Business Media Llc.

A comprehensive study to find the optimal fraction of nanoparticle coated at the interface of solar desalination absorbers: 5E and GHGs analysis in different seasons.

. *Solar Energy Materials and Solar Cells* vol. 256, 112308-112308.Elsevier Bv.

Lithium-ion battery thermal management via advanced cooling parameters: State-of-the-art review on application of machine learning with exergy, economic and environmental analysis.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 148, 104854-104854.Elsevier Bv.

A comprehensive review on the application of nanofluids and PCMs in solar thermal collectors: Energy, exergy, economic, and environmental analyses.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 148, 104856-104856.Elsevier Bv.

Double-diffusive natural convection with Soret/Dufour effects and energy optimization of Nano-Encapsulated Phase Change Material in a novel form of a wavy-walled I-shaped domain.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 148, 104873-104873.Elsevier Bv.

Numerical and experimental evaluation of the configurational effects on the thermohydraulics of an Ag-MgO/water hybrid nanofluid flow in a circular heatsink with optimization energy efficiency.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 148, 104893-104893.Elsevier Bv.

Impact of hybrid surfaces on the droplet breakup dynamics in microgravity slug flow: A dynamic contact angle analysis.

. *Physics of Fluids* vol. 35, (7).Aip Publishing.

Numerical investigation of premixed hydrogen/air combustion at lean to ultra-lean conditions and catalytic approach to enhance stability.

. *International Journal of Hydrogen Energy* vol. 48, (47) 18100-18115.Elsevier Bv.

Effects of combined radiation and forced convection on a directly capturing solar energy system.

. *Thermal Science and Engineering Progress* vol. 40, 101797-101797.Elsevier Bv.

Entropy generation and thermohydraulics of mixed convection of hybrid-nanofluid in a vertical tube fitted with ellipticalcut twisted tape inserts - a computational study.

. *Energy Sources, Part a: Recovery, Utilization, and Environmental Effects* vol. 45, (2) 3369-3391.Informa Uk Limited.

A review on the applications of micro-/mini-channels for battery thermal management.

. *Journal of Thermal Analysis and Calorimetry* vol. 148, (16) 7959-7979.Springer Science and Business Media Llc.

A combination of large eddy simulation and physics-informed machine learning to predict pore-scale flow behaviours in fibrous porous media: A case study of transient flow passing through a surgical mask.

. *Engineering Analysis With Boundary Elements* vol. 149, 52-70.Elsevier Bv.

Natural and synthetic superhydrophobic surfaces: A review of the fundamentals, structures, and applications.

. *Alexandria Engineering Journal* vol. 68, 587-609.Elsevier Bv.

Entropy generation and exergy analysis of AgMgO/water hybrid nanofluid within a circular heatsink with different number of outputs.

. *International Journal of Thermal Sciences* vol. 184, 107891-107891.Elsevier Bv.

Techno-economic evaluation of a hybrid photovoltaic system with hot/cold water storage for poly-generation in a residential building.

. *Applied Energy* vol. 331, 120391-120391.Elsevier Bv.

Experimental investigation of a hybridized flat-plate solar collector/gas burner for low-carbon production of hot water Analysis of energy, exergy, and GHG emissions.

. *Sustainable Energy Technologies and Assessments* vol. 55, 102918-102918.Elsevier Bv.

Enhanced sensible heat storage capacity of nanofluids by improving the photothermal conversion performance with direct radiative absorption of solar energy.

. *Journal of Molecular Liquids* vol. 372, 121182-121182.Elsevier Bv.

Lattice-Boltzmann numerical simulation of double-diffusive natural convection and entropy generation in an n-shaped partially heated storage tank.

. *Engineering Analysis With Boundary Elements* vol. 146, 105-118.Elsevier Bv.

Uncertainty quantification of the premixed combustion characteristics of NH₃/H₂/N₂ fuel blends.

. *International Journal of Hydrogen Energy*.Elsevier Bv.

Natural and synthetic superhydrophobic surfaces: A review of the fundamentals, structures, and applications.

. *Alexandria Engineering Journal* vol. 68, 587-609.

2022

Computational assessment of the thermal response of a Li-ion battery module to transient loads.

. *Journal of Power Sources* vol. 552, 232217-232217.Elsevier Bv.

Applications of machine learning techniques in performance evaluation of solar desalination systems A concise review.

. *Engineering Analysis With Boundary Elements* vol. 144, 399-408.Elsevier Bv.

On the effects of NH₃ addition to a reacting mixture of H₂/CH₄ under MILD combustion regime: Numerical modeling with a modified EDC combustion model.

. *Fuel* vol. 326, 125096-125096.Elsevier Bv.

Effect of hybrid wall contact angles on slug flow behavior in a T-junction microchannel: A numerical study.

. *Colloids and Surfaces a: Physicochemical and Engineering Aspects* vol. 650, 129677-129677.Elsevier Bv.

Numerical investigation on turbulent flow, heat transfer, and entropy generation of water-based magnetic nanofluid flow in a tube with hemisphere porous under a uniform magnetic field.

. *International Communications in Heat and Mass Transfer* vol. 137, 106308-106308.Elsevier Bv.

Hydrogen preheating in a PEMFC system employing a heat exchanger equipped with an innovative turbulator.

. *International Journal of Hydrogen Energy* vol. 47, (85) 36264-36282.Elsevier Bv.

Phase change materials: Agents towards energy performance improvement in inclined, vertical, and horizontal walls of residential buildings.

. *Journal of Building Engineering* vol. 56, 104656-104656.Elsevier Bv.

Using machine learning in photovoltaics to create smarter and cleaner energy generation systems: A comprehensive review.

. *Journal of Cleaner Production* vol. 364, 132701-132701.Elsevier Bv.

Efficacy of diverse structures of wavy baffles on heat transfer amplification of double-diffusive natural convection inside a C-shaped enclosure filled with hybrid nanofluid.

. *Sustainable Energy Technologies and Assessments* vol. 52, 102180-102180.Elsevier Bv.

Thermal management and natural convection flow of nano encapsulated phase change material (NEPCM)-water suspension in a reverse T-shaped porous cavity enshrining two hot corrugated baffles: A boost to renewable energy storage.

. *Journal of Building Engineering* vol. 53, 104550-104550.Elsevier Bv.

Dynamic multi-objective optimization applied to a solar-geothermal multi-generation system for hydrogen production, desalination, and energy storage.

. *International Journal of Hydrogen Energy* vol. 47, (74) 31730-31741.Elsevier Bv.

Selecting efficient side of thermoelectric in pyramid-shape solar desalination units incorporated phase change material (PCM), nanoparticle, turbulator with battery storage powered by photovoltaic.

. *Journal of Energy Storage* vol. 51, 104448-104448.Elsevier Bv.

Computational analysis of heat transfer augmentation and thermodynamic irreversibility of hybrid nanofluids in a tube fitted with classical and ellipticalcut twisted tape inserts.

. *Journal of Thermal Analysis and Calorimetry* vol. 147, (21) 12093-12110.Springer Science and Business Media Llc.

A critical analysis on the energy and exergy performance of photovoltaic/thermal (PV/T) system: The role of nanofluids stability and synthesizing method.

. *Sustainable Energy Technologies and Assessments* vol. 51, 101887-101887.Elsevier Bv.

Examination of the effects of porosity upon intensification of thermal storage of PCMs in a shell-and-tube type system.

. *Case Studies in Thermal Engineering* vol. 33, 101963-101963.Elsevier Bv.

Enhancement of heat transfer in solar collectors by vortex generation.

. *Energy Sources, Part a: Recovery, Utilization, and Environmental Effects* vol. 44, (1) 1731-1750.Informa Uk Limited.

Numerical simulation of the effects of superhydrophobic coating in an oval cross-sectional solar collector with a wavy absorber filled with water-based Al₂O₃-ZnO-Fe₃O₄ ternary hybrid nanofluid.

. *Sustainable Energy Technologies and Assessments* vol. 50, 101881-101881.Elsevier Bv.

Predicting the effects of environmental parameters on the spatio-temporal distribution of the droplets carrying coronavirus in public transport A machine learning approach.

. *Chemical Engineering Journal* vol. 430, 132761-132761.Elsevier Bv.

The effect of sinusoidal fins amplitude on the thermo-hydraulic performance of a solar air heater.

. *Chemical Engineering Communications* vol. 210, (5) 773-787.Informa Uk Limited.

Energy Harvesting Materials: Overview.

. *Encyclopedia of Smart Materials* 230-241. Elsevier.

Progress and challenges on the thermal management of electrochemical energy conversion and storage technologies: Fuel cells, electrolyzers, and supercapacitors.

. *Progress in Energy and Combustion Science* vol. 88, 100966-100966.Elsevier Bv.

A comparative analysis of the evolution of compositional and entropy waves in turbulent channel flows.

. *Physics of Fluids* vol. 34, (1).Aip Publishing.

2021

Towards identification of a reliable framework to predict the thermal field in turbulent wall-bounded shear flows.

. *International Journal of Heat and Mass Transfer* vol. 180, 121752-121752.Elsevier Bv.

Geometrical inlet effects on the behavior of a non-premixed fully turbulent syngas combustion; a numerical study.

. *Acta Astronautica* vol. 189, 1-9.Elsevier Bv.

The use of nanofluids in thermosyphon heat pipe: A comprehensive review.

. *Powder Technology* vol. 394, 250-269.Elsevier Bv.

Machine-Learning Enhanced Analysis of Mixed Biothermal Convection of Single Particle and Hybrid Nanofluids within a Complex Configuration.

. *Industrial & Engineering Chemistry Research* vol. 61, (24) 8478-8494.American Chemical Society (Acs).

Potentials of magnetic shape memory alloys for energy harvesting.

. *Journal of Magnetism and Magnetic Materials* vol. 537, 168112-168112.Elsevier Bv.

Free convection and second law scrutiny of NEPCM suspension inside a wavy-baffle-equipped cylinder under altered Fourier theory.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 128, 288-300.Elsevier Bv.

Dissection of entropy production for the free convection of NEPCMs-filled porous wavy enclosure subject to volumetric heat source/sink.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 128, 98-113.Elsevier Bv.

Intensification of ultra-lean catalytic combustion of methane in microreactors by boundary layer interruptions A computational study.

. *Chemical Engineering Science* vol. 242, 116730-116730.Elsevier Bv.

Nanofluids: Physical phenomena, applications in thermal systems and the environment effects- a critical review.

. *Journal of Cleaner Production* vol. 320, 128573-128573.Elsevier Bv.

Phase change dynamics in a cylinder containing hybrid nanofluid and phase change material subjected to a rotating inner disk.

. *Journal of Energy Storage* vol. 42, 103007-103007.Elsevier Bv.

Analysis of the unsteady thermal response of a Li-ion battery pack to dynamic loads.

. *Energy* vol. 231, 120947-120947.Elsevier Bv.

A numerical investigation of CO₂ gasification of biomass particles- analysis of energy, exergy and entropy generation.

. *Energy* vol. 228, 120615-120615.Elsevier Bv.

Thermo-economic and entropy generation analyses of magnetic natural convective flow in a nanofluid-filled annular enclosure fitted with fins.

. *Sustainable Energy Technologies and Assessments* vol. 46, 101274-101274.Elsevier Bv.

Optimizing thermal performance and exergy efficiency in hydrogen-fueled meso-combustors by applying a bluff-body.

. *Journal of Cleaner Production* vol. 311, 127573-127573.Elsevier Bv.

Prediction of the spread of Corona-virus carrying droplets in a bus - A computational based artificial intelligence approach.

. *Journal of Hazardous Materials* vol. 413, 125358-125358.Elsevier Bv.

Interaction of fusion temperature on the magnetic free convection of nano-encapsulated phase change materials within two rectangular fins-equipped porous enclosure.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 124, 327-340.Elsevier Bv.

Selecting the best nanofluid type for A photovoltaic thermal (PV/T) system based on reliability, efficiency, energy, economic, and environmental criteria.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 124, 351-358.Elsevier Bv.

Natural convection of CuO-water nanofluid in a conventional oil/water separator cavity: Application to combined-cycle power plants.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 124, 307-319.Elsevier Bv.

A machine learning approach to the prediction of transport and thermodynamic processes in multiphysics systems - heat transfer in a hybrid nanofluid flow in porous media.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 124, 290-306.Elsevier Bv.

Intensification of MILD combustion of methane and hydrogen blend by the application of a magnetic field- a numerical study.

. *Acta Astronautica* vol. 184, 259-268.Elsevier Bv.

Thermal-natural convection and entropy production behavior of hybrid nanoliquid flow under the effects of magnetic field through a porous wavy cavity embodies three circular cylinders.

. *Journal of The Taiwan Institute of Chemical Engineers* vol. 124, 162-173.Elsevier Bv.

A dynamic multi-objective optimization procedure for water cooling of a photovoltaic module.

. *Sustainable Energy Technologies and Assessments* vol. 45, 101111-101111.Elsevier Bv.

Numerical simulation of a solar air heater equipped with wavy and raccoon-shaped fins: The effect of fins height.

. *Sustainable Energy Technologies and Assessments* vol. 45, 101227-101227.Elsevier Bv.

On the Response of Ultralean Combustion of CH₄/H₂ Blends in a Porous Burner to Fluctuations in Fuel Flowan Experimental Investigation.

. *Energy & Fuels* vol. 35, (10) 8909-8921.American Chemical Society (Acs).

Understanding droplet collision with superhydrophobic-hydrophobic-hydrophilic hybrid surfaces.

. *Colloids and Surfaces a: Physicochemical and Engineering Aspects* vol. 614, 126140-126140.Elsevier Bv.

Experimental study of a hemispherical three-dimensional solar collector operating with silver-water nanofluid.

. *Sustainable Energy Technologies and Assessments* vol. 44, 101043-101043.Elsevier Bv.

A Machine Learning Approach to Predicting the Heat Convection and Thermodynamics of an External Flow of Hybrid Nanofluid.

. *Journal of Energy Resources Technology* vol. 143, (7).Asme International.

Large eddy simulation of pseudo shock structure in a convergentlong divergent duct.

. *Computers & Mathematics With Applications* vol. 81, 823-837.Elsevier Bv.

Combined heat and mass transfer and thermodynamic irreversibilities in the stagnation-point flow of Casson rheological fluid over a cylinder with catalytic reactions and inside a porous medium under local thermal nonequilibrium.

. *Computers & Mathematics With Applications* vol. 81, 786-810.Elsevier Bv.

Numerical Investigation of Thermal Dynamic Response in Porous MediaA Pore-Scale Study.

. *Advances in Heat Transfer and Thermal Engineering* 385-389. Springer Singapore.

Unsteady ultra-lean combustion of methane and biogas in a porous burner An experimental study.

. *Applied Thermal Engineering* vol. 182, 116099-116099.Elsevier Bv.

Applications of nanofluids in thermal energy transport.

. *Emerging Nanotechnologies For Renewable Energy* 345-368. Elsevier.

2020

Numerical simulation of the heterogeneous combustion of dust clouds containing polydisperse porous iron particles.

. *Energy* vol. 212, 118759-118759.Elsevier Bv.

Generation of entropy in micro thermofluidic and thermochemical energy systems-A critical review.

. *International Journal of Heat and Mass Transfer* vol. 163, 120471-120471.Elsevier Bv.

Experimental investigation of the hydrodynamic effects upon convecting entropy waves in nozzle flows.

. *Aerospace Science and Technology* vol. 107, 106301-106301.Elsevier Bv.

Transient thermo-solutal convection in a tilted porous enclosure heated from below and salted from above.
. *International Communications in Heat and Mass Transfer* vol. 118, 104875-104875.Elsevier Bv.

Lift characteristics of two tandem airfoils in the globally unstable wake of a heated cylinder.
. *Journal of Thermal Analysis and Calorimetry* vol. 145, (4) 2081-2093.Springer Science and Business Media Llc.

Numerical Investigation of the Plasma-Assisted MILD Combustion of a CH₄/H₂ Fuel Blend Under Various Working Conditions.
. *Journal of Energy Resources Technology* vol. 143, (6).Asme International.

Large eddy simulation of the destruction of convecting hot fluid pockets through a cold channel flow.
. *International Journal of Thermal Sciences* vol. 156, 106475-106475.Elsevier Bv.

Dynamics of entropy wave generation in a simplified model of gas turbine combustor: A theoretical investigation.
. *Physics of Fluids* vol. 32, (10).Aip Publishing.

Utilization of H₂O and CO₂ in Coal Particle Gasification with an Impact of Temperature and Particle Size.
. *Energy & Fuels* vol. 34, (10) 12841-12852.American Chemical Society (Acs).

Analysis of transport processes in a reacting flow of hybrid nanofluid around a bluff-body embedded in porous media using artificial neural network and particle swarm optimization.
. *Journal of Molecular Liquids* vol. 313, 113492-113492.Elsevier Bv.

Investigation of thermochemical process of coal particle packed bed reactions for the development of UCG.
. *International Journal of Coal Science & Technology* vol. 7, (3) 476-492.Springer Science and Business Media Llc.

A Pore-Scale Investigation of the Transient Response of Forced Convection in Porous Media to Inlet Ramp Inputs.
. *Journal of Energy Resources Technology* vol. 142, (11).Asme International.

Numerical simulations of ultra-low-Re flow around two tandem airfoils in ground effect: isothermal and heated conditions.
. *Journal of Thermal Analysis and Calorimetry* vol. 145, (4) 2063-2079.Springer Science and Business Media Llc.

On the unsteady forced convection in porous media subject to inlet flow disturbances-A pore-scale analysis.
. *International Communications in Heat and Mass Transfer* vol. 116, 104639-104639.Elsevier Bv.

Application of Machine Learning to Investigation of Heat and Mass Transfer Over a Cylinder Surrounded by Porous MediaThe Radial Basic Function Network.
. *Journal of Energy Resources Technology* vol. 142, (11).Asme International.

Modeling Validation of Tubing Compaction for Rigless Well Plug and Abandonment.
. *Spe Drilling & Completion* vol. 36, (01) 101-117.Society of Petroleum Engineers (Spe).

Numerical Modeling of Subcooled Flow Boiling and Heat Transfer Enhancement: Validation and Applicability to Fusion Reactor Target Design.
. *Journal of Energy Resources Technology* vol. 142, (11).Asme International.

Numerical Investigation of the Effects of Swirling Hot Co-Flow on MILD Combustion of a HydrogenMethane Blend.
. *Journal of Energy Resources Technology* vol. 142, (11).Asme International.

A pore-scale assessment of the dynamic response of forced convection in porous media to inlet flow modulations.
. *International Journal of Heat and Mass Transfer* vol. 153, 119657-119657.Elsevier Bv.

Analysis of unsteady mixed convection of Cuwater nanofluid in an oscillatory, lid-driven enclosure using lattice Boltzmann method.
. *Journal of Thermal Analysis and Calorimetry* vol. 145, (4) 2045-2061.Springer Science and Business Media Llc.

Thermohydraulic analysis of a microchannel with varying superhydrophobic roughness.

. *Applied Thermal Engineering* vol. 172, 115147-115147.Elsevier Bv.

Heat and mass transfer and thermodynamic analysis of power-law fluid flow in a porous microchannel.

. *Journal of Thermal Analysis and Calorimetry* vol. 141, (5) 2145-2164.Springer Science and Business Media Llc.

Techno-economic assessment and optimization of a hybrid renewable earth - air heat exchanger coupled with electric boiler, hydrogen, wind and PV configurations.

. *Renewable Energy* vol. 148, 839-851.Elsevier Bv.

Passive techniques to enhance heat transfer in various\othermal systems.

. *Journal of Thermal Analysis and Calorimetry* vol. 140, (3) 875-878.Springer Science and Business Media Llc.

Experimental investigation of entropy waves evolution for understanding of indirect combustion noise in gas turbine combustors.

. *Energy* vol. 195, 116978-116978.Elsevier Bv.

Numerical simulation of hydrothermal features of CuH₂O nanofluid natural convection within a porous annulus considering diverse configurations of heater.

. *Journal of Thermal Analysis and Calorimetry* vol. 141, (5) 2109-2125.Springer Science and Business Media Llc.

Modelling of waste heat recovery of a biomass combustion plant through ground source heat pumps-development of an efficient numerical framework.

. *Applied Thermal Engineering* vol. 166, 114625-114625.Elsevier Bv.

Numerical study of nonlinear mixed convection inside stagnation-point flow over surface-reactive cylinder embedded in porous media.

. *Journal of Thermal Analysis and Calorimetry* vol. 141, (5) 1889-1903.Springer Science and Business Media Llc.

2019

Entropy Generation Assessment for Wall-Bounded Turbulent Shear Flows Based on Reynolds Analogy Assumptions.

. *Entropy* vol. 21, (12) 1157-1157.Mdpi Ag.

State prediction of an entropy wave advecting through a turbulent channel flow.

. *Journal of Fluid Mechanics* vol. 882,.Cambridge University Press (Cup).

A simplified mathematical study of thermochemical preparation of particle oxide under counterflow configuration for use in biomedical applications.

. *Journal of Thermal Analysis and Calorimetry* vol. 139, (4) 2769-2779.Springer Science and Business Media Llc.

A comprehensive investigation of acoustic power level in a moderate or intense low oxygen dilution in a jet-in-hot-coflow under various working conditions.

. *Aerospace Science and Technology* vol. 93, 105339-105339.Elsevier Bv.

On the influences of surface heat release and thermal radiation upon transport in catalytic porous microreactorsA novel porous-solid interface model.

. *Chemical Engineering and Processing - Process Intensification* vol. 143, 107602-107602.Elsevier Bv.

Double-diffusive transport and thermodynamic analysis of a magnetic microreactor with non-Newtonian biofuel flow.

. *Journal of Thermal Analysis and Calorimetry* vol. 140, (3) 917-941.Springer Science and Business Media Llc.

On the response of a lean-premixed hydrogen combustor to acoustic and dissipative-dispersive entropy waves.

. *Energy* vol. 180, 272-291.Elsevier Bv.

Effects of radiation and magnetic field on mixed convection stagnation-point flow over a cylinder in a porous medium under local thermal non-equilibrium.

. *Journal of Thermal Analysis and Calorimetry* vol. 140, (3) 1371-1391.Springer Science and Business Media Llc.

Combined heat and mass transfer analyses in catalytic microreactors partially filled with porous material - The influences of nanofluid and different porous-fluid interface models.

. *International Journal of Thermal Sciences* vol. 140, 96-113.Elsevier Bv.

Generation of entropy during forced convection of heat in nanofluid stagnation-point flows over a cylinder embedded in porous media.

. *Numerical Heat Transfer, Part a: Applications* vol. 75, (10) 647-673.Informa Uk Limited.

Non-Equilibrium Thermodynamics of Micro Technologies.

. *Entropy* vol. 21, (5) 501-501.Mdpi Ag.

The effects of exothermic catalytic reactions upon combined transport of heat and mass in porous microreactors.

. *International Journal of Heat and Mass Transfer* vol. 134, 1227-1249.Elsevier Bv.

Global, regional, and national burden of neurological disorders, 19902016: a systematic analysis for the Global Burden of Disease Study 2016.

. *The Lancet Neurology* vol. 18, (5) 459-480.Elsevier Bv.

Global, regional, and national burden of stroke, 19902016: a systematic analysis for the Global Burden of Disease Study 2016.

. *The Lancet Neurology* vol. 18, (5) 439-458.Elsevier Bv.

Analysis of transport from cylindrical surfaces subject to catalytic reactions and non-uniform impinging flows in porous media.

. *Journal of Thermal Analysis and Calorimetry* vol. 138, (1) 659-678.Springer Science and Business Media Llc.

Simulation of conjugate radiationforced convection heat transfer in a porous medium using the lattice Boltzmann method.

. *Meccanica* vol. 54, (3) 505-524.Springer Science and Business Media Llc.

Investigation of coal particle gasification processes with application leading to underground coal gasification.

. *Fuel* vol. 237, 1186-1202.Elsevier Bv.

Combustion Characteristics and Pollutant Emissions in Transient Oxy-Combustion of a Single Biomass Particle: A Numerical Study.

. *Energy & Fuels* vol. 33, (2) 1556-1569.American Chemical Society (Acs).

2018

Targeting a channel coating by using magnetic field and magnetic nanofluids.

. *Journal of Thermal Analysis and Calorimetry* vol. 137, (2) 381-388.Springer Science and Business Media Llc.

Energetic and entropic analyses of double-diffusive, forced convection heat and mass transfer in microreactors assisted with nanofluid.

. *Journal of Thermal Analysis and Calorimetry* vol. 137, (2) 637-658.Springer Science and Business Media Llc.

Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017.

. *The Lancet* vol. 392, (10159) 2091-2138.Elsevier Bv.

Numerical modelling of unsteady transport and entropy generation in oxy-combustion of single coal particles with varying flow velocities and oxygen concentrations.

. *Applied Thermal Engineering* vol. 144, 147-164.Elsevier Bv.

Effects of Near Wall Modeling in the Improved-Delayed-Detached-Eddy-Simulation (IDDES) Methodology.

. *Entropy* vol. 20, (10) 771-771.Mdpi Ag.

Tsallis Entropy Index q and the Complexity Measure of Seismicity in Natural Time under Time Reversal before the M9 Tohoku Earthquake in 2011.

. *Entropy* vol. 20, (10) 757-757.Mdpi Ag.

Magnetohydrodynamics, Natural Convection, and Entropy Generation of CuO/Water Nanofluid in an I-Shape Enclosure: A Numerical Study.

. *Journal of Thermal Science and Engineering Applications* vol. 10, (6). Asme International.

Convection of heat and thermodynamic irreversibilities in two-phase, turbulent nanofluid flows in solar heaters by corrugated absorber plates.

. *Advanced Powder Technology* vol. 29, (9) 2243-2254. Elsevier Bv.

Porous materials in building energy technologies: A review of the applications, modelling and experiments.

. *Renewable and Sustainable Energy Reviews* vol. 91, 229-247. Elsevier Bv.

A concise review on the role of nanoparticles upon the productivity of solar desalination systems.

. *Journal of Thermal Analysis and Calorimetry* vol. 135, (2) 1145-1159. Springer Science and Business Media Llc.

Transient Analysis of the Interactions Between a Heat Transferring, Radial Stagnation Flow, and a Rotating Cylinder-Magnetohydrodynamic and Nonuniform Transpiration Effects.

. *Journal of Thermal Science and Engineering Applications* vol. 10, (5). Asme International.

Assessment of predictive capability of hybrid URANS/LES methods in residence time calculation.

. *Chemical Engineering Science* vol. 183, 47-59. Elsevier Bv.

Gas-phase transport and entropy generation during transient combustion of single biomass particle in varying oxygen and nitrogen atmospheres.

. *International Journal of Hydrogen Energy* vol. 43, (17) 8506-8523. Elsevier Bv.

Two-dimensional heat and mass transfer and thermodynamic analyses of porous microreactors with Soret and thermal radiation effects: An analytical approach.

. *Chemical Engineering and Processing - Process Intensification* vol. 126, 190-205. Elsevier Bv.

Two-dimensional analytical investigation of coupled heat and mass transfer and entropy generation in a porous, catalytic microreactor.

. *International Journal of Heat and Mass Transfer* vol. 119, 372-391. Elsevier Bv.

Numerical modeling of multiple steady-state convective modes in a tilted porous medium heated from below.

. *International Communications in Heat and Mass Transfer* vol. 92, 64-72. Elsevier Bv.

Mixed convection and thermodynamic irreversibilities in MHD nanofluid stagnation-point flows over a cylinder embedded in porous media.

. *Journal of Thermal Analysis and Calorimetry* vol. 135, (1) 489-506. Springer Science and Business Media Llc.

Detailed analysis of the plasma extracellular vesicle proteome after separation from lipoproteins.

. *Cellular and Molecular Life Sciences* vol. 75, (15) 2873-2886. Springer Science and Business Media Llc.

First and second laws of thermodynamics analysis of nanofluid flow inside a heat exchanger duct with wavy walls and a porous insert.

. *Journal of Thermal Analysis and Calorimetry* vol. 135, (1) 177-194. Springer Science and Business Media Llc.

Combined effects of nanofluid and transverse twisted-baffles on the flow structures, heat transfer and irreversibilities inside a square duct: A numerical study.

. *Applied Thermal Engineering* vol. 130, 135-148. Elsevier Bv.

Effects of nanofluid and radiative heat transfer on the double-diffusive forced convection in microreactors.

. *Journal of Thermal Analysis and Calorimetry* vol. 135, (1) 45-59. Springer Science and Business Media Llc.

2017

Non-Equilibrium Thermodynamic Analysis of Double Diffusive, Nanofluid Forced Convection in Catalytic Microreactors with Radiation Effects.

. *Entropy* vol. 19, (12) 690-690. Mdpi Ag.

Challenges and progress on the modelling of entropy generation in porous media: A review.

. *International Journal of Heat and Mass Transfer* vol. 114, 31-46. Elsevier Bv.

On the Hydrodynamics and Heat Convection of an Impinging External Flow Upon a Cylinder with Transpiration and Embedded in a Porous Medium.

. *Transport in Porous Media* vol. 120, (3) 579-604. Springer Science and Business Media Llc.

On the dissipation and dispersion of entropy waves in heat transferring channel flows.

. *Physics of Fluids* vol. 29, (8). Aip Publishing.

Thermodynamics Analyses of Porous Microchannels With Asymmetric Thick Walls and Exothermicity: An Entropic Model of Microreactors.

. *Journal of Thermal Science and Engineering Applications* vol. 9, (4). Asme International.

Erratum to On the effects of internal heat sources upon forced convection in porous channels with asymmetric thick walls [Int. Comm. Heat Mass Trans. 73 (2016) 100110].

. *International Communications in Heat and Mass Transfer* vol. 85, 76-80. Elsevier Bv.

Analytical investigation of heat transfer and classical entropy generation in microreactors The influences of exothermicity and asymmetry.

. *Applied Thermal Engineering* vol. 119, 403-424. Elsevier Bv.

Three-dimensional numerical simulations of free convection in a layered porous enclosure.

. *International Journal of Heat and Mass Transfer* vol. 106, 1005-1013. Elsevier Bv.

On the effects of convecting entropy waves on the combustor hydrodynamics.

. *Applied Thermal Engineering* vol. 110, 901-909. Elsevier Bv.

2016

Theoretical investigation of entropy generation and heat transfer by forced convection of copperwater nanofluid in a porous channel Local thermal non-equilibrium and partial filling effects.

. *Powder Technology* vol. 301, 234-254. Elsevier Bv.

Generation of entropy and forced convection of heat in a conduit partially filled with porous media Local thermal non-equilibrium and exothermicity effects.

. *Applied Thermal Engineering* vol. 106, 518-536. Elsevier Bv.

A thermodynamic analysis of forced convection through porous media using pore scale modeling.

. *International Journal of Heat and Mass Transfer* vol. 99, 303-316. Elsevier Bv.

Three-dimensional numerical modeling of free convection in sloping porous enclosures.

. *International Journal of Heat and Mass Transfer* vol. 98, 257-267. Elsevier Bv.

First and second law analyses of nanofluid forced convection in a partially-filled porous channel The effects of local thermal non-equilibrium and internal heat sources.

. *Applied Thermal Engineering* vol. 103, 459-480. Elsevier Bv.

Entropy generation in thermal systems with solid structures A concise review.

. *International Journal of Heat and Mass Transfer* vol. 97, 917-931. Elsevier Bv.

On the effects of internal heat sources upon forced convection in porous channels with asymmetric thick walls.

. *International Communications in Heat and Mass Transfer* vol. 73, 100-110. Elsevier Bv.

Analytical investigation of non-adiabatic effects on the dynamics of sound reflection and transmission in a combustor.

. *Applied Thermal Engineering* vol. 98, 553-567. Elsevier Bv.

Generation of Adverse Pressure Gradient in the Circumferential Flashback of a Premixed Flame.

. *Flow, Turbulence and Combustion* vol. 97, (2) 663-687. Springer Science and Business Media Llc.

Characterizing the signature of flame flashback precursor through recurrence analysis.

. *Chaos: An Interdisciplinary Journal of Nonlinear Science* vol. 26, (1). Aip Publishing.

Mathematical Methods for Heat Transfer and Thermodynamic Analysis of Conductive, Convective, and Radiative Media.

. *Mathematical Problems in Engineering* vol. 2016, 1-1.Hindawi Limited.

Investigation of the transmitted noise of a combustor exit nozzle caused by burned hydrogen-hydrocarbon gases.

. *International Journal of Hydrogen Energy* vol. 41, (3) 2075-2086.Elsevier Bv.

2015

Heat transfer and second law analyses of forced convection in a channel partially filled by porous media and featuring internal heat sources.

. *Energy* vol. 93, 106-127.Elsevier Bv.

On the effects of exothermicity and endothermicity upon the temperature fields in a partially-filled porous channel.

. *International Journal of Thermal Sciences* vol. 96, 128-148.Elsevier Bv.

Chaos in an imperfectly premixed model combustor.

. *Chaos: An Interdisciplinary Journal of Nonlinear Science* vol. 25, (2).Aip Publishing.

2014

Experimental and Theoretical Investigation of the Flashback of a Swirling, Bluff-Body Stabilised, Premixed Flame.

. *Zeitschrift für Physikalische Chemie* vol. 229, (5) 663-689.Walter De Gruyter GmbH.

Response of a conical, laminar premixed flame to low amplitude acoustic forcing A comparison between experiment and kinematic theories.

. *Energy* vol. 78, 490-500.Elsevier Bv.

Hydrodynamic Instabilities in Gaseous Detonations: Comparison of Euler, Navier-Stokes, and Large-Eddy Simulation.

. *Journal of Propulsion and Power* vol. 30, (2) 384-396.American Institute of Aeronautics and Astronautics (Aiaa).

Analytical investigation of heat transfer enhancement in a channel partially filled with a porous material under local thermal non-equilibrium condition: Effects of different thermal boundary conditions at the porous-fluid interface.

. *International Journal of Heat and Mass Transfer* vol. 70, 875-891.Elsevier Bv.

Temperature fields in a channel partially filled with a porous material under local thermal non-equilibrium condition An exact solution.

. *Proceedings of The Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science* vol. 228, (15) 2778-2789.Sage Publications.

Numerical investigation of heat transfer enhancement in a pipe partially filled with a porous material under local thermal non-equilibrium condition.

. *International Journal of Heat and Mass Transfer* vol. 68, 161-173.Elsevier Bv.

2010

On the interaction of sound with steady heat communicating flows.

. *Journal of Sound and Vibration* vol. 329, (22) 4705-4718.Elsevier Bv.

2009

Linear and non-linear forced response of a conical, ducted, laminar premixed flame.

. *Combustion and Flame* vol. 156, (11) 2201-2212.Elsevier Bv.

2008

Acoustic and disturbance energy analysis of a flow with heat communication.

. *Journal of Fluid Mechanics* vol. 597, 67-89.Cambridge University Press (Cup).

Acoustic and disturbance energy analysis of a flow with heat communication.
. Journal of Fluid Mechanics vol. 597, 67-89.