

Prof Alvaro Mata

BSc, MSc, DEng

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 6279

email: a.mata@qmul.ac.uk web: www.sems.qmul.ac.uk/a.mata

2019

Self-Assembling Hydrogels Based on a Complementary Host-Guest Peptide Amphiphile Pair.

Redondo-Gómez C, Abdouni Y, Becer CR and Mata A. *Biomacromolecules* vol. 20, (6) 2276-2285.

Targeting mechanotransduction mechanisms and tissue weakening signals in the human amniotic membrane.

BARRETT DW, John RK, Thrasivoulou C, MATA A, Deprest JA, Becker DL, David AL and CHOWDHURY TINA. *Scientific Reports. Nature Publishing Group.*

2018

Protein disorder-order interplay to guide the growth of hierarchical mineralized structures.

Elsharkawy S, Al-Jawad M, Pantano MF, Tejada-Montes E, Mehta K, Jamal H, Agarwal S, Shuturminska K, Rice A, Tarakina NV, Wilson RM, Bushby AJ, Alonso M, Rodriguez-Cabello JC, Barbieri E, Del RÃ-o HernÃandez A, Stevens MM, Pugno NM, Anderson P and Mata A. *Nature Communications* vol. 9, (1).

Hierarchical Biomineralization: from Nature's Designs to Synthetic Materials for Regenerative Medicine and Dentistry.

Elsharkawy S and Mata A. *Adv Healthc Mater* vol. 7, (18).

Claim to FAME.

Mata A. *Nat Chem* vol. 10, (5) 485-487.

Multicomponent self-assembly as a tool to harness new properties from peptides and proteins in materials design.

MATA A. *Chemical Society Reviews. Royal Society of Chemistry.*

Hydrodynamically Guided Hierarchical Self-Assembly of Peptide-Protein Bioinks.

Hedegaard CL, Collin EC, Redondo-Gómez C, Nguyen LTH, Ng KW, Castrejón-Pita AA, Castrejón-Pita JR and Mata A. *Advanced Functional Materials* vol. 28, (16).

3D Electrophoresis-Assisted Lithography (3DEAL): 3D Molecular Printing to Create Functional Patterns and Anisotropic Hydrogels.

Aguilar JP, Lipka M, Primo GA, Licon-Bernal EE, Fernández-Pradas JM, Yaroshchuk A, Albericio F and Mata A. *Advanced Functional Materials* vol. 28, (15).

A fluidic device for the controlled formation and real-time monitoring of soft membranes self-assembled at liquid interfaces.

MATA A. *Scientific Reports. Nature Publishing Group.*

2017

Trauma induces overexpression of Cx43 in human fetal membrane defects.

Barrett DW, Kethees A, Thrasivoulou C, Mata A, Virasami A, Sebire NJ, Engels AC, Deprest JA, Becker DL, David AL and Chowdhury TT. *Prenatal Diagnosis* vol. 37, (9) 899-906.

Nanostructured interfacial self-assembled peptide-polymer membranes for enhanced mineralization and cell adhesion.

Ribeiro S, Radvar E, Shi Y, Borges J, Pirraco RP, Leonor IB, Mano JF, Reis RL, Mata A and Azevedo HS. *Nanoscale* vol. 9, (36) 13670-13682. *Royal Society of Chemistry (Rsc)*.

Elastin-Like Protein, with Statherin Derived Peptide, Controls Fluorapatite Formation and Morphology.

Shuturminska K, Tarakina NV, Azevedo HS, Bushby AJ, Mata A, Anderson P and Al-Jawad M. *Front Physiol* vol. 8, 368-368.

New Bioengineering Breakthroughs and Enabling Tools in Regenerative Medicine.

Mata A, Azevedo HS, Botto L, Gavara N and Su L. *Current Stem Cell Reports* vol. 3, (2) 83-97.

Cross-linking of a biopolymer-peptide co-assembling system.

Inostroza-Brito KE, Collin EC, Majkowska A, Elsharkawy S, Rice A, Del R -o Hern -ndez AE, Xiao X, Rodr -guez-Cabello J and Mata A. *Acta Biomater* vol. 58, 80-89.

Bone and cartilage differentiation of a single stem cell population driven by material interface.

Donnelly H, Smith CA, Sweeten PE, Gadegaard N, Meek D, D'Este MD, MATA A, Eglin D and Dalby MJ. *Journal of Tissue Engineering* vol. 8, Sage Publications.

2016

Connexin 43 is overexpressed in human fetal membrane defects after fetoscopic surgery.

Barrett DW, David AL, Thrasivoulou C, Mata A, Becker DL, Engels AC, Deprest JA and Chowdhury TT. *Prenatal Diagnosis* vol. 36, (10) 942-952.

Preferential nucleation and crystal growth on micro fabricated topography.

Elsharkawy S, Tejada-Montes E, Al-Jawad M and MATA A. *Materials Today*.

2015

Development of tailored and self-mineralizing citric acid-crosslinked hydrogels for in situ bone regeneration.

S -nchez-Ferrero A, Mata A, Mateos-Timoneda MA, Rodr -guez-Cabello JC, Alonso M, Planell J and Engel E. *Biomaterials* vol. 68, 42-53.

Co-Assembly, spatiotemporal control and morphogenesis of a hybrid protein-peptide system.

Inostroza-Brito KE, Collin E, Siton-Mendelson O, Smith KH, Monge-Marcet A, Ferreira DS, Rodr -guez RP, Alonso M, Rodr -guez-Cabello JC, Reis RL, Sagu -s F, Botto L, Bitton R, Azevedo HS and Mata A. *Nature Chemistry* vol. 7, (11) 897-904.

Injectable Hyaluronan Hydrogels with Peptide-Binding Dendrimers Modulate the Controlled Release of BMP-2 and TGF- 1.

Seelbach RJ, Fransen P, Pulido D, D'Este M, Duttonhoefer F, Sauerbier S, Freiman TM, Niemeyer P, Albericio F, Alini M, Royo M, Mata A and Eglin D. *Macromol Biosci* vol. 15, (8) 1035-1044.

Effective and durable genetic modification of human mesenchymal stem cells via controlled release of rAAV vectors from self-assembling peptide hydrogels with a maintained differentiation potency.

Rey-Rico A, Venkatesan JK, Frisch J, Schmitt G, Monge-Marcet A, Lopez-Chicon P, Mata A, Semino C, Madry H and Cucchiaroni M. *Acta Biomater* vol. 18, 118-127.

Bimolecular based heparin and self-assembling hydrogel for tissue engineering applications.

Fern -ndez-Mui -os T, Recha-Sancho L, L -pez-Chic -n P, Castells-Sala C, Mata A and Semino CE. *Acta Biomater* vol. 16, 35-48.

Copper catalyst efficiency for the CuAAC synthesis of a poly(N-isopropylacrylamide) conjugated hyaluronan.

Seelbach RJ, D'Este M, Alini M, Mata A and Eglin D. *Clin Hemorheol Microcirc* vol. 60, (1) 25-37.

2014

Multivalent dendrimers presenting spatially controlled clusters of binding epitopes in thermoresponsive hyaluronan hydrogels.

Seelbach RJ, Fransen P, Peroglio M, Pulido D, Lopez-Chicon P, Duttonhoefer F, Sauerbier S, Freiman T, Niemeyer P, Semino C, Albericio F, Alini M, Royo M, Mata A and Eglin D. *Acta Biomater* vol. 10, (10) 4340-4350.

Mineralization and bone regeneration using a bioactive elastin-like recombinamer membrane.

Tejeda-Montes E, Klymov A, Nejadnik MR, Alonso M, Rodriguez-Cabello JC, Walboomers XF and Mata A. *Biomaterials* vol. 35, (29) 8339-8347.

3D electrophoresis-assisted lithography (3DEAL) for patterning hydrogel environments.

Aguilar Aleman JP, Licon Bernal EE, Fernandez Pradas JM, Yaroshchuk A, Albericio F and Mata A. *Journal of Tissue Engineering and Regenerative Medicine* vol. 8, 375-375.

Binding epitope decorated dendrimers in thermoresponsive hyaluronic acid hydrogels influence stem cells.

Seelbach R, Peroglio M, Fransen P, Royo M, Albericio F, Alini M, Eglin D and Mata A. *Journal of Tissue Engineering and Regenerative Medicine* vol. 8, 215-216.

Bioactive membranes for bone regeneration applications: effect of physical and biomolecular signals on mesenchymal stem cell behavior.

Tejeda-Montes E, Smith KH, Rebollo E, Gómez R, Alonso M, Rodriguez-Cabello JC, Engel E and Mata A. *Acta Biomater* vol. 10, (1) 134-141.

2013

Fabrication of hierarchical micro-nanotopographies for cell attachment studies.

López-Bosque MJ, Tejeda-Montes E, Cazorla M, Linacero J, Atienza Y, Smith KH, Lladó A, Colombelli J, Engel E and Mata A. *Nanotechnology* vol. 24, (25).

Co-assembled and microfabricated bioactive membranes.

Mendes AC, Smith KH, Tejeda-Montes E, Engel E, Reis RL, Azevedo HS and Mata A. *Advanced Functional Materials* vol. 23, (4) 430-438.

TISSUE ENGINEERING FOR ARTICULAR CARTILAGE REPAIR - THE STATE OF THE ART.

Johnstone B, Alini M, Cucchiari M, Dodge GR, Eglin D, Guilak F, Madry H, Mata A, Mauck RL, Semino CE and Stoddart MJ. *European Cells & Materials* vol. 25, 248-267.

2012

A top-down/bottom-up strategy to develop a bioactive periosteum graft.

Tejeda-Montes E, Smith KH, Rebollo E, Gomez R, Alonso M, Engel E and Mata A. *Journal of Tissue Engineering and Regenerative Medicine* vol. 6, 19-19.

Spontaneous co-assembly of molecularly designed building blocks into hierarchically ordered, dynamic, hybrid microtubes.

Smith KH, Inostroza KE, Alonso M, Reis RL, Azevedo HS and Mata A. *Journal of Tissue Engineering and Regenerative Medicine* vol. 6, 224-225.

Biofunctionalization of biopolymers with peptide conjugated dendrons.

Fransen P, Pulido D, Seelbach R, Mata A, Eglin D, Royo M and Albericio F. *Journal of Peptide Science* vol. 18, S25-S25.

Engineering membrane scaffolds with both physical and biomolecular signaling.

Tejeda-Montes E, Smith KH, Poch M, López-Bosque MJ, Martín L, Alonso M, Engel E and Mata A. *Acta Biomaterialia* vol. 8, (3) 998-1009.

Design of biomolecules for nanoengineered biomaterials for regenerative medicine.

Mata A, Palmer L, Tejeda-Montes E and Stupp SI. *Methods in Molecular Biology* vol. 811, 39-49.

2011

Preparation and characterization of glutaraldehyde-cross-linked RGD-containing elastin-like polymer matrices.

Sánchez-Ferrero A, Mata A, Alonso M, Rodríguez-Cabello JC, Planell J and Engel E. *24th European Conference On Biomaterials - Annual Conference of The European Society For Biomaterials*.

Designing a multifunctional, thermoreversible hyaluronan-based hydrogel scaffold for tissue regeneration.

Seelbach R, Peroglio M, Fransen P, Royo M, Mata A, Alini M and Eglin D. *24th European Conference On Biomaterials - Annual Conference of The European Society For Biomaterials*.

Integrating top-down and self-assembly in the fabrication of peptide and protein-based biomedical materials.
Smith KH, Tejada-Montes E, Poch M and Mata A. *Chemical Society Reviews* vol. 40, (9) 4563-4577.

Micro and nanotechnologies for bioengineering regenerative medicine scaffolds.
Mata A. *International Journal of Biomedical Engineering and Technology* vol. 5, (2-3) 266-291.

Toward multifaceted biomaterials that guide stem cell behaviour: Injectable, bioactive hyaluronan-based hydrogel scaffolds.
Seelbach R, Peroglio M, Fransen P, Royo M, Mata A, Alini M and Eglin D. *European Cells and Materials* vol. 22, (SUPPL.4).

2010

Bone regeneration mediated by biomimetic mineralization of a nanofiber matrix.
Mata A, Geng Y, Henrikson KJ, Aparicio C, Stock SR, Satcher RL and Stupp SI. *Biomaterials* vol. 31, (23) 6004-6012.

A self-assembly pathway to aligned monodomain gels.
Zhang S, Greenfield MA, Mata A, Palmer LC, Bitton R, Mantei JR, Aparicio C, De La Cruz MO and Stupp SI. *Nature Materials* vol. 9, (7) 594-601.

Post microtextures accelerate cell proliferation and osteogenesis.
Kim EJ, Boehm CA, Mata A, Fleischman AJ, Muschler GF and Roy S. *Acta Biomaterialia* vol. 6, (1) 160-169.

2009

A three-dimensional scaffold with precise micro-architecture and surface micro-textures.
Mata A, Kim EJ, Boehm CA, Fleischman AJ, Muschler GF and Roy S. *Biomaterials* vol. 30, (27) 4610-4617.

Micropatterning of bioactive self-assembling gels.
Mata A, Hsu L, Capito R, Aparicio C, Henrikson K and Stupp SI. *Soft Matter* vol. 5, (6) 1228-1236.

2008

Self-assembly of biomaterials at an interface: Formation of sacs, membranes, and strings.
Capito RM, Azevedo HS, Velichko Y, Mata A and Stupp SI. *8th World Biomaterials Congress 2008* vol. 1,.

Peptide amphiphile microtextures for in vitro osteoblastic differentiation.
Mata A, Hsu L, Capito R, Aparicio C and Stupp SI. *8th World Biomaterials Congress 2008* vol. 3,.

Peptide amphiphiles for bone regeneration.
Mata A, Geng Y, Henrikson K, Sergeant T, Aparicio C, Satcher RL and Stupp SI. *8th World Biomaterials Congress 2008* vol. 3,.

Bioactive nanofibers instruct cells to proliferate and differentiate during enamel regeneration.
Huang Z, Sargeant TD, Hulvat JF, Mata A, Bringas P, Koh CY, Stupp SI and Snead ML. *Journal of Bone and Mineral Research* vol. 23, (12) 1995-2006.

Self-assembly of large and small molecules into hierarchically ordered sacs and membranes.
Capito RM, Azevedo HS, Velichko YS, Mata A and Stupp SI. *Science* vol. 319, (5871) 1812-1816.

Hybrid bone implants: Self-assembly of peptide amphiphile nanofibers within porous titanium.
Sargeant TD, Guler MO, Oppenheimer SM, Mata A, Satcher RL, Dunand DC and Stupp SI. *Biomaterials* vol. 29, (2) 161-171.

2007

Connective tissue progenitor cell growth characteristics on textured substrates.
Mata A, Boehm C, Fleischman AJ, Muschler GF and Roy S. *Int J Nanomedicine* vol. 2, (3) 389-406.

2006

Fabrication of multi-layer SU-8 microstructures.
Mata A, Fleischman AJ and Roy S. *Journal of Micromechanics and Microengineering* vol. 16, (2) 276-284.

2005

Characterization of polydimethylsiloxane (PDMS) properties for biomedical micro/nanosystems.

Mata A, Fleischman AJ and Roy S. *Biomedical Microdevices* vol. 7, (4) 281-293.

Fabrication of 3D micro-textured scaffolds for tissue engineering.

Mata A, Fleischman AJ and Roy S. *Proceedings - Aspe Spring Topical Meeting On Precision Micro/Nano Scale Polymer Based Component and Device Fabrication, Aspe* 200 15-19.

Expanding Frontiers in Biomaterials.

Stupp SI, Donners JJM, Li L-S and Mata A. *Mrs Bulletin* vol. 30, (11) 864-873. Cambridge University Press (Cup).

Microfabricated 3D scaffolds for tissue engineering applications.

Mata A, Fleischman AJ and Roy S. *Materials Research Society Symposium Proceedings* vol. 845, 97-103.

2003

Osteoblast attachment to a textured surface in the absence of exogenous adhesion proteins.

Mata A, Su X, Fleischman AJ, Roy S, Banks BA, Miller SK and Midura RJ. *Ieee Trans Nanobioscience* vol. 2, (4) 287-294.

2002

Growth of connective tissue progenitor cells on microtextured polydimethylsiloxane surfaces.

Mata A, Boehm C, Fleischman AJ, Muschler G and Roy S. *Journal of Biomedical Materials Research* vol. 62, (4) 499-506.

Analysis of connective tissue progenitor cell behavior on polydimethylsiloxane smooth and channel micro-textures.

Mata A, Boehm C, Fleischman AJ, Muschler G and Roy S. *Biomedical Microdevices* vol. 4, (4) 267-275.