

Dr Haixue Yan

PhD, PGCAP, MACS, CEng, FIMMM

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 5164

email: h.x.yan@qmul.ac.uk web: www.sems.qmul.ac.uk/h.x.yan

2022

High-entropy (Ca_{0.2}Sr_{0.2}Ba_{0.2}La_{0.2}Pb_{0.2})TiO₃ perovskite ceramics with A-site short-range disorder for thermoelectric applications.

Zhang P, Lou Z, Qin M, Xu J, Zhu J, Shi Z, Chen Q, Reece MJ, Yan H and Gao F. *Journal of Materials Science and Technology* vol. 97, 182-189.

2021

Facile one-step synthesis and enhanced photocatalytic activity of WC/ferroelectric nanocomposite.

Zhang M, Wang Y, Liu J, Thangamuthu M, Yue Y, Yan Z, Feng J, Zhang D, Zhang H, Guan S, Titirici M, Abrahams I, Tang J, Zhang Z, Dunn S and Yan H. *Journal of Materials Chemistry A. Royal Society of Chemistry (Rsc)*.

Characterization of microwave and terahertz dielectric properties of single crystal La₂Ti₂O₇ along one single direction.

Zhang M, Tang Z, Zhang H, Smith G, Jiang Q, Saunders T, Yang B and Yan H. *Journal of The European Ceramic Society*.

Cationic Polymer Brush-Coated Bioglass Nanoparticles for the Design of Bioresorbable RNA Delivery Vectors.

Chang L, Yan H, Chang J and Gautrot JE. *European Polymer Journal* 110593-110593. Elsevier.

Structural Evolution in BiNbO₄.

Yu C, Viola G, Zhang D, Stroschio Z, Hu Z, Esquilla VR, Grasso S, Wilson RM, Zhou K, Bonini N, Fortes AD, Abrahams I and Yan H. *Inorganic Chemistry: Including Bioinorganic Chemistry. American Chemical Society*.

Grain orientation evolution and thermoelectric properties of textured (Ca_{0.87}Ag_{0.1}La_{0.03})₃Co₄O₉ ceramics prepared by tape casting.

Shi Z, Zhang P, Lou Z, Qin M, Xu J, Yan H and Gao F. *Ceramics International* vol. 47, (6) 8365-8374.

Tunable phase transitions in NaNbO₃ ceramics through bismuth/vacancy modification.

Zhang L, Yan Z, Chen T, Luo H, Zhang H, Khanom T, Zhang D, Abrahams I and Yan H. *Journal of Materials Chemistry C* vol. 9, (12) 4289-4299. Royal Society of Chemistry.

Terahertz Reading of Ferroelectric Domain Wall Dielectric Switching.

Zhang M, Chen Z, Yue Y, Chen T, Yan Z, Jiang Q, Yang B, Eriksson M, Tang J, Zhang D, Shen Z, Abrahams I and Yan H. *Acs Applied Materials & Interfaces. American Chemical Society (Acs)*.

Investigation of transitions between the M-phases in AgNbO₃ based ceramics.

Yan Z, Zhang D, Zhou X, Zhang M, Zhang L, Zhang H, Xue G, Abrahams I and Yan H. *Journal of Materials Chemistry A. Royal Society of Chemistry*.

Effect of processing on the structures and properties of bismuth sodium titanate compounds.

Mahajan A, Zhang H, Wu J, Venkata Ramana E, Yu C, Tarakina NV, Reece MJ and Yan H. *Journal of Materials Research* 1-11. Springer.

Multi elements substituted Aurivillius phase relaxor ferroelectrics using high entropy design concept.

Zhang M, Xu X, Yue Y, Palma M, Reece MJ and Yan H. *Materials and Design* 109447-109447. Elsevier.

Response to comment on "point defect structure of La-doped SrTiO₃ ceramics with colossal permittivity".

Qin M, Gao F, Cizek J, Yang S, Fan X, Zhao L, Xu J, Dong G, Reece M and Yan H. *Scripta Materialia* vol. 190, 118-120.

Ferroelectric and photocatalytic properties of Aurivillius phase Ca₂Bi₄Ti₅O₁₈.

Wang Y, Zhang M, Wu J, Hu Z, Zhang H and Yan H. *Journal of The American Ceramic Society* vol. 104, (1) 322-328.

Temperature-dependent deformation in silver-particle-covered copper nanowires by molecular dynamics simulation.

Li P, Yang YQ, Koval V, Luo X, Chen J, Zhang W, Emily Lin E, Wang B and Yan H. *Journal of Materiomics*.

Exploration about superior anti-counterfeiting ability of Sm³⁺ doped K₂Sr₂Nb₅O₁₅ photochromic ceramics: Origin and atomic-scale mechanism.

Cao S, Zhu J, Chen Q, Liu J, Wu C, Li L, Xu J, Yan H and Gao F. *Journal of Materiomics*.

Electric field-induced transformations in bismuth sodium titanate-based materials.

Viola G, Tian Y, Yu C, Tan Y, Koval V, Wei X, Choy KL and Yan H. *Progress in Materials Science*.

2020

Li P, Yang YQ, Koval V, Chen J, Luo X, Zhang W, Wang B and Yan H. *Materials & Design* vol. 199, 109422-109422.

Ultrafast Electric Field-Induced Phase Transition in Bulk Bi_{0.5}Na_{0.5}TiO₃ under High-Intensity Terahertz Irradiation.

Zhang M, McKinnon RA, Viola G, Yang B, Zhang D, Reece MJ, Abrahams I and Yan H. *Acs Photonics*. American Chemical Society.

Perovskite Bi_{0.5}Na_{0.5}TiO₃-based materials for dielectric capacitors with ultrahigh thermal stability.

Wu J, Zhang H, Meng N, Koval V, Mahajan A, Gao Z, Zhang D and Yan H. *Materials and Design* 109344-109344. Elsevier.

High Tunability and Low Loss in Layered Perovskite Dielectrics through Intrinsic Elimination of Oxygen Vacancies.

Zhang H, Gidden H, Saunders TG, Liu N, Aurallo-Peters V, Xu X, Palma M, Reece MJ, Abrahams I, Yan H and Hao Y. *Chemistry of Materials*. American Chemical Society (Acs).

Low-loss High Entropy Relaxor-like Ferroelectrics with A-site Disorder.

Xiong W, Zhang H, Cao S, Gao F, Svec P, Dusza J, Reece MJ and Yan H. *Journal of The European Ceramic Society*. Elsevier.

Structure and dielectric properties of double A-site doped bismuth sodium titanate relaxor ferroelectrics for high power energy storage applications.

Zhang H, Yang B, Fortes AD, Yan H and Abrahams I. *Journal of Materials Chemistry A*. Royal Society of Chemistry.

Multiscale understanding of electric polarization in poly(vinylidene fluoride)-based ferroelectric polymers.

Meng N, Ren X, Zhu X, Wu J, Yang B, Gao F, Zhang H, Liao Y, Bilotti E, Reece MJ and Yan H. *Journal of Materials Chemistry C*. Royal Society of Chemistry.

Domain Wall Free Polar Structure Enhanced Photodegradation Activity in Nanoscale Ferroelectric Ba_xSr_{1-x}TiO₃.

Wang Y, Zhang M, Liu J, Zhang H, Li F, Tseng C-W, Yang B, Smith G, Zhai J, Zhang Z, Dunn S and Yan H. *Advanced Energy Materials* vol. 10, (38).

Enhanced dielectric properties of highly dense Ba_{0.5}Sr_{0.5}TiO₃ ceramics via non-toxic gelcasting.

Xu J, Liu S, Wang Y, Guo Y, Zhao J, Yan H and Gao F. *Journal of Materials Science: Materials in Electronics* vol. 31, (20) 17819-17827.

Phase transitions in RbPrNb₂O₇, a layer structured ferroelectric with a high Curie point.

Yan Z, Zhang D, Zhou X, Zhang M, Yue Y, Zhang L, Xue G, Luo H, Abrahams I and Yan H. *Acta Materialia* vol. 200, 971-979. Elsevier.

Erratum: Room-temperature multiferroic behavior in layer-structured Aurivillius phase ceramics (Appl. Phys Lett. (2020) 117 (052903) DOI: 10.1063/5.0017781).

Li Z, Koval V, Mahajan A, Gao Z, Vecchini C, Stewart M, Cain MG, Tao K, Jia C, Viola G and Yan H. *Applied Physics Letters* vol. 117, (9).

Solution-Processed Epitaxial Growth of Arbitrary Surface Nanopatterns on Hybrid Perovskite Monocrystalline Thin Films.

Zhang J, Guo Q, Li X, Li C, Wu K, Abrahams I, Yan H, Knight MM, Humphreys CJ and Su L. *Acs Nano*. American Chemical Society.

Room-temperature multiferroic behavior in layer-structured Aurivillius phase ceramics.

Li Z, Koval V, Mahajan A, Gao Z, Vecchini C, Stewart M, Cain MG, Tao K, Jia C, Viola G and Yan H. *Applied Physics Letters* vol. 117, (5) 052903-052903. Aip Publishing.

Interactive human-machine learning framework for modelling of ferroelectric-dielectric composites.

Liu N, Ihalage A, Zhang H, Giddens H, Yan H and Hao Y. *Journal of Materials Chemistry C*. Royal Society of Chemistry.

Ultrahigh field-induced strain in lead-free ceramics.

Wu J, Zhang H, Huang C-H, Tseng C-W, Meng N, Koval V, Chou Y-C, Zhang Z and Yan H. *Nano Energy* 105037-105037. Elsevier.

Boosting the Thermoelectric Performance of Calcium Cobaltite Composites through Structural Defect Engineering.

Shi Z, Zhang C, Su T, Xu J, Zhu J, Chen H, Gao T, Qin M, Zhang P, Zhang Y, Yan H and Gao F. *Acs Applied Materials and Interfaces* vol. 12, (19) 21623-21632. American Chemical Society.

Colossal thermoelectric enhancement in Cu_{2+x}Zn_{1-x}SnS₄ solid solution by local disordering of crystal lattice and multi-scale defect engineering.

Jiang Q, Yan H, Lin Y, Shen Y, Yang J and Reece MJ. *Journal of Materials Chemistry A* vol. 8, (21) 10909-10916. Royal Society of Chemistry.

Cobalt-induced structural modulation in multiferroic Aurivillius-phase oxides.

Koval V, Shi Y, Skorvanek I, Viola G, Bures R, Saksl K, Roupčova P, Zhang M, Jia C and Yan H. *Journal of Materials Chemistry C*. Royal Society of Chemistry (Rsc).

High Thermoelectric Performance in SnTe Nanocomposites with All-Scale Hierarchical Structures.

Jiang Q, Hu H, Yang J, Xin J, Li S, Viola G and Yan H. *Acs Applied Materials and Interfaces*. American Chemical Society.

Polar nano-clusters in nominally paraelectric ceramics demonstrating high microwave tunability for wireless communication.

Zhang H, Giddens H, Yue Y, Xu X, Araullo-Peters V, Koval V, Palma M, Abrahams I, Yan H and Hao Y. *Journal of The European Ceramic Society*. Elsevier.

The Contribution of Electrical Conductivity, Dielectric Permittivity and Domain Switching in Ferroelectric Hysteresis Loops.

Yan H, Inam F, Viola G, Ning H, Zhang H, Jiang Q, Zeng T, Gao Z and Reece MJ. *Progress in Advanced Dielectrics*.

Pressure induced structure distortion in ferroelectrics with high Curie point and enhanced piezoelectric properties.

Xiong Z, Gao Z, Li S, He Q, Yang Z, Yan H and Li J. *Journal of Alloys and Compounds* vol. 818,.

Giant energy storage density in PVDF with internal stress engineered polar nanostructures.

Ren X, Meng N, Zhang H, Wu J, Abrahams I, Yan H, Bilotti E and Reece MJ. *Nano Energy* vol. 72, . Elsevier.

Terahertz Probing Irreversible Phase Transitions Related to Polar Clusters in Bi_{0.5}Na_{0.5}TiO₃-Based Ferroelectric.

Wu J, Sun W, Meng N, Zhang H, Koval V, Zhang Y, Donnan R, Yang B, Zhang D and Yan H. *Advanced Electronic Materials* 1901373-1901373. Wiley.

Effect of MnO₂ on the microstructure and electrical properties of 0.83Pb(Zr_{0.5}Ti_{0.5})O₃-0.11Pb(Zn_{1/3}Nb_{2/3})O₃-0.06Pb(Ni_{1/3}Nb_{2/3})O₃ piezoelectric ceramics.

Li L, Liu J, Xu J, Cao S, Chen Q, Pawlikowska E, Szafran M, Gao F, Reece M and Yan H. *Ceramics International* vol. 46, (1) 180-185.

2019

Ultrahigh γ -phase content poly(vinylidene fluoride) with relaxor-like ferroelectricity for high energy density capacitors.

Meng N, Ren X, Santagiuliana G, Ventura L, Zhang H, Wu J, Yan H, Reece MJ and Bilotti E. *Nature Communications* vol. 10, (1).

Dielectric and ferroelectric properties of BTFCO thin films.

Coathup D, Li Z, Zhu X, Yan H, Zhang R and Ye H. *Journal of Electroceramics* vol. 43, (1-4) 92-95.

Microstructure and thermoelectric performance of La-doped (Ca_{0.9}Ag_{0.1})₃Co₄O₉/nano-sized Ag composite ceramics.

Shi Z, Zhang Y, Zhang R, Lou Z, Qin M, Zhang P, Xu J, Gao F and Yan H. *International Journal of Ceramic Engineering & Science* vol. 2, (1) 7-16.

Isolation of a ferroelectric intermediate phase in antiferroelectric dense sodium niobate ceramics.

Zhang H, Yang B, Yan H and Abrahams I. *Acta Materialia* vol. 179, 255-261. Elsevier Bv.

Relaxor behavior and photocatalytic properties of BaBi₂Nb₂O₉.

Qi W, Wang Y, Wu J, Hu Z, Jia C, Viola G, Zhang H and Yan H. *Journal of The American Ceramic Society*. Wiley.

Symmetry-mode analysis for intuitive observation of structure-property relationships in the lead-free antiferroelectric (1-x)AgNbO₃-xLiTaO₃.

Lu T, Tian Y, Studer A, Narayanan N, Li Q, Withers R, Jin L, Mendez-González Y, Peláiz-Barranco A, Yu D, McIntyre GJ, Xu Z, Wei X, Yan H and Liu Y. *Iucrj* vol. 6, 740-750.

Multiferroic properties of single phase Bi₃NbTiO₉ based textured ceramics.

Li Z, Qi W, Cao J, Li Y, Viola G, Jia C and Yan H. *Journal of Alloys and Compounds* vol. 788, 701-704.

Spark plasma sintering of grain-oriented Sr₂Bi₄Ti₅O₁₈ aurivillius phase ceramics.

Li Z, Qi W, Cao J, Li Y, Viola G and Yan H. *Journal of Alloys and Compounds* vol. 782, 6-9.

Orthoenstatite to forsterite phase transformation in magnesium germanate ceramics.

Viola G, D'Isanto F, Koval V, Cempura G, Yan H, Smeacetto F and Salvo M. *Ceramics International* vol. 45, (6) 7878-7884.

Microstructure and broadband dielectric properties of Zn₂SiO₄ ceramics with nano-sized TiO₂ addition.

Weng Z, Song C, Xiong Z, Xue H, Sun W, Zhang Y, Yang B, Reece MJ and Yan H. *Ceramics International*.

Bi₂Fe₄O₉ thin films as novel visible-light-active photoanodes for solar water splitting.

Wang Y, Daboczi M, Mesa CA, Ratnasingham SR, Kim JS, Durrant JR, Dunn S, Yan H and Briscoe J. *Journal of Materials Chemistry A* vol. 7, (16) 9537-9541.

Two-step processing of thermoelectric (Ca_{0.9}Ag_{0.1})₃Co₄O₉/nano-sized Ag composites with high ZT.

Shi Z, Gao F, Xu J, Zhu J, Zhang Y, Gao T, Qin M, Reece M and Yan H. *Journal of The European Ceramic Society*.

Silver niobate based lead-free ceramics with high energy storage density.

Yan Z, Zhang D, Zhou X, Qi H, Luo H, Zhou K, Abrahams I and Yan H. *Journal of Materials Chemistry A* vol. 7, (17) 10702-10711.

Remarkably enhanced polarisability and breakdown strength in PVDF-based interactive polymer blends for advanced energy storage applications.

Ren X, Meng N, Yan H, Bilotti E and Reece MJ. *Polymer* vol. 168, 246-254.

On the origin of grain size effects in Ba(Ti_{0.96}Sn_{0.04})O₃ perovskite ceramics.

Tan Y, Viola G, Koval V, Yu C, Mahajan A, Zhang J, Zhang H, Zhou X, Tarakina NV and Yan H. *Journal of The European Ceramic Society*.

Phase transitions in tantalum-modified silver niobate ceramics for high power energy storage.

Tian Y, Jin L, Hu Q, Yu K, Zhuang Y, Viola G, Abrahams I, Xu Z, Wei X and Yan H. *Journal of Materials Chemistry A* vol. 7, (2) 834-842.

2018

Crystal structure and electrical properties of textured Ba₂Bi₄Ti₅O₁₈ ceramics.

Cao J, Koval V, Zhang H, Lin Y, Wu J, Meng N, Li Y, Li Z, Zhang H and Yan H. *Journal of The European Ceramic Society*.

Enhanced piezoelectric properties and electrocaloric effect in novel lead-free (Bi_{0.5}K_{0.5})TiO₃-La(Mg_{0.5}Ti_{0.5})O₃ceramics.

Li F, Lu B, Zhai J, Shen B, Zeng H, Lu S, Viola G and Yan H. *Journal of The American Ceramic Society* vol. 101, (12) 5503-5513.

Preparation and mechanical performance of graphene platelet reinforced titanium nanocomposites for high temperature applications.

Liu J, Wu M, Yang Y, Yang G, Yan H and Jiang K. *Journal of Alloys and Compounds* vol. 765, 1111-1118.

Point defect structure of La-doped SrTiO₃ ceramics with colossal permittivity.

Qin M, Gao F, Cizek J, Yang S, Fan X, Zhao L, Xu J, Dong G, REECE M and YAN H. *Acta Materialia* vol. 164, 76-89.

Microstructure characterization and thermoelectric properties of Sr_{0.9}La_{0.1}TiO₃ ceramics with nano-sized Ag as additive.

Qin M, Gao F, Dong G, Xu J, Fu M, Wang Y, Reece M and Yan H. *Journal of Alloys and Compounds* vol. 762, 80-89.

Enhanced thermoelectric performance of Sn-doped Cu₃SbS₄.

Chen K, Di Paola C, Du B, Zhang R, Laricchia S, Bonini N, Weber C, Abrahams I, Yan H and Reece M. *Journal of Materials Chemistry C* vol. 6, (31) 8546-8552.

Electric-field-induced local distortion and large electrostrictive effects in lead-free NBT-based relaxor ferroelectrics.

Liu X, Xue S, Ma J, Zhai J, Shen B, Wang F, Zhao X and Yan H. *Journal of The European Ceramic Society*.

Crystal Chemistry and Magnetic Properties of Gd-Substituted Aurivillius-Type Bi₅FeTi₃O₁₅Ceramics.

Koval V, Skorvanek I, Viola G, Zhang M, Jia C and Yan H. *Journal of Physical Chemistry C* vol. 122, (27) 15733-15743.

Perovskite Sr_x(Bi_{1-x}Na_{0.97-x}Li_{0.03})_{0.5}TiO₃ceramics with polar nano regions for high power energy storage.

Wu J, Mahajan A, Riekehr L, Zhang H, Yang B, Meng N, Zhang Z and Yan H. *Nano Energy* vol. 50, 723-732.

SrFe₁₂O₁₉ based ceramics with ultra-low dielectric loss in the millimetre-wave band.

YU C, YANG B, ABRAHAMS I and YAN H. *Applied Physics Letters*.Aip Publishing.

Bi_{3.25}La_{0.75}Ti_{2.5}Nb_{0.25}(Fe_{0.5}Co_{0.5})_{0.25}O₁₂, a single phase room temperature multiferroic.

Li Z, Tao K, Ma J, Gao Z, Koval V, Jiang C, Viola G, Zhang H, Mahajan A, Cao J, Cain M, Abrahams I, Nan C, Jia C and Yan H. *Journal of Materials Chemistry C* vol. 6, (11) 2733-2740.

Enhanced dielectric tunability and energy storage properties of plate-like Ba_{0.6}Sr_{0.4}TiO₃/poly(vinylidene fluoride) composites through texture arrangement.

Wang L, Gao F, Xu J, Zhang K, Kong J, Reece M and Yan H. *Composites Science and Technology* vol. 158, 112-120.

2017

Giant electrostrain accompanying structural evolution in lead-free NBT-based piezoceramics.

Liu X, Xue S, Li F, Ma J, Zhai J, Shen B, Wang F, Zhao X and Yan H. *Journal of Materials Chemistry C* vol. 6, (4) 814-822.

Phase evolution and electrical behaviour of samarium-substituted bismuth ferrite ceramics.

Yu C, Viola G, Zhang D, Zhou K, Koval V, Mahajan A, Wilson RM, Tarakina NV, Abrahams I and Yan H. *Journal of The European Ceramic Society*.

Titanium Dioxide Engineered for Near-dispersionless High Terahertz Permittivity and Ultra-low-loss.

Yu C, Zeng Y, Yang B, Donnan R, Huang J, Xiong Z, Mahajan A, Shi B, Ye H, Binions R, Tarakina NV, Reece MJ and Yan H. *Scientific Reports* vol. 7, (1).

Ordered coalescence of nano-crystals in alkaline niobate ceramics with high remanent polarization.

Shen Z, Grüner D, Eriksson M, Belova LM, Nan CW and Yan H. *Journal of Materiomics* vol. 3, (4) 267-272.

Phase transitions in bismuth-modified silver niobate ceramics for high power energy storage.

Tian Y, Jin L, Zhang H, Xu Z, Wei X, Viola G, Abrahams I and Yan H. *Journal of Materials Chemistry A* vol. 5, (33) 17525-17531.

Topochemical transformation of two-dimensional single crystalline Na_{0.5}Bi_{0.5}TiO₃-BaTiO₃ platelets from Na_{0.5}Bi_{4.5}Ti₄O₁₅ precursors and their piezoelectricity.

Jiang C, Zhang D, Zhou K, Yan H, Zhang H and Abrahams I. *Journal of Materials Chemistry A* vol. 5, (30) 15780-15788.

Phase-composition and temperature dependence of electrocaloric effect in lead-free Bi_{0.5}Na_{0.5}TiO₃-BaTiO₃-(Sr_{0.7}Bi_{0.2}?_{0.1})TiO₃ ceramics.

Li F, Chen G, Liu X, Zhai J, Shen B, Zeng H, Li S, Li P, Yang K and Yan H. *Journal of The European Ceramic Society*.

Type-I pseudo-first-order phase transition induced electrocaloric effect in lead-free Bi_{0.5}Na_{0.5}TiO₃-0.06BaTiO₃ ceramics.

YAN H. *Applied Physics Letters*. Aip Publishing.

Microstructural comparison of effects of hafnium and titanium additions in spark-plasma-sintered Fe-based oxide-dispersion strengthened alloys.

Huang Y, Zhang H, Auger MA, Hong Z, Ning H, Gorley MJ, Grant PS, Reece MJ, Yan H and Roberts SG. *Journal of Nuclear Materials* vol. 487, 433-442.

Effect of Phase Transitions on Thermal Depoling in Lead-Free 0.94(Bi_{0.5}Na_{0.5}TiO₃)-0.06(BaTiO₃) Based Piezoelectrics.

MAHAJAN A, Zhang H, Wu J, Ramana EV, Reece M and Yan H. *The Journal of Physical Chemistry C. American Chemical Society*.

Terbium-induced phase transitions and weak ferromagnetism in multiferroic bismuth ferrite ceramics.

YAN H. *Journal of Materials Chemistry C* vol. 5, 2336-2336. Royal Society of Chemistry.

2016

Theory-Guided Synthesis of an Eco-Friendly and Low-Cost Copper Based Sulfide Thermoelectric Material.

Chen K, Du B, Bonini N, Weber C, Yan H and Reece MJ. *Journal of Physical Chemistry C* vol. 120, (48) 27135-27140.

Carriers concentration tailoring and phonon scattering from n-type zinc oxide (ZnO) nanoinclusion in p- and n-type bismuth telluride (Bi₂Te₃): Leading to ultra low thermal conductivity and excellent thermoelectric properties.

Jiang Q, Yang J, Xin J, Zhou Z, Zhang D and Yan H. *Journal of Alloys and Compounds* vol. 694, 864-868.

Room temperature magnetoelectric coupling in intrinsic multiferroic Aurivillius phase textured ceramics.

Li Z, Ma J, Gao Z, Viola G, Koval V, Mahajan A, Li X, Jia C, Nan C and Yan H. *Dalton Transactions* vol. 45, (36) 14049-14052. Royal Society of Chemistry.

Growth of SiC platelets using contactless flash technique.

Wang C, Wu D, Grasso S, Saunders T, Castle E, Yan H and Reece MJ. *Nippon Seramikkusu Kyokai Gakujutsu Ronbunshi/Journal of The Ceramic Society of Japan* vol. 124, (9) 845-847.

High energy density in silver niobate ceramics.

Tian Y, Jin L, Zhang H, Xu Z, Wei X, Politova ED, Stefanovich SY, Tarakina NV, Abrahams I and Yan H. *Journal of Materials Chemistry A* vol. 4, (44) 17279-17287.

Tuning the electrocaloric enhancement near the morphotropic phase boundary in lead-free ceramics.

Le Goupil F, McKinnon R, Koval V, Viola G, Dunn S, Berenov A, Yan H and Alford NM. *Sci Rep* vol. 6, 28251-28251.

Lead free Bi₃TaTiO₉ ferroelectric ceramics with high Curie point.

Sun Y, Li Z, Zhang H, Yu C, Viola G, Fu S, Koval V and Yan H. *Materials Letters* vol. 175, 79-81. Elsevier.

Strain-Dependent Dielectric Behavior of Carbon Black Reinforced Natural Rubber.

Huang M, Tunnicliffe LB, Zhuang J, Ren W, Yan H and Busfield JJC. *Macromolecules* vol. 49, (6) 2339-2347.

Crystallographic Structure and Ferroelectricity of (AxLa_{1-x})₂Ti₂O₇ (A = Sm and Eu) Solid Solutions with High T_c.

Chen C, Gao Z, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 99, (2) 523-530.

Efficacy of lone-pair electrons to engender ultralow thermal conductivity.

Du B, Chen K, Yan H and Reece MJ. *Scripta Materialia* vol. 111, 49-53.

2015

A High Curie Point Ferroelectric Ceramic Ca₃(VO₄)₂.

Ning H, Yan H and Reece MJ. *Ferroelectrics* vol. 487, (1) 94-100.

Role of synthesis method on microstructure and mechanical properties of graphene/carbon nanotube toughened Al₂O₃ nanocomposites.

Yazdani B, Porwal H, Xia Y, Yan H, Reece MJ and Zhu Y. *Ceramics International* vol. 41, (8) 9813-9822.

Dielectric relaxation and electrical conductivity in Ca₅Nb₄TiO₁₇ ceramics.

Li C, Wei X, Fang L, Yan H and Reece MJ. *Ceramics International* vol. 41, (8) 9923-9930.

Unfolding grain size effects in barium titanate ferroelectric ceramics.

Tan Y, Zhang J, Wu Y, Wang C, Koval V, Shi B, Ye H, McKinnon R, Viola G and Yan H. *Scientific Reports* vol. 5,.

Processing and microstructure characterisation of oxide dispersion strengthened Fe-14Cr-0.4Ti-0.25Y₂O₃ ferritic steels fabricated by spark plasma sintering.

Zhang H, Huang Y, Ning H, Williams CA, London AJ, Dawson K, Hong Z, Gorley MJ, Grovenor CRM, Tatlock GJ, Roberts SG, Reece MJ, Yan H and Grant PS. *Journal of Nuclear Materials* vol. 464, 61-68.

Effect of Ca substitution sites on dielectric properties and relaxor behavior of Ca doped barium strontium titanate ceramics.

Chen C, Zhuang H, Zhu X, Zhang D, Zhou K and Yan H. *Journal of Materials Science: Materials in Electronics* vol. 26, (4) 2486-2492.

Study on properties of tantalum-doped La₂Ti₂O₇ ferroelectric ceramics.

Li C, Khaliq J, Ning H, Wei X, Yan H and Reece MJ. *Journal of Advanced Dielectrics* vol. 5, (1).

Reduced thermal conductivity by nanoscale intergrowths in perovskite like layered structure La₂Ti₂O₇.

Khaliq J, Li C, Chen K, Shi B, Ye H, Grande AM, Yan H and Reece MJ. *Journal of Applied Physics* vol. 117, (7).

Ferroelectricity in Dion-Jacobson ABiNb₂O₇ (A = Rb, Cs) compounds.

Chen C, Ning H, Lepadatu S, Cain M, Yan H and Reece MJ. *Journal of Materials Chemistry C* vol. 3, (1) 19-22.

Enhancement of electric field-induced strain in BaTiO₃ ceramics through grain size optimization.

Tan Y, Zhang J, Wang C, Viola G and Yan H. *Physica Status Solidi (a) Applications and Materials Science* vol. 212, (2) 433-438.

Microwave and terahertz dielectric properties of MgTiO₃-CaTiO₃ ceramics.

Huang JB, Yang B, Yu CY, Zhang GF, Xue H, Xiong ZX, Viola G, Donnan R, Yan HX and Reece MJ. *Materials Letters* vol. 138, 225-227.

Effect of different templates on structure evolution and large strain response under a low electric field in BaTiO_3-textured lead-free BNT-based piezoelectric ceramics.

Bai W, Xi J, Zhang J, Shen B, Zhai J and Yan H. *Journal of The European Ceramic Society* vol. 35, (9) 2489-2499.

2014

Ferroelectric and dielectric properties of Nd_{2-x}Ce_xTi₂O₇ ceramics.

Gao ZP, Shi B, Ye H, Yan HX and Reece MJ. *Advances in Applied Ceramics* vol. 114, (4) 191-197.

Dielectric relaxation and electrical conductivity in Ca₅Nb₄TiO₁₇ ceramics.

Li C, Wei X, Fang L, Yan H and Reece MJ. *Ceramics International*. Elsevier Ltd.

Short range polar state transitions and deviation from Rayleigh-type behaviour in Bi_{0.5}Na_{0.5}TiO₃-based perovskites.

Viola G, Tan Y, McKinnon RA, Wei X, Yan H and Reece MJ. *Applied Physics Letters* vol. 105, (10).

Enhancement of thermoelectric properties by atomic-scale percolation in digenite Cu_xS.

Jiang Q, Yan H, Khaliq J, Shen Y, Simpson K and Reece MJ. *Journal of Materials Chemistry A* vol. 2, (25) 9486-9489.

Large ZT enhancement in hot forged nanostructured p-type Bi_{0.5}Sb_{1.5}Te₃ bulk alloys.

Jiang Q, Yan H, Khaliq J, Ning H, Grasso S, Simpson K and Reece MJ. *Journal of Materials Chemistry A* vol. 2, (16) 5785-5790.

Lithium-induced phase transitions in lead-free Bi_{0.5}Na_{0.5}TiO₃ based ceramics.

Viola G, McKinnon R, Koval V, Adomkevicius A, Dunn S and Yan H. *Journal of Physical Chemistry C* vol. 118, (16) 8564-8570.

Effect of dysprosium substitution on crystal structure and physical properties of multiferroic BiFeO₃ ceramics.

Koval V, Skorvanek I, Reece M, Mitoseriu L and Yan H. *Journal of The European Ceramic Society* vol. 34, (3) 641-651.

High field ZnO varistors prepared by spark plasma sintering.

Charles S, Evans J, Reece MJ and Yan HX. *Advances in Applied Ceramics* vol. 113, (2) 94-97.

Utilizing the phonon glass electron crystal concept to improve the thermoelectric properties of combined Yb-stuffed and Te-substituted CoSb₃.

Khaliq J, Jiang Q, Yang J, Simpson K, Yan H and Reece MJ. *Scripta Materialia* vol. 72-73, 63-66.

Reply to the Comment on The Effect of Barium Substitution on the Ferroelectric Properties of Sr₂Nb₂O₇ Ceramics [J. Am. Ceram. Soc., 96 [4] 1163-1170 (2013)].

Gao Z, Shi B, Ye H, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 97, (2) 662-663.

Spark plasma sintering of alumina composites with graphene platelets and silicon carbide nanoparticles.

Liu J, Li Z, Yan H and Jiang K. *Advanced Engineering Materials* vol. 16, (9) 1111-1118.

Low-temperature magnetic and dielectric anomalies in rare-earth-substituted BiFeO₃ ceramics.

Koval V, Skorvanek I and Yan H. *Journal of The American Ceramic Society* vol. 97, (12) 3729-3732.

Three layer perovskite-like structured Pr₃Ti₂TaO₁₁ ferroelectrics with super-high curie point.

Chen C, Jiang Q, Wei X, Abrahams I, Yan H, Yan H, Reece MJ and Reece MJ. *Journal of The American Ceramic Society* vol. 97, (11) 3624-3630.

2013

MgAl₂O₄-LaCr_{0.5}Mn_{0.5}O₃ composite ceramics for high temperature NTC thermistors.

Zhang B, Zhao Q, Chang A, Yan H and Wu Y. *Journal of Materials Science: Materials in Electronics* vol. 24, (11) 4452-4456.

Effect of grain size on domain structures, dielectric and thermal depoling of Nd-substituted bismuth titanate ceramics.

Viola G, Boon Chong K, Eriksson M, Shen Z, Zeng J, Yin Q, Kan Y, Wang P, Ning H, Zhang H, Fitzpatrick ME, Reece MJ and Yan H. *Applied Physics Letters* vol. 103, (18).

Effects of zinc substitution on the dielectric properties of Ca₅Nb₄TiO₁₇ microwave ceramics.

Li C, Wei X, Yan H and Reece MJ. *Journal of Advanced Dielectrics* vol. 03, (04).

Effect of donor dopants cerium and tungsten on the dielectric and electrical properties of high Curie point ferroelectric strontium niobate.

Ning H, Yan H, Gao Z, Wei X and Reece MJ. *Ceramics International* vol. 39, (7) 7669-7675.

Mechanical properties of graphene platelet-reinforced alumina ceramic composites.

Liu J, Yan H and Jiang K. *Ceramics International* vol. 39, (6) 6215-6221.

Dielectric relaxation, lattice dynamics and polarization mechanisms in Bi_{0.5}Na_{0.5}TiO₃-based lead-free ceramics.

Viola G, Ning H, Wei X, Deluca M, Adomkevicius A, Khaliq J, John Reece M and Yan H. *Journal of Applied Physics* vol. 114, (1).

Microwave dielectric properties of CaO-La₂O₃-Nb₂O₅-TiO₂ ceramics.

Li C, Wei X, Yan H, Reece MJ and Ye H. *Journal of Materials Science: Materials in Electronics* vol. 24, (6) 1947-1954.

Piezoelectric and dielectric properties of Ce substituted La₂Ti₂O₇ ceramics.

Gao ZP, Yan HX, Ning HP, Wilson R, Wei XY, Shi B, Ye H and Reece MJ. *Journal of The European Ceramic Society* vol. 33, (5) 1001-1008.

Effect of Fe Substitution on Thermoelectric Properties of Fe (x) In_{4-x} Se-3 Compounds.

Li G, Yang J, Xiao Y, Fu L, Peng J, Deng Y, Zhu P and Yan H. *Journal of Electronic Materials* vol. 42, (4) 675-678.

The effect of barium substitution on the ferroelectric properties of Sr₂Nb₂O₇ Ceramics.

Gao Z, Ning H, Chen C, Wilson R, Shi B, Ye H, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 96, (4) 1163-1170.

Ferroelectricity of Pr₂Ti₂O₇ ceramics with super high Curie point.

Gao ZP, Yan HX, Ning HP and Reece MJ. *Advances in Applied Ceramics* vol. 112, (2) 69-74.

Reverse boundary layer capacitor model in glass/ceramic composites for energy storage applications.

Wei X, Yan H, Wang T, Hu Q, Viola G, Grasso S, Jiang Q, Jin L, Xu Z and Reece MJ. *Journal of Applied Physics* vol. 113, (2).

Effect of donor dopants cerium and tungsten on the dielectric and electrical properties of high Curie point ferroelectric strontium niobate.

Ning H, Yan H, Gao Z, Wei X and Reece MJ. *Ceramics International*.

Active ferroelectricity in nanostructured multiferroic BiFeO₃ bulk ceramics.

Jiang Q, Ning H, Zhang Q, Cain M, Reece MJ and Yan H. *Journal of Materials Chemistry C* vol. 1, (36) 5628-5631.

Contribution of piezoelectric effect, electrostriction and ferroelectric/ferroelastic switching to strain-electric field response of dielectrics.

Viola G, Saunders T, Wei X, Chong KB, Luo H, Reece MJ and Yan H. *Journal of Advanced Dielectrics* vol. 03, (01).

2012

Microwave dielectric properties of La₃Ti₂TaO₁₁ ceramics with perovskite-like layered structure.

Li C, Wei X, Yan H and Reece MJ. *Journal of The European Ceramic Society* vol. 32, (16) 4015-4020.

Toughening of zirconia/alumina composites by the addition of graphene platelets.

Liu J, Yan H, Reece MJ and Jiang K. *Journal of The European Ceramic Society* vol. 32, (16) 4185-4193.

Kinetics of Densification and Grain Growth of Pure Tungsten During Spark Plasma Sintering.

Gao Z, Viola G, Milsom B, Whitaker I, Yan H and Reece MJ. *Metallurgical and Materials Transactions B-Process Metallurgy and Materials Processing Science* vol. 43, (6) 1608-1614.

Ferroelectric ceramics with enhanced remnant polarization by ordered coalescence of nano-crystals.

Shen Z, Yan H, Grüner D, Belova LM, Sakamoto Y, Hu J, Nan CW, Höche T and Reece MJ. *Journal of Materials Chemistry* vol. 22, (44) 23547-23552.

Reversibility in electric field-induced transitions and energy storage properties of bismuth-based perovskite ceramics.

Viola G, Ning H, Reece MJ, Wilson R, Correia TM, Weaver P, Cain MG and Yan H. *Journal of Physics D: Applied Physics* vol. 45, (35).

Phase stability and rapid consolidation of hydroxyapatite-zirconia nano-coprecipitates made using continuous hydrothermal flow synthesis.

Chaudhry AA, Yan H, Viola G, Reece MJ, Knowles JC, Gong K, Rehman I and Darr JA. *Journal of Biomaterials Applications* vol. 27, (1) 79-90.

Spherical instrumented indentation of porous nanocrystalline zirconia.

Chintapalli RK, Jimenez-Pique E, Marro FG, Yan H, Reece M and Anglada M. *Journal of The European Ceramic Society* vol. 32, (1) 123-132.

Analysis of femtosecond laser surface patterning on bulk single-crystalline diamond.

Lee GCB, Su S, Li J, Sugden K, Roohpour N, Yan H and Ye H. *Journal of Experimental Nanoscience* vol. 7, (6) 662-672.

2011

Ferroelectric domain structures and electrical properties of fine-grained lead-free sodium potassium niobate ceramics.

Eriksson M, Yan H, Viola G, Ning H, Gruner D, Nygren M, Reece MJ and Shen Z. *Journal of The American Ceramic Society* vol. 94, (10) 3391-3396.

Magneto-electric properties of multiferroic $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3\text{-NiFe}_2\text{O}_4$ nanoceramic composites.

Jiang Q, Liu F, Yan H, Ning H, Libor Z, Zhang Q, Cain M and Reece MJ. *Journal of The American Ceramic Society* vol. 94, (8) 2311-2314.

High-strength nanograined and translucent hydroxyapatite monoliths via continuous hydrothermal synthesis and optimized spark plasma sintering.

Chaudhry AA, Yan HX, Gong KN, Inam F, Viola G, Reece MJ, Goodall JBM, Rehman IU, McNeil-Watson FK, Corbett JCW, Knowles JC and Darr JA. *Acta Biomater* vol. 7, (2) 791-799.

THE CONTRIBUTION OF ELECTRICAL CONDUCTIVITY, DIELECTRIC PERMITTIVITY AND DOMAIN SWITCHING IN FERROELECTRIC HYSTERESIS LOOPS.

Yan H, Inam F, Viola G, Ning H, Zhang H, Jiang Q, Zeng T, Gao Z and Reece MJ. *J. Adv Dielectrics* vol. 1, 107-118. Yao X.

2010

Effect of point defects on thermal depoling behavior of bismuth layer-structured ferroelectric ceramics.

Zeng T, Yan HX and Reece MJ. *J Appl Phys* vol. 108, (9).

Microstructure and electrical properties of Aurivillius phase $(\text{CaBi}_2\text{Nb}_2\text{O}_9)_{(1-x)}(\text{BaBi}_2\text{Nb}_2\text{O}_9)_x$ solid solution.

Zhang HT, Yan HX and Reece MJ. *J Appl Phys* vol. 108, (1).

Highly conductive low nickel content nano-composite dense cermets from nano-powders made via a continuous hydrothermal synthesis route.

Weng XL, Brett D, Yufit V, Shearing P, Brandon N, Reece M, Yan HX, Tighe C and Darr JA. *Solid State Ionics* vol. 181, (17-18) 827-834.

The sintering and grain growth behaviour of ceramic-carbon nanotube nanocomposites.

Inam F, Yan HX, Peijs T and Reece MJ. *Compos Sci Technol* vol. 70, (6) 947-952.

High temperature lead-free relaxor ferroelectric: Intergrowth Aurivillius phase $\text{BaBi}_2\text{Nb}_2\text{O}_9\text{-Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics.

Zhang H, Yan H and Reece MJ. *Journal of Applied Physics* vol. 107, (10).

Piezoelectric Strontium Niobate and Calcium Niobate Ceramics with Super-High Curie Points.

Ning HP, Yan HX and Reece MJ. *J Am Ceram Soc* vol. 93, (5) 1409-1413.

Sparking advanced ceramics.

Inam F, Yan HX, Tu W and Reece M. *Mater World* vol. 18, (5) 26-28.

Structural and chemical stability of multiwall carbon nanotubes in sintered ceramic nanocomposite.

Inam F, Yan H, Reece MJ and Peijs T. *Adv Appl Ceram* vol. 109, (4) 240-245.

Textured high Curie point piezoelectric ceramics prepared by spark plasma sintering.

Yan HX, Ning HP, Zhang HT and Reece MJ. *Adv Appl Ceram* vol. 109, (3) 139-142.

Stability of Nanocrystalline Spark Plasma Sintered 3Y-TZP.

Chintapalli R, Mestra A, Marro FG, Yan H, Reece M and Anglada M. *Materials* vol. 3, (2) 800-814.

Low temperature consolidated lead-free ferroelectric niobate ceramics with improved electrical properties.

Eriksson M, Yan HX, Nygren M, Reece MJ and Shen ZJ. *J Mater Res* vol. 25, (2) 240-247.

Electrically conductive alumina-carbon nanocomposites prepared by Spark Plasma Sintering.

Inam F, Yan HX, Jayaseelan DD, Peijs T and Reece MJ. *Journal of The European Ceramic Society* vol. 30, (2) 153-157.

2009

Degradation resistance of 3Y-TZP ceramics sintered using spark plasma sintering.

Chintapalli R, Marro FG, Valle JA, Yan H, Reece MJ and Anglada M. *Iop Conference Series: Materials Science and Engineering* vol. 5,.

Piezoelectric and Ferroelectric Properties of Bismuth Tungstate Ceramics Fabricated by Spark Plasma Sintering.

Zeng T, Yan HX, Ning HP, Zeng JT and Reece MJ. *J Am Ceram Soc* vol. 92, (12) 3108-3110.

Piezoelectric Ceramics with Super-High Curie Points.

Yan HX, Ning HP, Kan YM, Wang PL and Reece MJ. *J Am Ceram Soc* vol. 92, (10) 2270-2275.

The grain size effect on the properties of Aurivillius phase Bi₃1.5Nd_{0.85}Ti₃O₁₂ ferroelectric ceramics.

Zhang H, Yan H, Ning H, Reece MJ, Eriksson M, Shen Z, Kan Y and Wang P. *Nanotechnology* vol. 20, (38).

Fabrication and properties of dense ex situ magnesium diboride bulk material synthesized using spark plasma sintering.

Dancer CEJ, Prabhakaran D, Basoglu M, Yanmaz E, Yan H, Reece M, Todd RI and Grovenor CRM. *Supercond Sci Tech* vol. 22, (9).

The effect of Nd substitution on the electrical properties of Bi₃NbTiO₉ Aurivillius phase ceramics.

Zhang HT, Yan HX and Reece MJ. *J Appl Phys* vol. 106, (4).

High-temperature ferroelectric phase transition observed in multiferroic Bi_{0.91}La_{0.05}Tb_{0.04}FeO₃.

Jiang QH, Liu FT, Nan CW, Lin YH, Reece MJ, Yan HX, Ning HP and Shen ZJ. *Applied Physics Letters* vol. 95, (1).

2008

Effect of a site substitution on the properties of CaBi₂Nb₂O₉ ferroelectric ceramics.

Zhang X, Yan H and Reece MJ. *Journal of The American Ceramic Society* vol. 91, (9) 2928-2932.

Dimethylformamide: an effective dispersant for making ceramic-carbon nanotube composites.

Inam F, Yan H, Reece MJ and Peijs T. *Nanotechnology* vol. 19, (19).

Luminescence of Sr₂SiO_{4-x}N_{2x/3} : Eu²⁺ phosphors prepared by spark plasma sintering.

Sohn KS, Kwak JH, Jung YS, Yan HX and Reece MJ. *J Electrochem Soc* vol. 155, (2) J58-J61.

2007

Dielectric, piezoelectric, and ferroelectric properties of grain-orientated Bi_{3.25}La_{0.75}Ti₃O₁₂ ceramics.

Liu J, Shen Z, Yan H, Reece MJ, Kan Y and Wang P. *J Appl Phys* vol. 102, (10).

Firing on all cylinders.

Inam F, Yan H, Zhang R, Peijs T and Reece M. *Materials World* vol. 15, (10) 24-25.

Effect of annealing on dielectric behavior and electrical conduction of W6+ doped Bi3TiNbO9 ceramics.

Zhou ZY, Li YC, Yang LH, Dong XL and Yan HX. *Appl Phys Lett* vol. 90, (21).

2006

Lanthanum distribution and dielectric properties of Bi3-xLaxTiNbO9 bismuth layer-structured ceramics.

Zhou ZY, Dong XL and Yan HX. *Scripta Mater* vol. 55, (9) 791-794.

Effect of texture on dielectric properties and thermal depoling of Bi4Ti3O12 ferroelectric ceramics.

Yan HX, Reece MJ, Liu J, Shen ZJ, Kan YM and Wang PL. *J Appl Phys* vol. 100, (7).

B-site donor and acceptor doped Aurivillius phase Bi3NbTiO9 ceramics.

Yan HX, Zhang HT, Zhang Z, Ubic R and Reece MJ. *J Eur Ceram Soc* vol. 26, (13) 2785-2792.

Dielectric relaxation of La3+-modified Bi3TiNbO9 Aurivillius phase ceramics.

Zhou ZY, Dong XL, Huang SM and Yan HX. *J Am Ceram Soc* vol. 89, (9) 2939-2942.

Orientation dependence of dielectric and relaxor behaviour in Aurivillius phase BaBi2Nb2O9 ceramics prepared by spark plasma sintering.

Yan HX, Zhang HT, Ubic R, Reece M, Liu J and Shen ZJ. *J Mater Sci-Mater El* vol. 17, (9) 657-661.

Doping effects on the electrical conductivity of bismuth layered Bi3TiNbO9-based ceramics.

Zhou ZY, Dong XL, Yan HX, Chen H and Mao CL. *J Appl Phys* vol. 100, (4).

Structural and electrical properties of W6+-doped Bi3TiNbO9 high-temperature piezoceramics.

Zhou ZY, Dong XL, Chen H and Yan HX. *J Am Ceram Soc* vol. 89, (5) 1756-1760.

2005

Thermal depoling of high Curie point Aurivillius phase ferroelectric ceramics.

Yan HX, Zhang HT, Reece MJ and Dong XL. *Appl Phys Lett* vol. 87, (8).

A Lead-Free High-Curie-Point Ferroelectric Ceramic, CaBi2Nb2O9.

Yan H, Zhang H, Ubic R, Reece MJ, Liu J, Shen Z and Zhang Z. *Cheminform* vol. 36, (28).

A lead-free high-Curie-point ferroelectric ceramic, CaBi2Nb2O9.

Yan HX, Zhang HT, Ubic R, Reece MJ, Liu J, Shen ZJ and Zhang Z. *Adv Mater* vol. 17, (10) 1261-+.

Effective grain alignment in Bi4Ti3O12 ceramics by superplastic-deformation-induced directional dynamic ripening.

Shen ZJ, Liu J, Grins J, Nygren M, Wang PL, Kan YM, Yan HX and Sutter U. *Adv Mater* vol. 17, (6) 676-+.

Dielectric properties of single crystal diamond.

Ye HT, Yan HX and Jackman RB. *Semicond Sci Tech* vol. 20, (3) 296-298.

2004

The effect of (Li,Ce) and (K,Ce) doping in Aurivillius phase material CaBi4Ti4O15.

Yan HX, Zhang Z, Zhu WM, He LX, Yu YH, Li CG and Zhou JG. *Mater Res Bull* vol. 39, (9) 1237-1246.

Grain orientation effects on the properties of a bismuth layer-structured ferroelectric (BLSF) Bi3NbTiO9 solid solution.

Zhang Z, Yan HX, Xiang PH, Dong XL and Wang YL. *J Am Ceram Soc* vol. 87, (4) 602-605.

2003

Structural and electrical properties of Bi3NbTiO9 solid solution.

Zhang Z, Yan HX, Dong XL and Wang YL. *J Inorg Mater* vol. 18, (6) 1377-1380.

Preparation and electrical properties of bismuth layer-structured ceramic Bi₃NbTiO₉ solid solution.
Zhang Z, Yan HX, Dong XL and Wang YL. *Mater Res Bull* vol. 38, (2) 241-248.

2002

Influence of sintering temperature on the properties of high T-c bismuth layer structure ceramics.
Yan HX, Li CG, Zhou JG, Zhu WM, He LX, Song YX and Yu YH. *Mat Sci Eng B-Solid* vol. 88, (1) 62-67.

SrBi₂Ta₂O₉ powder synthesized by molten salt methods.
Song YX, Li CE and Yan HX. *J Inorg Mater* vol. 17, (1) 145-148.

2001

Formation of magnesium niobates in the MgO-Nb₂O₅ system and the effects of Fe₂O₃.
Yu YH, Feng CD, Yao WL, Yang Y, Li CE and Yan HX. *J Mater Sci Lett* vol. 20, (24) 2189-2191.

Formation of columbite-type precursors in the mixture of MgO-Fe₂O₃-Nb₂O₅ and the effects on fabrication of perovskites.
Yu YH, Feng CD, Li CG, Yang Y, Yao WL and Yan HX. *Mater Lett* vol. 51, (6) 490-499.

Effects of A-site (NaCe) substitution with Na-deficiency on structures and properties of CaBi₄Ti₄O₁₅-based high- Curie-temperature ceramics.
Yan HX, Li C, Zhou JG, Zhu WM, He LX, Song YX and Yu YH. *Jpn J Appl Phys 1* vol. 40, (11) 6501-6505.

Effects of various precursor process routes on the properties of lead-based ferroelectric ceramics in PFN-PMN binary system.
Yu YH, Feng CD, Yang Y, Li CE and Yan HX. *J Inorg Mater* vol. 16, (6) 1128-1138.

Effects of Cr₂O₃ addition on the piezoelectric properties and microstructure of PbZr_xTi_y(Mg_{1/3}Nb_{2/3})(1-x-y)O-3 ceramics.
He LX, Gao M, Li CE, Zhu WM and Yan HX. *J Eur Ceram Soc* vol. 21, (6) 703-709.

Effects of processing routes on structures and dielectric properties of lead iron niobate-lead magnesium niobate binary system.
Yu YH, Feng C, Li CG, Yang Y and Yan HX. *Jpn J Appl Phys 1* vol. 40, (4A) 2348-2356.

Effects of processing routes on structures and dielectric properties of lead iron niobate-lead magnesium niobate binary system.
Yu Y, Feng C, Li C, Yang Y and Yan H. *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers* vol. 40, (4 A) 2348-2356.

2000

A-Site (M₂Ce) Substitution Effects on the Structures and Properties of CaBi₄Ti₄O₁₅ Ceramics.
Yan H, Li C, Zhou J, Zhu W, He L and Song Y. *Japanese Journal of Applied Physics* vol. 39, (11R).

Structures and properties of bismuth layer-structured piezoelectric ceramics with high T-c.
Yan HX, Li CE, Zhou JG and Zhu WM. *Journal of Inorganic Materials* vol. 15, (2) 209-220.

Anomalous internal friction in lead metaniobate ceramics.
He L-X, Li C-E, Yan H-X and Chen T-G. *Journal of Applied Physics* vol. 87, (6) 3186-3188.

Low-frequency internal friction study on modified lead metaniobate ceramics.
He LX, Li CE, Chen TG and Yan HX. *Chinese Physics* vol. 9, (2) 149-152.

1998

Low-frequency internal friction study for SrBi₂Ta₂O₉ ferroelectric ceramics.
Wang ZY, Chen TG, Zhu WM, Fu JA, Yan HX and Li CE. *Acta Physica Sinica-Overseas Edition* vol. 7, (10) 764-772.