

Dr Lei Su
BSc, MRes, PhD, FHEA

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 5184
email: l.su@qmul.ac.uk web: www.sems.qmul.ac.uk/l.su

2020

Microfiber-knot-resonator induced energy transferring from vector noise-like pulse to scalar soliton rains in an erbium-doped fiber laser.

Zhou J, Gu S, Chen Z, Lou B, Jiang Y, Zhao J, Li L, Tang D, Shen D, Su L and Zhao L. *Ieee Journal of Selected Topics in Quantum Electronics* vol. PP, (99) 1-1. Institute of Electrical and Electronics Engineers.

Solution-Processed Epitaxial Growth of Arbitrary Surface Nanopatterns on Hybrid Perovskite Monocrystalline Thin Films.

Zhang J, Guo Q, Li X, Li C, Wu K, Abrahams I, Yan H, Knight MM, Humphreys CJ and Su L. *Acs Nano. American Chemical Society*.

Nonlinear Absorbing-Loop Mirror in a Holmium-Doped Fiber Laser.

zhao J, Zhou J, Jiang Y, Li L, Shen D, Komarov A, Su L, Tang D, Klimczak M and Zhao L. *Journal of Lightwave Technology. Institute of Electrical and Electronics Engineers*.

Substitutional doping of hybrid organic-inorganic perovskite crystals for thermoelectrics.

TANG W, Zhang J, RATNASINGHAM SR, Liscio F, CHEN K, Liu T, Wan K, Suena Galindez E, Bilotti E, Reece M, Baxendale M, Milita S, McLachlan M, Su L and Fenwick O. *Journal of Materials Chemistry A. Royal Society of Chemistry (Rsc)*.

Breach and recurrence of dissipative soliton resonance during period doubling evolution in a fiber laser.

Wang Y, Su L, Wang S, Hua L, Li L, Shen D, Tang D, Komarov A, Klimczak M, Fu S, Tang M, Tang X and Zhao L. *Physical Review a: Atomic, Molecular and Optical Physics. American Physical Society*.

Transient nanostrain detection in phi-OTDR using statistics-based signal processing.

Chen H, Xu Y, Qian S, Yuan H and Su L. *Journal of Lightwave Technology 1-1. Institute of Electrical and Electronics Engineers (Ieee)*.

Period doubling of multiple dissipative-soliton-resonance pulses in a fibre laser.

Hua L, Wang S, Yang X, Yao X, Li L, Komarov A, Klimczak M, SHEN D, Tang D, Su L and Zhao L. *Osa Continuum. The Optical Society*.

Carrier Beating Impairment in Weakly Coupled Multicore Fiber-Based IM/DD Systems.

Zhao J, Gan L, Su L, Zhang J, He H, Cai W, Wang J, Fu S and Tang M. *Ieee Access* vol. 8, 65699-65710. *Ieee*.

Period doubling eigenstates in a fiber laser mode-locked by nonlinear polarization rotation.

Yao X, Li L, Komarov A, Klimczak M, Tang D, SHEN D, Su L and Zhao L. *Optics Express. Optical Society of America (Osa)*.

Laser-triggered drug release from polymeric 3-D micro-structured films via optical fibers.

Kurochkin MA, Sindeeva OA, Brodovskaya EP, Gai M, Frueh J, Su L, Sapelkin A, Tuchin VV and Sukhorukov GB. *Materials Science and Engineering C: Materials For Biological Applications* vol. 110, Elsevier.

Fiber-Optic Acoustic Sensors for Partial Discharge Detection in Power Cables.

Hao C, Yang X, Sen Q and Lei S.

2019

Narrow-bandwidth h-shaped pulse generation and evolution in a net normal dispersion thulium-doped fiber laser.

Zhao J, Zhou J, Li L, Klimczak M, Komarov A, Su L, Tang D, Shen D and Zhao L. *Optics Express* vol. 27, (21) 29770-29780.

Generation of noise-like pulses with 203 nm 3-dB bandwidth.

Wang X, Komarov A, Klimczak M, Su L, Tang D, Shen D, Li L and Zhao L. *Optics Express* vol. 27, (17) 24147-24153.

Deep learning the high variability and randomness inside multimode fibers.

FAN P, Zhao T and SU L. *Optics Express. Optical Society of America (Osa)*.

Dissipative soliton resonance and its depression into burst-like emission in a holmium-doped fiber laser with large normal dispersion.

Zhao J, Zhou J, Li L, Zhao L, Tang D, Shen D and Su L. *Optics Letters* vol. 44, (10) 2414-2417.

Various soliton molecules in fiber systems.

Li L, Huang H, Su L, Shen D, Tang D, Klimczak M and Zhao L. *Applied Optics* vol. 58, (10) 2745-2753.

Tunable and switchable harmonic h-shaped pulse generation in a 3.03 km ultralong mode-locked thulium-doped fiber laser.

Zhao J, Li L, Zhao L, Tang D, Shen D and SU L. *Photonics Research. Optical Society of America*.

Unusual Evolutions of Dissipative-Soliton-Resonance Pulses in an All-Normal Dispersion Fiber Laser.

Wang Y, Li L, Zhao J, Wang S, Shu C, Su L, Tang D, Shen D and Zhao L. *Ieee Photonics Journal* vol. 11, (1).

2018

High sensitivity detection of partial discharge acoustic emission within power transformer by sagnac fiber optic sensor.

Qian S, Chen H, Xu Y and Su L. *Ieee Transactions On Dielectrics and Electrical Insulation* vol. 25, (6) 2313-2320.

Bayes' theorem based binary algorithm for fast reference-less calibration of a multimode fiber.

ZHAO T, DENG L, WANG W, Elson D and SU L. *Optics Express. Optical Society of America (Osa)*.

Deep learning the high variability and randomness inside multimode fibres.

Pengfei F, Tianrui Z and SU L. *Arxiv:1807.09351 [Physics. Optics]*.

Characterization of an imaging multimode optical fiber using a digital micro-mirror device based single-beam system.

Deng L, Yan JD, Elson DS and Su L. *Optics Express* vol. 26, (14).

Bifunctional aptamer-mediated catalytic hairpin assembly for the sensitive and homogenous detection of rare cancer cells.

Liu J, Zhang Y, Zhao Q, Situ B, Zhao J, Luo S, Li B, Yan X, Vadgama P, Su L, Ma W, Wang W and Zheng L. *Anal Chim Acta* vol. 1029, 58-64.

Route to Larger Pulse Energy in Ultrafast Fiber Lasers.

Zhao L, Li D, Li L, Wang X, Geng Y, Shen D and Su L. *Ieee Journal of Selected Topics in Quantum Electronics* vol. 24, (3).

Internal polarization dynamics of vector dissipative-soliton-resonance pulses in normal dispersion fiber lasers.

Li D, Shen D, Li L, Tang D, Su L and Zhao L. *Optics Letters* vol. 43, (6) 1222-1225.

Decomposition of group-velocity-locked-vector-dissipative solitons and formation of the high-order soliton structure by the product of their recombination.

Wang X, Li L, Geng Y, Wang H, Su L and Zhao L. *Applied Optics* vol. 57, (4) 746-751.

Optical ultrasound generation and detection for intravascular imaging: A review.

Zhao T, Su L and Xia W. *Journal of Healthcare Engineering* vol. 2018,.

2017

Power Flow in a Large-Core Multimode Fiber under External Perturbation and its Applications.

Qian S, Xu Y, Zhong L and Su L. *Scientific Reports* vol. 7, (1).

C-shape microfiber taper interferometer for simultaneous measurement of curvature and temperature.

Luo H, Su L, Zhang J, Yuan W, Liu S, Wang Y, Wang C and Wang X. *Optik* vol. 145, 181-187.

New Bioengineering Breakthroughs and Enabling Tools in Regenerative Medicine.

Mata A, Azevedo HS, Botto L, Gavara N and Su L. *Current Stem Cell Reports* vol. 3, (2) 83-97.

Lensless wide-field single-shot imaging through turbid media based on object-modulated speckles.

Wu P, Liang Z, Zhao X, SU L and Song L. *Applied Optics*. Optical Society of America.

2016

Trapping and rotating of a metallic particle trimer with optical vortex.

Shen Z, SU L, Yuan X and Shen Y. *Applied Physics Letters* vol. 109, (24). Aip Publishing.

Fast and reliable interrogation of USFBG sensors based on MG-Y laser discrete wavelength channels.

Rohollahnejad J, Xia L, Cheng R, Ran Y and Su L. *Optics Communications* vol. 382, 253-257.

Modelling of a single multimode fiber imaging system.

Liu C, Deng L, Liu D and SU L. *Arxiv*.

Vertically-oriented nanoparticle dimer based on focused plasmonic trapping.

Shen Z, Su L and Shen Y-C. *Optics Express* vol. 24, (14) 16052-16052. The Optical Society.

Investigation on sensitivity enhancement for optical fiber speckle sensors.

Qian S, Xu Y, Zhong L and SU L. *Optics Express* vol. 24, (10) 10829-10840. Optical Society of America: Open Access Journals.

Plasmonic nanopore-based platforms for single-molecule Raman scattering.

Deng L, Wang Y, Liu C, Hu DJJ, Shum PP and Su L. *Optics Communications* vol. 372, 113-117.

Plasmonic trapping and tuning of a gold nanoparticle dimer.

Shen Z and SU L. *Optics Express* vol. 24, (5) 4801-4811. Optical Society of America: Open Access Journals.

2014

Laser-induced tissue fluorescence in radiofrequency tissue-fusion characterization.

Su L, Fonseca MB, Arya S, Kudo H, Goldin R, Hanna GB and Elson DS. *Journal of Biomedical Optics* vol. 19, (1).

Raman spectroscopic evidence of tissue restructuring in heat-induced tissue fusion.

Su L, Cloyd KL, Arya S, Hedegaard MAB, Steele JAM, Elson DS, Stevens MM and Hanna GB. *Journal of Biophotonics* vol. 7, (9) 713-723.

2013

Radiofrequency-induced small bowel thermofusion: an ex vivo study of intestinal seal adequacy using mechanical and imaging modalities.

Arya S, Hadjievangelou N, Lei S, Kudo H, Goldin RD, Darzi AW, Elson DS and Hanna GB. *Surg Endosc* vol. 27, (9) 3485-3496.

2010

All-fiber microcantilever sensor monitored by a low-cost fiber-to-tip structure with subnanometer resolution.

Su L and Elliott SR. *Optics Letters* vol. 35, (8) 1212-1214.

Rapid prototyping of low-loss IR chalcogenide-glass waveguides by controlled remelting.

Rowlands CJ, Su L and Elliott SR. *Chemphyschem* vol. 11, (11) 2393-2398.

Investigating the response of As₂S₃-based SERS substrates.

Rowlands CJ, Su L and Elliott SR. *Optical Materials* vol. 32, (11) 1413-1416.

2009

Evanescent-wave excitation of surface-enhanced Raman scattering substrates by an optical-fiber taper.

Su L, Lee TH and Elliott SR. *Optics Letters* vol. 34, (17) 2685-2687.

Nanostructures fabricated in chalcogenide glass for use as surface-enhanced Raman scattering substrates.

Su L, Rowlands CJ and Elliott SR. *Optics Letters* vol. 34, (11) 1645-1647.

Evidence of formation of tightly bound rare-earth clusters in chalcogenide glasses and their evolution with glass composition.

Lee TH, Simdyankin SI, Su L and Elliott SR. *Physical Review B - Condensed Matter and Materials Physics* vol. 79, (18).

2008

Fabrication of photonic waveguides in sulfide chalcogenide glasses by selective wet-etching.

Su L, Rowlands CJ, Lee TH and Elliott SR. *Electronics Letters* vol. 44, (7) 472-474.

2006

CO₂-laser-induced long-period gratings in graded-index multimode fibers for sensor applications.

Su L, Chiang KS and Lu C. *Ieee Photonics Technology Letters* vol. 18, (1) 190-192.

Wavelength-selective all-fiber filter based on a single long-period fiber grating and a misaligned splicing point.

Dong X, Su L, Shum P, Chung Y and Chan CC. *Optics Communications* vol. 258, (2) 159-163.

2005

Microbend-induced mode coupling in a graded-index multimode fiber.

Su L, Chiang KS and Lu C. *Applied Optics* vol. 44, (34) 7394-7402.

Fiber Bragg-grating incorporated microbend sensor for simultaneous mechanical parameter and temperature measurement.

Su L, Chiang KS and Lu C. *Ieee Photonics Technology Letters* vol. 17, (12) 2697-2699.

Design of wavelength-switching erbium-doped fiber lasers with a multimode fiber Bragg grating using spatial-mode excitation and selection techniques.

Su L, Lu C, Hao J, Li Z and Wang Y. *Ieee Photonics Technology Letters* vol. 17, (2) 315-317.

Wavelength-switching fibre laser based on multimode fibre Bragg gratings.

Su L and Lu C. *Electronics Letters* vol. 41, (1) 11-13.