

Prof Magdalena Titirici

Dr. Rer. Nat. Habil.

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 6272 fax: +44 (0)20 7882 3390
email: m.m.titirici@qmul.ac.uk web: www.sems.qmul.ac.uk/m.m.titirici

2017

Halloysite-derived nitrogen doped carbon electrocatalysts for anion exchange membrane fuel cells.

Lu Y, Wang L, PreuÅŸ K, Qiao M, Titirici MM, Varcoe J and Cai Q. *Journal of Power Sources* vol. 372, 82-90.

Bio-based materials: general discussion.

Huber G, Argyropoulos D, Matharu A, Bitter H, Stevens C, Herou S, Wilson K, Clark J, Pant D, Cabrera-RodrÃ­guez CI, Samec J, Dale BE, Farmer T, Mascal M, Horan A, Stankiewicz A, Gschwend F, Mu X, Zhou L and Huang X. *Faraday Discuss* vol. 202, 121-139.

Feedstocks and analysis: general discussion.

Aldous L, Argyropoulos D, Budarin V, Cabrera-RodrÃ­guez CI, Clark J, Coma M, Constable D, Fan J, Gschwend F, Hayes D, Hu C, Huber G, Hughes T, Hunt A, Lapkin A, Lye G, Mascal M, Matharu A, Mu X and Pant D. *Faraday Discuss* vol. 202, 497-519.

Oxygenophilic ionic liquids promote the oxygen reduction reaction in Pt-free carbon electrocatalysts.

Qiao M, Tang C, Tanase LC, Teodorescu CM, Chen C, Zhang Q and Titirici MM. *Materials Horizons* vol. 4, (5) 895-899.

Sustainable metal-free carbogels as oxygen reduction electrocatalysts.

Preuss K, Tanase LC, Teodorescu CM, Abrahams I and Titirici M. *J. Mater. Chem. A*.

Recent advances of electrode materials for low-cost sodium-ion batteries towards practical application for grid energy storage.

Li Y, Lu Y, Zhao C, Hu YS, Titirici MM, Li H, Huang X and Chen L. *Energy Storage Materials* vol. 7, 130-151.

Nanoporous Materials for the Onboard Storage of Natural Gas.

Kumar KV, Preuss K, Titirici M-M and RodrÃ­guez-Reinoso F. *Chem Rev* vol. 117, (3) 1796-1825.

Carbon Nanodot Solar Cells from Renewable Precursors.

Titirici M-M, Marinovic A, Dunn S, Swee Kiat L and Briscoe J. *Chemsuschem*.

Salt Templating with Pore Padding: Hierarchical Pore Tailoring towards Functionalised Porous Carbons.

Kumar KV, Gadipelli S, Preuss K, Porwal H, Zhao T, Guo ZX and Titirici M-M. *Chemsuschem* vol. 10, (1) 199-209.

S, N-Co-Doped Graphene-Nickel Cobalt Sulfide Aerogel: Improved Energy Storage and Electrocatalytic Performance.

He G, Qiao M, Li W, Lu Y, Zhao T, Zou R, Li B, Darr JA, Hu J, Titirici M-M and Parkin IP. *Adv Sci (Weinh)* vol. 4, (1) 1600214-1600214.

Active sites engineering leads to exceptional ORR and OER bifunctionality in P,N Co-doped graphene frameworks.

Chai GL, Qiu K, Qiao M, Titirici MM, Shang C and Guo Z. *Energy and Environmental Science* vol. 10, (5) 1186-1195.

A review of nanocarbons in energy electrocatalysis: Multifunctional substrates and highly active sites.
Tang C, Titirici MM and Zhang Q. *Journal of Energy Chemistry*.

2016

Connecting carbon porosity with dispersibility and friability.

Texter J, Zhao L, Xiao PW, Caballero FP, Han BH and Titirici MM. *Carbon* vol. 112, 117-129.

In Situ Synthesis of Fluorescent Carbon Dots/Polyelectrolyte Nanocomposite Microcapsules with Reduced Permeability and Ultrasound Sensitivity.

Gao H, Sapelkin AV, Titirici MM and Sukhorukov GB. *Acs Nano*.

Hard Carbon Microtubes Made from Renewable Cotton as High-Performance Anode Material for Sodium-Ion Batteries.

Li Y, Hu YS, Titirici MM, Chen L and Huang X. *Advanced Energy Materials* vol. 6, (18).

Efficient metal-free N-doped mesoporous carbon catalysts for ORR by a template-free approach.

Ferrero GA, Fuertes AB, Sevilla M and Titirici M-M. *Carbon* vol. 106, 179-187.

Topological Defects in Metal-Free Nanocarbon for Oxygen Electrocatalysis.

Tang C, Wang HF, Chen X, Li BQ, Hou TZ, Zhang B, Zhang Q, Titirici MM and Wei F. *Advanced Materials* vol. 28, (32) 7030-7030. Wiley.

Understanding the Hydrophilicity and Water Adsorption Behavior of Nanoporous Nitrogen-Doped Carbons.

Kumar KV, Preuss K, Guo ZX and Titirici MM. *Journal of Physical Chemistry C* vol. 120, (32) 18167-18179.

Topological Defects in Metal-Free Nanocarbon for Oxygen Electrocatalysis.

Tang C, Wang H-F, Chen X, Li B-Q, Hou T-Z, Zhang B, Zhang Q, Titirici M-M and Wei F. *Adv Mater* vol. 28, (32) 6845-6851.

Graphene/nitrogen-doped porous carbon sandwiches for the metal-free oxygen reduction reaction: Conductivity: versus active sites.

Qiao M, Tang C, He G, Qiu K, Binions R, Parkin IP, Zhang Q, Guo Z and Titirici MM. *Journal of Materials Chemistry A* vol. 4, (32) 12658-12666.

Sulphur-doped ordered mesoporous carbon with enhanced electrocatalytic activity for the oxygen reduction reaction.

Wang L, Jia W, Liu X, Li J and Titirici MM. *Journal of Energy Chemistry*.

Fe-N-Doped Carbon Capsules with Outstanding Electrochemical Performance and Stability for the Oxygen Reduction Reaction in Both Acid and Alkaline Conditions.

Ferrero GA, Preuss K, Marinovic A, Jorge AB, Mansor N, Brett DJ, Fuertes AB, Sevilla M and Titirici MM. *Acs Nano* vol. 10, (6) 5922-5932.

Activated carbons with high nitrogen content by a combination of hydrothermal carbonization with activation.

Laginhas C, Nabais JMV and Titirici MM. *Microporous and Mesoporous Materials* vol. 226, 125-132.

Microcellular Electrode Material for Microbial Bioelectrochemical Systems Synthesized by Hydrothermal Carbonization of Biomass Derived Precursors.

Flexer V, Donose BC, Lefebvre C, Pozo G, Boone MN, Van Hoorebeke L, Baccour M, Bonnet L, Calas-Etienne S, Galarneau A, Titirici MM and Brun N. *Acs Sustainable Chemistry and Engineering* vol. 4, (5) 2508-2516.

Local Platinum Environments in a Solid Analogue of the Molecular Periana Catalyst.

Soorholtz M, Jones LC, Samuelis D, Weidenthaler C, White RJ, Titirici MM, Cullen DA, Zimmermann T, Antonietti M, Maier J, Palkovits R, Chmelka BF and Schüth F. *Acs Catalysis* vol. 6, (4) 2332-2340.

Levulinic Acid Biorefineries: New Challenges for Efficient Utilization of Biomass.

Pileidis FD and Titirici M-M. *Chemsuschem* vol. 9, (6) 562-582.

Corrigendum: Levulinic Acid Biorefineries: New Challenges for Efficient Utilization of Biomass.

Pileidis FD and Titirici M-M. *Chemsuschem* vol. 9, (6) 652-655.

Bio-inspired carbon electro-catalysts for the oxygen reduction reaction.

Preuss K, Kannuchamy VK, Marinovic A, Isaacs M, Wilson K, Abrahams I and Titirici MM. *Journal of Energy Chemistry* vol. 25, (2) 228-235.

Towards effective small scale microbial fuel cells for energy generation from urine.

Chouler J, Padgett GA, Cameron PJ, Preuss K, Titirici MM, Ieropoulos I and Di Lorenzo M. *Electrochimica Acta* vol. 192, 89-98.

The influence of pore size distribution on the oxygen reduction reaction performance in nitrogen doped carbon microspheres.

Ferrero GA, Preuss K, Fuertes AB, Sevilla M and Titirici MM. *Journal of Materials Chemistry A* vol. 4, (7) 2581-2589.

Porous carbon derived from rice husks as sustainable bioresources: Insights into the role of micro-/mesoporous hierarchy in hosting active species for lithium-sulphur batteries.

Rybarczyk MK, Peng HJ, Tang C, Lieder M, Zhang Q and Titirici MM. *Green Chemistry* vol. 18, (19) 5169-5179.

Meso- and microporous soft templated hydrothermal carbons for dye removal from water.

Alatalo SM, Mäkilä E, Repo E, Heinonen M, Salonen J, Kukku E, Sillanpää M and Titirici MM. *Green Chemistry* vol. 18, (4) 1137-1146.

Soy protein directed hydrothermal synthesis of porous carbon aerogels for electrocatalytic oxygen reduction.

Alatalo SM, Qiu K, Preuss K, Marinovic A, Sevilla M, Sillanpää M, Guo X and Titirici MM. *Carbon* vol. 96, 622-630.

2015

Versatile Cellulose-Based Carbon Aerogel for the Removal of Both Cationic and Anionic Metal Contaminants from Water.

Alatalo S-M, Pileidis F, Mäkilä E, Sevilla M, Repo E, Salonen J, Sillanpää M and Titirici M-M. *Acs Appl Mater Interfaces* vol. 7, (46) 25875-25883.

Hydrothermal Carbonization of Digestate in the Presence of Zeolite: Process Efficiency and Composite Properties.

Mumme J, Titirici MM, Pfeiffer A, Lüder U, Reza MT and Mašek O. *Acs Sustainable Chemistry and Engineering* vol. 3, (11) 2967-2974.

Structural and Morphological Changes in Kraft Lignin during Hydrothermal Carbonization.

Wikberg H, Ohra-Aho T, Pileidis F and Titirici MM. *Acs Sustainable Chemistry and Engineering* vol. 3, (11) 2737-2745.

Effect of Nitrogen Doping on the CO₂ Adsorption Behavior in Nanoporous Carbon Structures: A Molecular Simulation Study.

Kumar KV, Preuss K, Lu L, Guo ZX and Titirici MM. *Journal of Physical Chemistry C* vol. 119, (39) 22310-22321.

Electrochemical behaviour of activated carbons obtained via hydrothermal carbonization.

Salinas-Torres D, Lozano-Castelló D, Titirici MM, Zhao L, Yu L, Morallón E and Cazorla-Amoros D. *Journal of Materials Chemistry A* vol. 3, (30) 15558-15567.

Biomass-derived carbon quantum dot sensitizers for solid-state nanostructured solar cells.

Briscoe J, Marinovic A, Sevilla M, Dunn S and Titirici M. *Angew Chem Int Ed Engl* vol. 54, (15) 4463-4468.

Biomass-Derived Carbon Quantum Dot Sensitizers for Solid-State Nanostructured Solar Cells.

Briscoe J, Marinovic A, Sevilla M, Dunn S and Titirici M. *Angewandte Chemie - International Edition* vol. 54, (15) 4463-4468.

Esterification of levulinic acid into ethyl levulinate catalysed by sulfonated hydrothermal carbons (vol 35, pg 929, 2014).

Titirici M-M. *Chinese Journal of Catalysis* vol. 36, (4) 667-667.

Hydrothermal Carbonization of Biomass.

Titirici MM, Funke A and Kruse A. *Recent Advances in Thermochemical Conversion of Biomass.*

Sustainable carbon materials.

Titirici M-M, White RJ, Brun N, Budarin VL, Su DS, del Monte F, Clark JH and MacLachlan MJ. *Chem Soc Rev* vol. 44, (1) 250-290.

Erratum: Surface modification of CNTs with N-doped carbon: An effective way of enhancing their performance in supercapacitors (ACS Sustainable Chemistry and Engineering (2014) 2:4 (1049-1055) DOI: 10.1021/sc500069h).

Sevilla M, Yu L, Zhao L, Ania CO and Titirici MM. *Acs Sustainable Chemistry and Engineering* vol. 3, (4).

Hydrothermal carbonisation (HTC): History, state-of-the-art and chemistry.

Marinovic A, Pileidis FD and Titirici MM. *Rsc Green Chemistry* vol. 2015-January, (32) 129-155.

2014

Characterization of biomass and its derived char using ¹³C-solid state nuclear magnetic resonance.

Baccile N, Falco C and Titirici MM. *Green Chemistry* vol. 16, (12) 4839-4869.

Supercapacitive Behavior of Two Glucose-Derived Microporous Carbons: Direct Pyrolysis versus Hydrothermal Carbonization.

Sevilla M, Yu L, Ania CO and Titirici MM. *Chemelectrochem* vol. 1, (12) 2138-2145.

Hydrothermal synthesis of microalgae-derived microporous carbons for electrochemical capacitors.

Sevilla M, Gu W, Falco C, Titirici MM, Fuertes AB and Yushin G. *Journal of Power Sources* vol. 267, 26-32.

Always look on the light side of life: sustainable carbon aerogels.

White RJ, Brun N, Budarin VL, Clark JH and Titirici M-M. *Chemsuschem* vol. 7, (3) 670-689.

Carbohydrate-derived nanoarchitectures: On a synergistic effect toward an improved performance in lithium-sulfur batteries.

Brun N, Sakaushi K, Eckert J and Titirici MM. *Acs Sustainable Chemistry and Engineering* vol. 2, (2) 126-129.

Biosourced nitrogen-doped microcellular carbon monoliths.

Brun N, Osiceanu P and Titirici MM. *Chemsuschem* vol. 7, (2) 397-401.

Charging and discharging behavior of solvothermal LiFePO₄ cathode material investigated by combined EELS/NEXAFS study.

Schuster ME, Teschner D, Popovic J, Ohmer N, Girgsdies F, Tornow J, Willinger MG, Samuelis D, Titirici MM, Maier J and Schlögl R. *Chemistry of Materials* vol. 26, (2) 1040-1047.

Carbon aerogels from bacterial nanocellulose as anodes for lithium ion batteries.

Wang L, Schütz C, Salazar-Alvarez G and Titirici MM. *Rsc Advances* vol. 4, (34) 17549-17554.

Sustainable carbon hybrid materials made by hydrothermal carbonization and their use in energy applications.

Antonietti M, Zhao L and Titirici MM. *Nanocarbon-Inorganic Hybrids: Next Generation Composites For Sustainable Energy Applications*.

Mesoporous graphite nanoflakes via ionothermal carbonization of fructose and their use in dye removal.

Xie ZL, Huang X, Titirici MM and Taubert A. *Rsc Advances* vol. 4, (70) 37423-37430.

2013

Flexible coral-like carbon nanoarchitectures via a dual block copolymer-latex templating approach.

Kubo S, White RJ, Tauer K and Titirici MM. *Chemistry of Materials* vol. 25, (23) 4781-4790.

Hydrothermal synthesis of SnO₂ and SnO₂@C nanorods and their application as anode materials in lithium-ion batteries.

Yu L, Cai D, Wang H and Titirici MM. *Rsc Advances* vol. 3, (38) 17281-17286.

Tailoring the porosity of chemically activated hydrothermal carbons: Influence of the precursor and hydrothermal carbonization temperature.

Falco C, Marco-Lozar JP, Salinas-Torres D, Morallón E, Cazorla-Amorós D, Titirici MM and Lozano-Castelló D. *Carbon* vol. 62, 346-355.

Synthesis of Microspherical LiFePO₄-Carbon Composites for Lithium-Ion Batteries.

Yu L, Cai D, Wang H and Titirici M-M. *Nanomaterials* vol. 3, (3) 443-452.

Green Nanostructured Carbons.

Titirici M. *Producing Fuels and Fine Chemicals From Biomass Using Nanomaterials*. Editors: Luque R and Balu AM. *Taylor & Francis*.

Hydrothermal nanocasting: Synthesis of hierarchically porous carbon monoliths and their application in lithium-sulfur batteries.

Yu L, Brun N, Sakaushi K, Eckert J and Titirici MM. *Carbon* vol. 61, 245-253.

Original design of nitrogen-doped carbon aerogels from sustainable precursors: Application as metal-free oxygen reduction catalysts.

Brun N, Wohlgemuth SA, Osiceanu P and Titirici MM. *Green Chemistry* vol. 15, (9) 2514-2524.

Hydrothermal Nanocarbons.

Titirici M. *Advanced Hierarchical Nanostructured Materials*. Editors: Zhang Q and Fei W. *Wiley*.

Facile polymer functionalization of hydrothermal-carbonization-derived carbons.

Urakami H, Yilmaz AG, Osiceanu P, Yagci Y, Vilela F and Titirici MM. *Macromolecular Rapid Communications* vol. 34, (13) 1080-1084.

Facile polymer functionalization of hydrothermal-carbonization-derived carbons.

Urakami H, Yilmaz AG, Osiceanu P, Yagci Y, Vilela F and Titirici M-M. *Macromol Rapid Commun* vol. 34, (13) 1080-1084.

Sustainable Carbon Materials from Hydrothermal Processes.

Titirici M, White RJ, Fellingner T, Kubo S, Brun N, Lozano-Castelló D, Cazorla-Amorós D, Marco-Lozar JP, Wohlgemuth S, Urakami H, Zhao L, Baccile N, Weber J, Falco C, Yu SH, Hu B, Zhu HZ, Sevilla M, Fuertes A and Demir-Cakan R. *Titirici M. Wiley*.

Hydrothermal conversion of biomass to fuels and energetic materials.

Kruse A, Funke A and Titirici MM. *Current Opinion in Chemical Biology* vol. 17, (3) 515-521.

Hydrothermal conversion of biomass to fuels and energetic materials.

Kruse A, Funke A and Titirici MM. *Curr Opin Chem Biol* vol. 17, (3) 515-521. *Elsevier/Science Direct*.

Rice husk-derived carbon anodes for lithium ion batteries.

Wang L, Schnepf Z and Titirici MM. *Journal of Materials Chemistry A* vol. 1, (17) 5269-5273.

Hydrothermal carbon-based nanostructured hollow spheres as electrode materials for high-power lithium-sulfur batteries.

Brun N, Sakaushi K, Yu L, Giebeler L, Eckert J and Titirici MM. *Physical Chemistry Chemical Physics* vol. 15, (16) 6080-6087.

Emulsion-Templated Macroporous Carbons Synthesized By Hydrothermal Carbonization and their Application for the Enzymatic Oxidation of Glucose.

Brun N, Edembe L, Gounel S, Mano N and Titirici M. *Chemsuschem: Chemistry and Sustainability, Energy and Materials* vol. 6, (4) 701-710. *Wiley*.

Hydrothermal carbon-based nanostructured hollow spheres as electrode materials for high-power lithium-sulfur batteries.

Brun N, Sakaushi K, Yu L, Giebeler L, Eckert J and Titirici M. *Phys. Chem. Chem. Phys.* vol. 15, 6080-6087. *Royal Society of Chemistry*.

Hydrothermal carbons from hemicellulose-derived aqueous hydrolysis products as electrode materials for supercapacitors.

Falco C, Sieben JM, Brun N, Sevilla M, Van Der Maelen T, Morallón E, Cazorla-Amorós D and Titirici MM. *Chemsuschem* vol. 6, (2) 374-382.

Direct methane oxidation over Pt-modified nitrogen-doped carbons.

Soorholtz M, White RJ, Zimmermann T, Titirici MM, Antonietti M, Palkovits R and Schüth F. *Chemical Communications* vol. 49, (3) 240-242.

Tailoring the porosity of chemically activated hydrothermal carbons: Influence of the precursor and hydrothermal carbonization temperature.

Falco C, Marco-Lozar JP, Salinas-Torres D, Morallón E, Cazorla-Amorós D, Titirici MM and Lozano-Castelló D. *Carbon*.

Hydrothermal synthesis of highly porous carbon monoliths from carbohydrates and phloroglucinol.

Brun N, García-Gonzalez CA, Smirnova I and Titirici MM. *Chemsuschem*.

Polypyrrole-derived mesoporous nitrogen-doped carbons with intrinsic catalytic activity in the oxygen reduction reaction.

Sevilla M, Yu L, Fellingner TP, Fuertes AB and Titirici M-M. *Rsc Advances* vol. 3, (25) 9904-9910.

Emulsion-Templated Macroporous Carbons Synthesized by Hydrothermal Carbonization and their Application for the Enzymatic Oxidation of Glucose.

Brun N, Edembe L, Gounel S, Mano N and Titirici MM. *Chemsuschem* vol. 6, (4) 701-710.

Production of low-cost adsorbents with tunable surface chemistry by conjunction of hydrothermal carbonization and activation processes.

Román S, Valente Nabais JM, Ledesma B, González JF, Laginhas C and Titirici MM. *Microporous and Mesoporous Materials* vol. 165, 127-133.

Hydrothermal nanocasting: Synthesis of hierarchically porous carbon monoliths and their application in lithium-sulfur batteries.

Yu L, Brun N, Sakaushi K, Eckert J and Titirici MM. *Carbon*.

2012

High-performance CO₂ sorbents from algae.

Sevilla M, Falco C, Titirici MM and Fuertes AB. *Rsc Advances* vol. 2, (33) 12792-12797.

Carbohydrate-derived hydrothermal carbons: A thorough characterization study.

Yu L, Falco C, Weber J, White RJ, Howe JY and Titirici MM. *Langmuir* vol. 28, (33) 12373-12383.

Borax-mediated formation of carbon aerogels from glucose.

Fellingner TP, White RJ, Titirici MM and Antonietti M. *Advanced Functional Materials* vol. 22, (15) 3254-3260.

Synthesis of mesoporous carbon/iron carbide hybrids with unusually high surface areas from the ionic liquid precursor [Bmim][FeCl₄].

Göbel R, Xie ZL, Neumann M, Günter C, Löbbecke R, Kubo S, Titirici MM, Giordano C and Taubert A. *Crystengcomm* vol. 14, (15) 4946-4951.

Hollow carbon nanospheres with superior rate capability for sodium-based batteries.

Tang K, Fu L, White RJ, Yu L, Titirici MM, Antonietti M and Maier J. *Advanced Energy Materials* vol. 2, (7) 873-877.

Carbon-based ionogels: Tuning the properties of the ionic liquid via carbon-ionic liquid interaction.

Göbel R, White RJ, Titirici MM and Taubert A. *Physical Chemistry Chemical Physics* vol. 14, (17) 5992-5997.

A one-pot hydrothermal synthesis of sulfur and nitrogen doped carbon aerogels with enhanced electrocatalytic activity in the oxygen reduction reaction.

Wohlgemuth SA, White RJ, Willinger MG, Titirici MM and Antonietti M. *Green Chemistry* vol. 14, (5) 1515-1523.

Black perspectives for a green future: Hydrothermal carbons for environment protection and energy storage.

Titirici MM, White RJ, Falco C and Sevilla M. *Energy and Environmental Science* vol. 5, (5) 6796-6822.

An improved grafting technique for producing imprinted thin film composite beads.

Halhalli MR, Aureliano CSA, Schillinger E, Sulitzky C, Titirici MM and Sellergren B. *Polymer Chemistry* vol. 3, (4) 1033-1042.

A one-pot hydrothermal synthesis of tunable dual heteroatom-doped carbon microspheres.

Wohlgemuth SA, Vilela F, Titirici MM and Antonietti M. *Green Chemistry* vol. 14, (3) 741-749.

Hollow carbon nanospheres with a high rate capability for lithium-based batteries.

Tang K, White RJ, Mu X, Titirici MM, Van Aken PA and Maier J. *Chemsuschem* vol. 5, (2) 400-403.

Nitrogen-doped Hydrothermal Carbons.

M.M.Titirici , R.J. White and Zhao L. *Green* vol. 2, (1) 25-40.

Thermoresponsive polymers in liquid chromatography.

Tan I, Roohi F and Titirici MM. *Analytical Methods* vol. 4, (1) 34-43.

Hydrothermal Carbons: Synthesis, Characterisation and Applications.

Titirici M. *Novel Carbon Adsorbents*. Tascon JMD. Elsevier.

Renewable nitrogen-doped hydrothermal carbons derived from microalgae.

Falco C, Sevilla M, White RJ, Rothe R and Titirici MM. *Chemsuschem* vol. 5, (9) 1834-1840.

2011

Hydrothermal carbon from biomass: Structural differences between hydrothermal and pyrolyzed carbons via ¹³C solid state NMR.

Falco C, Perez Caballero F, Babonneau F, Gervais C, Laurent G, Titirici MM and Baccile N. *Langmuir* vol. 27, (23) 14460-14471.

Ordered carbohydrate-derived porous carbons.

Kubo S, White RJ, Yoshizawa N, Antonietti M and Titirici MM. *Chemistry of Materials* vol. 23, (22) 4882-4885.

A sustainable synthesis of nitrogen-doped carbon aerogels.

White RJ, Yoshizawa N, Antonietti M and Titirici MM. *Green Chemistry* vol. 13, (9) 2428-2434.

Aqueous nanocarbon dispersions for electronic and energy applications.

Texter J, Crombez R, Ma X, Titirici MM and Antonietti M. *Acs National Meeting Book of Abstracts*.

Hierarchical porous carbonaceous materials via ionothermal carbonization of carbohydrates.

Xie ZL, White RJ, Weber J, Taubert A and Titirici MM. *Journal of Materials Chemistry* vol. 21, (20) 7434-7442.

Structural insights on nitrogen-containing hydrothermal carbon using solid-state magic angle spinning ¹³C and ¹⁵N nuclear magnetic resonance.

Baccile N, Laurent G, Coelho C, Babonneau F, Zhao L and Titirici MM. *Journal of Physical Chemistry C* vol. 115, (18) 8976-8982.

LiFePO₄ Mesocrystals for lithium-ion batteries.

Popovic J, Demir-Cakan R, Tornow J, Morcrette M, Su DS, Schlögl R, Antonietti M and Titirici MM. *Small* vol. 7, (8) 1127-1135.

Hydrothermal carbonization of biomass residuals: A comparative review of the chemistry, processes and applications of wet and dry pyrolysis.

Libra JA, Ro KS, Kammann C, Funke A, Berge ND, Neubauer Y, Titirici MM, Fühner C, Bens O, Kern J and Emmerich KH. *Biofuels* vol. 2, (1) 71-106.

Waterborne nanocarbon dispersions for electronic and fuel applications.

Texter J, Crombez R, Ma XM, Caballero FP, Zhao L, Titirici MM and Antonietti M. *Abstracts of Papers of The American Chemical Society* vol. 241,.

Morphological and structural differences between glucose, cellulose and lignocellulosic biomass derived hydrothermal carbons.

Falco C, Baccile N and Titirici MM. *Green Chemistry* vol. 13, (11) 3273-3281.

Hydrothermal carbonization of biomass residuals: a comparative review of the chemistry, processes and applications of wet and dry pyrolysis.

J. A Libra , K. S Ro , C. Kammann , A. Funke , N. D Berge , Y. Neubauer , M-M. Titirici , C. Fühner , O. Bens , J. Kern and K-H. Emmerich. *Biofuels* vol. 2(1), 89-124.

2010

Template synthesis of carbonaceous tubular nanostructures with tunable surface properties.

Kubo S, Tan I, White RJ, Antonietti M and Titirici MM. *Chemistry of Materials* vol. 22, (24) 6590-6597.

Solvothermal carbon-doped TiO₂ photocatalyst for the enhanced methylene blue degradation under visible light.

Matos J, Garc a A, Zhao L and Titirici MM. *Applied Catalysis a: General* vol. 390, (1-2) 175-182.

Functional hollow carbon nanospheres by latex templating.

White RJ, Tauer K, Antonietti M and Titirici MM. *Journal of The American Chemical Society* vol. 132, (49) 17360-17363.

Proteins induced formation of hydrothermal nitrogen doped carbons.

Baccile N and Titirici MM. *Materials Research Society Symposium Proceedings* vol. 1219, 28-33.

Nitrogen-containing hydrothermal carbons with superior performance in supercapacitors.

Zhao L, Fan LZ, Zhou MQ, Guan H, Qiao S, Antonietti M and Titirici MM. *Advanced Materials* vol. 22, (45) 5202-5206.

Sustainable nitrogen-doped carbonaceous materials from biomass derivatives.

Zhao L, Baccile N, Gross S, Zhang Y, Wei W, Sun Y, Antonietti M and Titirici MM. *Carbon* vol. 48, (13) 3778-3787.

Methane conversion on Pt-Ru nanoparticles alloy supported on hydrothermal carbon.

Matos J, Rosales M, Demir-Cakan R and Titirici MM. *Applied Catalysis a: General* vol. 386, (1-2) 140-146.

Sustainable nitrogen-doped carbon latexes with high electrical and thermal conductivity.

Zhao L, Crombez R, Caballero FP, Antonietti M, Texter J and Titirici MM. *Polymer* vol. 51, (20) 4540-4546.

One-step solvothermal synthesis of a carbon @TiO₂ dyade structure effectively promoting visible-light photocatalysis.

Zhao L, Chen X, Wang X, Zhang Y, Wei W, Sun Y, Antonietti M and Titirici MM. *Advanced Materials* vol. 22, (30) 3317-3321.

Material derived from hydrothermal carbonization: Effects on plant growth and arbuscular mycorrhiza.

Rillig MC, Wagner M, Salem M, Antunes PM, George C, Ramke HG, Titirici MM and Antonietti M. *Applied Soil Ecology* vol. 45, (3) 238-242.

Hydrothermal synthesis of imidazole functionalized carbon spheres and their application in catalysis.

Demir-Cakan R, Makowski P, Antonietti M, Goettmann F and Titirici MM. *Catalysis Today* vol. 150, (1-2) 115-118.

Engineering carbon materials from the hydrothermal carbonization process of biomass.

Hu B, Wang K, Wu L, Yu SH, Antonietti M and Titirici MM. *Advanced Materials* vol. 22, (7) 813-828.

Opportunities for Technological Transformations: from Climate Change to Climate Management?.

Titirici M, Murach D and Antonietti M. *Global Sustainability - a Nobel Cause*. Editors: Schellnhuber HJ, Molina M, Stern N, Huber V and Kadner S. *Cambridge University Press*.

Carbon dioxide capture on amine-rich carbonaceous materials derived from glucose.

Zhao L, Bacsik Z, Hedin N, Wei W, Sun Y, Antonietti M and Titirici MM. *Chemsuschem* vol. 3, (7) 840-845.

Coal from carbohydrates: The chimie douce of carbon.

Antonietti M and Titirici MM. *Comptes Rendus Chimie* vol. 13, (1-2) 167-173.

Porous carbohydrate-based materials via hard templating.

Kubo S, Demir-Cakan R, Zhao L, White RJ and Titirici MM. *Chemsuschem* vol. 3, (2) 188-194.

Chemistry and materials options of sustainable carbon materials made by hydrothermal carbonization.

Titirici MM and Antonietti M. *Chemical Society Reviews* vol. 39, (1) 103-116.

One-step hydrothermal synthesis of nitrogen-doped nanocarbons: Albumine directing the carbonization of glucose.

Baccile N, Antonietti M and Titirici MM. *Chemsuschem* vol. 3, (2) 246-253.

2009

Thermo-responsive columns for HPLC: The effect of chromatographic support and polymer molecular weight on the performance of the columns.

Roohi F, Fatoglu Y and Titirici MM. *Analytical Methods* vol. 1, (1) 52-58.

Naturally inspired nitrogen doped porous carbon.

White RJ, Antonietti M and Titirici MM. *Journal of Materials Chemistry* vol. 19, (45) 8645-8650.

PEGylated chromatography: Efficient bioseparation on silica monoliths grafted with smart biocompatible polymers.

Tan I, Zarafshani Z, Lutz JF and Titirici MM. *Acs Applied Materials and Interfaces* vol. 1, (9) 1869-1872.

Structural characterization of hydrothermal carbon spheres by advanced solid-state MAS 13C NMR investigations.

Baccile N, Laurent G, Babonneau F, Fayon F, Titirici MM and Antonietti M. *Journal of Physical Chemistry C* vol. 113, (22) 9644-9654.

Porous polymers: Enabling solutions for energy applications.

Thomas A, Kuhn P, Weber J, Titirici MM and Antonietti M. *Macromolecular Rapid Communications* vol. 30, (4-5) 221-236.

Carboxylate-rich carbonaceous materials via one-step hydrothermal carbonization of glucose in the presence of acrylic acid.

Demir-Cakan R, Baccile N, Antonietti M and Titirici MM. *Chemistry of Materials* vol. 21, (3) 484-490.

2008

Hydrothermal carbon from biomass: A comparison of the local structure from poly- to monosaccharides and pentoses/hexoses.

Titirici MM, Antonietti M and Baccile N. *Green Chemistry* vol. 10, (11) 1204-1212.

Thermo-responsive monolithic materials.

Roohi F, Antonietti M and Titirici MM. *Journal of Chromatography A* vol. 1203, (2) 160-167.

Hydrothermal carbon spheres containing silicon nanoparticles: Synthesis and lithium storage performance.

Demir Cakan R, Titirici MM, Antonietti M, Cui G, Maier J and Hu YS. *Chemical Communications* (32) 3759-3761.

Thin thermo-responsive polymer films onto the pore system of chromatographic beads via reversible addition-fragmentation chain transfer polymerization.

Roohi F and Magdalena Titirici M. *New Journal of Chemistry* vol. 32, (8) 1409-1414.

Selective partial hydrogenation of hydroxy aromatic derivatives with palladium nanoparticles supported on hydrophilic carbon.

Makowski P, Demir Cakan R, Antonietti M, Goettmann F and Titirici MM. *Chemical Communications* (8) 999-1001.

Facile one-pot synthesis of mesoporous SnO₂ microspheres via nanoparticles assembly and lithium storage properties.

Demir-Cakan R, Hu YS, Antonietti M, Maier J and Titirici MM. *Chemistry of Materials* vol. 20, (4) 1227-1229.

Superior storage performance of a Si@SiO_x/C nanocomposite as anode material for lithium-ion batteries.

Hu YS, Demir-Cakan R, Titirici MM, Müller JO, Schlögl R, Antonietti M and Maier J. *Angewandte Chemie - International Edition* vol. 47, (9) 1645-1649.

2007

Back in the black: Hydrothermal carbonization of plant material as an efficient chemical process to treat the CO₂ problem?.

Titirici MM, Thomas A and Antonietti M. *New Journal of Chemistry* vol. 31, (6) 787-789.

A direct synthesis of mesoporous carbons with bicontinuous pore morphology from crude plant material by hydrothermal carbonization.

Titirici MM, Thomas A, Yu SH, Müller JO and Antonietti M. *Chemistry of Materials* vol. 19, (17) 4205-4212.

Aminated hydrophilic ordered mesoporous carbons.

Titirici MM, Thomas A and Antonietti M. *Journal of Materials Chemistry* vol. 17, (32) 3412-3418.

Chromatographic comparison of bupivacaine imprinted polymers prepared in crushed monolith, microsphere, silica-based composite and capillary monolith formats.

Oxelbark J, Legido-Quigley C, Aureliano CSA, Titirici MM, Schillinger E, Sellergren B, Courtois J, Irgum K, Dambies L, Cormack PAG, Sherrington DC and De Lorenzi E. *Journal of Chromatography A* vol. 1160, (1-2) 215-226.

Back in black.

Antonietti M, Thomas A and Titirici M. *Journal of Materials Chemistry* vol. 17, (22) T45-T45.

Back in black.

Antonietti M, Thomas A and Titirici M. *Lab On a Chip* vol. 7, (6) T45-T45.

Replication and coating of silica templates by hydrothermal carbonization.

Titirici MM, Thomas A and Antonietti M. *Advanced Functional Materials* vol. 17, (6) 1010-1018.

Back in black.

Antonietti M, Thomas A and Titirici M. *Journal of Environmental Monitoring* vol. 9, (6) T45-T45.

2006

A generalized synthesis of metal oxide hollow spheres using a hydrothermal approach.

Titirici MM, Antonietti M and Thomas A. *Chemistry of Materials* vol. 18, (16) 3808-3812.

Thin molecularly imprinted polymer films via reversible addition-fragmentation chain transfer polymerization.

Titirici MM and Sellergren B. *Chemistry of Materials* vol. 18, (7) 1773-1779.

2005

Synthesis and evaluation of new propazine-imprinted polymer formats for use as stationary phases in liquid chromatography.

Tamayo FG, Titirici MM, Martin-Esteban A and Sellergren B. *Analytica Chimica Acta* vol. 542, (1 SPEC. ISS.) 38-46.

2004

Novel Formats in Molecular Imprinting.

TITIRICI M.

Peptide recognition via hierarchical imprinting.

Titirici MM and Sellergren B. *Analytical and Bioanalytical Chemistry* vol. 378, (8) 1913-1921.

2003

Hierarchical imprinting using crude solid phase peptide synthesis products as templates.

Titirici MM, Hall AJ and Sellergren B. *Chemistry of Materials* vol. 15, (4) 822-824.

2002

Hierarchically imprinted stationary phases: Mesoporous polymer beads containing surface-confined binding sites for adenine.

Titirici MM, Hall AJ and Sellergren B. *Chemistry of Materials* vol. 14, (1) 21-23.

1977

STUDY ON STRUCTURE OF SOME ALMOST EQUAL TO 90 NUCLEI WITH TRANSFER-REACTIONS INDUCED BY LIGHT PROJECTILES.

BUCURESCU D, IVASCU M, POPESCU D, SEMENESCU G and TITIRICI M. *Revue Roumaine De Physique* vol. 22, (1) 81-94.