

Dr Wei Tan
BEng, PhD, MIMMM

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 8943
email: wei.tan@qmul.ac.uk web: www.sems.qmul.ac.uk/wei.tan

2021

High-Performance Flexible Strain Sensors Based on Biaxially Stretched Conductive Polymer Composites with Carbon Nanotubes Immobilized on Reduced Graphene Oxide.

Zhang X, Xiang D, Wu Y, Harkin-Jones E, Shen J, Ye Y, Tan W, Wang J, Wang P, Zhao C and Li Y. *Composites Part A: Applied Science and Manufacturing* 106665-106665. Elsevier.

Progressive damage modelling and fatigue life prediction of Plain-weave composite laminates with Low-velocity impact damage.

Cheng ZQ, Tan W and Xiong JJ. *Composite Structures* vol. 273,.

The mechanical and electrochemical properties of polyaniline-coated carbon nanotube mat.

Tan W, Stallard JC, Jo C, De Volder MFL and Fleck NA. *Journal of Energy Storage* vol. 41,.

A crystal plasticity phenomenological model to capture the non-linear shear response of carbon fibre reinforced composites.

Tan W and Falzon BG. *International Journal of Lightweight Materials and Manufacture* vol. 4, (1) 99-109.

Catalyst-Mediated Enhancement of Carbon Nanotube Textiles by Laser Irradiation: Nanoparticle Sweating and Bundle Alignment.

Gspann TS, Kaniyoor A, Tan W, Kloza PA, Bulmer JS, Mizen J, Divitini G, Terrones J, Tune D, Cook JD, Smail FR and Elliott JA. *Catalysts* vol. 11, (3) 368-368. Mdpi Ag.

2020

Phase field predictions of microscopic fracture and R-curve behaviour of fibre-reinforced composites.

Tan W and Martínez-Pañeda E. *Composites Science and Technology* 108539-108539. Elsevier Bv.

A physically-based constitutive model for the shear-dominated response and strain rate effect of carbon fibre reinforced composites.

Tan W and Liu B. *Composites Part B: Engineering*. Wang H. Elsevier.

2019

Experimental study on shear properties of concrete pile-clay interface considering surface roughness of structure.

Wang Y, Li Y, Tan W, Tang M and Du W. *Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)* vol. 50, (10) 2502-2509.

The mechanical and electrical properties of direct-spun carbon nanotube mat-epoxy composites.

Tan W, Stallard JC, Smail FR, Boies AM and Fleck NA. *Carbon* vol. 150, 489-504.

Compressive failure of woven fabric reinforced thermoplastic composites with an open-hole: An experimental and numerical study.

Liu H, Falzon BG, Li S, Tan W, Liu J, Chai H, Blackman BRK and Dear JP. *Composite Structures* vol. 213, 108-117.

Assessment of failure criteria and damage evolution methods for composite laminates under low-velocity impact.

Li X, Ma D, Liu H, Tan W, Gong X, Zhang C and Li Y. *Composite Structures* vol. 207, 727-739.

2018

Cohesive zone modeling of the autoclave pressure effect on the delamination behavior of composite laminates.
Chang T, Zhan L, Tan W and Wu X. *Journal of Reinforced Plastics and Composites* vol. 37, (24) 1468-1480.

An experimental method to determine the intralaminar fracture toughness of high-strength carbon-fibre reinforced composite aerostructures.

Liu H, Falzon BG, Catalanotti G and Tan W. *Aeronautical Journal* vol. 122, (1255) 1352-1370.

High-fidelity characterization on anisotropic thermal conductivity of carbon nanotube sheets and on their effects of thermal enhancement of nanocomposites.

Zhang X, Tan W, Smail F, De Volder M, Fleck N and Boies A. *Nanotechnology* vol. 29, (36).

A multiscale methodology quantifying the sintering temperature-dependent mechanical properties of oxide matrix composites.

Jiang R, Yang L, Liu H, Tan W, Sun X, Cheng H and Mao W. *Journal of The American Ceramic Society* vol. 101, (7) 3168-3180.

The mechanical and electrical properties of direct-spun carbon nanotube mats.

Stallard JC, Tan W, Smail FR, Gspann TS, Boies AM and Fleck NA. *Extreme Mechanics Letters* vol. 21, 65-75.

The role of interfacial properties on the intralaminar and interlaminar damage behaviour of unidirectional composite laminates: Experimental characterization and multiscale modelling.

Tan W, Naya F, Yang L, Chang T, Falzon BG, Zhan L, Molina-Aldareguá JM, González C and Llorca J. *Composites Part B: Engineering* vol. 138, 206-221.

Experimental and numerical studies on the impact response of damage-tolerant hybrid unidirectional/woven carbon-fibre reinforced composite laminates.

Liu H, Falzon BG and Tan W. *Composites Part B: Engineering* vol. 136, 101-118.

Predicting the Compression-After-Impact (CAI) strength of damage-tolerant hybrid unidirectional/woven carbon-fibre reinforced composite laminates.

Liu H, Falzon BG and Tan W. *Composites Part a: Applied Science and Manufacturing* vol. 105, 189-202.

2017

Comment on "A tensorial based progressive damage model for fibre reinforced polymers".

Falzon BG, Liu H and Tan W. *Composite Structures* vol. 176, 877-882.

Effect of autoclave pressure on interfacial properties at micro- and macro- level in polymer-matrix composite laminates.

Chang T, Zhan L, Tan W and Li S. *Fibers and Polymers* vol. 18, (8) 1614-1622.

Void content and interfacial properties of composite laminates under different autoclave cure pressure.

Chang T, Zhan L, Tan W and Li S. *Composite Interfaces* vol. 24, (5) 529-540.

Optimization of curing process for polymer-matrix composites based on orthogonal experimental method.

Chang T, Zhan L, Tan W and Li S. *Fibers and Polymers* vol. 18, (1) 148-154.

2016

Modelling the crush behaviour of thermoplastic composites.

Tan W and Falzon BG. *Composites Science and Technology* vol. 134, 57-71. Elsevier.

The role of material characterisation in the crush modelling of thermoplastic composite structures.

Tan W, Falzon BG, Price M and Liu H. *Composite Structures* vol. 153, 914-927.

Predicting Impact Damage, Residual Strength and Crashworthiness of Composite Structures.

Falzon B and Tan W. *Sae International Journal of Materials and Manufacturing* vol. 9, (3).

Modelling the nonlinear behaviour and fracture process of AS4/PEKK thermoplastic composite under shear loading.

Tan W and Falzon BG. *Composites Science and Technology* vol. 126, 60-77.Elsevier.

Virtual testing of composite structures: Progress and challenges in predicting damage, residual strength and crashworthiness.

Falzon BG and Tan W. *The Structural Integrity of Carbon Fiber Composites: Fifty Years of Progress and Achievement of The Science, Development, and Ap.*

2015

Predicting low velocity impact damage and Compression-After-Impact (CAI) behaviour of composite laminates.

Tan W, Falzon BG, Chiu LNS and Price M. *Composites Part a: Applied Science and Manufacturing* vol. 71, 212-226.

Electromagnetic characteristics of large gap magnetic driving axial flow blood pump.

Tan Z, Tan J, Liu Y and Tan W. *Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)* vol. 46, (1) 99-106.

Predicting the crushing behaviour of composite material using high-fidelity finite element modelling.

Tan W, Falzon BG and Price M. *International Journal of Crashworthiness* vol. 20, (1) 60-77.