

Prof Rob Krams
MD, PhD

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 7940
email: r.krams@qmul.ac.uk web: www.sems.qmul.ac.uk/r.krams

2021

Ecological traps: evidence of a fitness cost in a cavity-nesting bird.

Krams R, Krama T, BrÄmelis G, Elferts D, Strode L, Dauškane I, Luoto S, Å mits A and Krams IA. *Oecologia* vol. 196, (3) 735-745.

Socioeconomic position, immune function, and its physiological markers.

Luoto S, Krama T, Rubika A, Borráz-León JI, Trakimas G, Elferts D, Skrinda I, Krams R, Moore FR, Birbele E, Kaminska I, Contreras-GarduÃo J, Rantala MJ and Krams IA. *Psychoneuroendocrinology* vol. 127,.

The obesity paradox predicts the second wave of COVID-19 to be severe in western countries.

Krams IA, JÄpers P, Luoto S, Trakimas G, Lietuviétis V, Krams R, Kaminska I, Rantala MJ and Krama T. *International Journal of Environmental Research and Public Health* vol. 18, (3) 1-10.

2020

Egalitarian mixed-species bird groups enhance winter survival of subordinate group members but only in high-quality forests.

Krams IA, Luoto S, Krama T, Krams R, Sieving K, Trakimas G, Elferts D, Rantala MJ and Goodale E. *Scientific Reports* vol. 10, (1).

3D co-registration algorithm for catheter-based optical coherence tomography.

POST AL, CERNOHORSKY P, PEDRIGI RM, STREEKSTRA GJ, D'HOOGE JNS, ANNEMA JT, STRACKEE SD, KRAMS R, VAN LEEUWEN TG, DE BRUIN DLM and FABER DJ. *Osa Continuum* vol. 3, (10) 2707-2721.

Shear Stress Estimated by Quantitative Coronary Angiography Predicts Plaques Prone to Progress and Cause Events.

Bourantas CV, Zanchin T, Torii R, Serruys PW, Karagiannis A, Ramasamy A, Safi H, Coskun AU, Koning G, Onuma Y, Zanchin C, Krams R, Mathur A, Baumbach A, Mintz G, Windecker S, Lansky A, Maehara A, Stone PH, Raber L and Stone GW. *Jacc: Cardiovascular Imaging* vol. 13, (10) 2206-2219.

Targeted molecular iron oxide contrast agents for imaging atherosclerotic plaque.

Evans RJ, Lavin B, Phinikaridou A, Chooi KY, Mohri Z, Wong E, Boyle JJ, Krams R, Botnar R and Long NJ. *Nanotheranostics* vol. 4, (4) 184-194.

2019

Expert recommendations on the assessment of wall shear stress in human coronary arteries: existing methodologies, technical considerations, and clinical applications.

Gijzen F, Katagiri Y, Barlis P, Bourantas C, Collet C, Coskun U, Daemen J, Dijkstra J, Edelman E, Evans P, van der Heiden K, Hose R, Koo B-K, Krams R, Marsden A, Migliavacca F, Onuma Y, Ooi A, Poon E, Samady H, Stone P, Takahashi K, Tang D, Thondapu V, Tenekecioglu E, Timmins L, Torii R, Wentzel J and Serruys P. *European Heart Journal.Oxford University Press (Oup)*.

Reliable in Vivo Intravascular Imaging Plaque Characterisation: A Challenge Unmet.

Baumbach A. *American Heart Journal.Elsevier*.

The emerging role of YAP/TAZ in mechanotransduction.

Mohri Z, Del Rio Hernandez A and Krams R. *J Thorac Dis* vol. 9, (5) E507-E509.

Disturbed flow induces a sustained, stochastic NF- κ B activation which may support intracranial aneurysm growth in vivo.

Baeriswyl DC, Prionisti I, Peach T, Tsoikas G, Chooi KY, Vardakis J, Morel S, Diabougou MR, Bijlenga P, Cuhlmann S, Evans P, Kwak BR, Ventikos Y and Krams R. *Sci Rep* vol. 9, (1) 4738-4738.

Plaque burden influences accurate classification of fibrous cap atheroma by in vivo optical coherence tomography in a porcine model of advanced coronary atherosclerosis.

Poulsen CB, Pedrigi RM, Pareek N, Kilic ID, Holm NR, Bentzon JF, Bäckter HE, Falk E, Krams R and de Silva R. *Eurointervention* vol. 14, (10) 1129-1135.

2018

New developments in mechanotransduction: Cross talk of the Wnt, TGF- β and Notch signalling pathways in reaction to shear stress.

Abuammah A, Maimari N, Towhidi L, Frueh J, Chooi KY, Warboys C and Krams R. *Current Opinion in Biomedical Engineering* vol. 5, 96-104.

2017

Interferon Regulatory Factor 5 Controls Necrotic Core Formation in Atherosclerotic Lesions by Impairing Efferocytosis.

Seneviratne AN, Edsfieldt A, Cole JE, Kassiteridi C, Swart M, Park I, Green P, Khoiratty T, Saliba D, Goddard ME, Sansom SN, Goncalves I, Krams R, Udalova IA and Monaco C. *Circulation* vol. 136, (12) 1140-1154. American Heart Association, Inc.

Connexin40 controls endothelial activation by dampening NF κ B activation.

Denis J-F, Scheckenbach KEL, Pfenniger A, Meens MJ, Krams R, Miquerol L, Taffet S, Chanson M, Delmar M and Kwak BR. *Oncotarget* vol. 8, (31) 50972-50986. Impact Journals.

2016

Zebrafish Model for Functional Screening of Flow-Responsive Genes.

Serbanovic-Canic J, de Luca A, Warboys C, Ferreira PF, Luong LA, Hsiao S, Gauci I, Mahmoud M, Feng S, Souilhol C, Bowden N, Ashton J-P, Walczak H, Firmin D, Krams R, Mason JC, Haskard DO, Sherwin S, Ridger V, Chico TJA and Evans PC. *Arterioscler Thromb Vasc Biol* vol. 37, (1) 130-143. Wolters Kluwer Health, Inc.

Disturbed Cyclical Stretch of Endothelial Cells Promotes Nuclear Expression of the Pro-Atherogenic Transcription Factor NF- κ B.

Pedrigi RM, Papadimitriou KI, Kondiboyina A, Sidhu S, Chau J, Patel MB, Baeriswyl DC, Drakakis EM and Krams R. *Ann Biomed Eng* vol. 45, (4) 898-909. Springer Nature.

Influence of shear stress magnitude and direction on atherosclerotic plaque composition.

Pedrigi RM, Mehta V, Bovens SM, Mohri Z, Poulsen CB, Gsell W, Tremoleda JL, Towhidi L, De Silva R, Petretto E and Krams R. *Royal Society Open Science* vol. 3, (10).

Development of a synthetic gene network to modulate gene expression by mechanical forces.

Kis Z, Rodin T, Zafar A, Lai Z, Freke G, Fleck O, Del Rio Hernandez A, Towhidi L, Pedrigi RM, Homma T and Krams R. *Sci Rep* vol. 6, 29643-29643. Springer Nature.

0109 : Connexin40 controls endothelial activation by dampening NF B activation.

Denis J-F, Scheckenbach L, Pfenniger A, Meens M, Krams R, Miquerol L, Taffet S, Chanson M, Delmar M and Kwak B. *Archives of Cardiovascular Diseases Supplements* vol. 8, (3) 203-203.

Comparison between direct and reverse electroporation of cells in situ: A simulation study.

Towhidi L, Khodadadi D, Maimari N, Pedrigi RM, Ip H, Kis Z, Kwak BR, Petrova TW, Delorenzi M and Krams R. *Physiological Reports* vol. 4, (6) 1-14.

Corrigendum to Low shear stress induces M1 macrophage polarization in murine thin-cap atherosclerotic plaques [J Mol Cell Cardiol, 89B (2015) 168-172].

Seneviratne AN, Cole JE, Goddard ME, Park I, Mohri Z, Sansom S, Udalova I, Krams R and Monaco C. *Journal of Molecular and Cellular Cardiology* vol. 91,.

Integration of flow studies for robust selection of mechanoresponsive genes.

Maimari N, Pedrigi RM, Russo A, Broda K and Krams R. *Thrombosis and Haemostasis* vol. 115, (3) 474-483.

2015

Low shear stress induces M1 macrophage polarization in murine thin-cap atherosclerotic plaques.

Seneviratne AN, Cole JE, Goddard ME, Park I, Mohri Z, Sansom S, Udalova I, Krams R and Monaco C. *Journal of Molecular and Cellular Cardiology* vol. 89, 168-172.

Quantification of plaque stiffness by Brillouin microscopy in experimental thin cap fibroatheroma.

Antonacci G, Pedrigi RM, Kondiboyina A, Mehta VV, De Silva R, Paterson C, Krams R and Török P. *Journal of The Royal Society Interface* vol. 12, (112).

Shear stress-induced atherosclerotic plaque composition in ApoE^{-/-} mice is modulated by connexin37.

Pfenniger A, Meens MJ, Pedrigi RM, Foglia B, Sutter E, Pelli G, Rochemont V, Petrova TV, Krams R and Kwak BR. *Atherosclerosis* vol. 243, (1) 1-10.

Enhancement of Non-Invasive Trans-Membrane Drug Delivery Using Ultrasound and Microbubbles During Physiologically Relevant Flow.

Shamout FE, Pouliopoulos AN, Lee P, Bonaccorsi S, Towhidi L, Krams R and Choi JJ. *Ultrasound in Medicine and Biology* vol. 41, (9) 2435-2448.

Imaging phase separation in model lipid membranes through the use of BODIPY based molecular rotors.

Dent MR, López-Duarte I, Dickson CJ, Geoghegan ND, Cooper JM, Gould IR, Krams R, Bull JA, Brooks NJ and Kuimova MK. *Physical Chemistry Chemical Physics* vol. 17, (28) 18393-18402.

Mammalian synthetic biology: Emerging medical applications.

Kis Z, Pereira HSA, Homma T, Pedrigi RM and Krams R. *Journal of The Royal Society Interface* vol. 12, (106).

Inducing persistent flow disturbances accelerates atherogenesis and promotes thin cap fibroatheroma development in D374Y-PCSK9 hypercholesterolemic minipigs.

Poulsen CB, Mehta VV, Holm NR, Pareek N, Post AL, Kilic ID, Banya WAS, Dall'Ara G, Mattesini A, Björklund MM, Andersen NP, Grøndal AK, Petretto E, Foin N, Davies JE, Di Mario C, Bentzon JF, Bakker HE, Falk E, Krams R and De Silva R. *Circulation* vol. 132, (11) 1003-1012.

2014

Elevated uptake of plasma macromolecules by regions of arterial wall predisposed to plaque instability in a mouse model.

Mohri Z, Rowland EM, Clarke LA, De Luca A, Peiffer V, Krams R, Sherwin SJ and Weinberg PD. *Plos One* vol. 9, (12).

A novel high-throughput platform for siRNA transfection of primary mammalian cells.

Towhidi L, Maimari N, Kis Z, Khodadadi D and Krams R. *Atherosclerosis* vol. 237, (2).

Forecasting vulnerable plaque response to aemorheological flow.

Pereira G and Krams R. *Atherosclerosis* vol. 237, (2).

Longitudinal predictive analysis of vulnerable plaques in a mouse model of atherosclerosis.

Mehta VV, Pedrigi RM, Bovens SM, Tremoleda JL, Gsell W and Krams R. *Atherosclerosis* vol. 237, (2).

A novel integrated platform for gene network inference and validation: beyond the dream consortium.

Maimari N, Towhidi L, Oh D, Broda K, Russo A and Krams R. *Atherosclerosis* vol. 237, (2).

Symbolic representation and inference of regulatory networks: uncovering mechanosensitive gene networks.

Maimari N, Broda K, Kakas A, Russo A and Krams R. *Atherosclerosis* vol. 237, (2).

Symbolic Representation and Inference of Regulatory Network Structures.

Maimari N, Broda K, Kakas A, Krams R and Russo A. *Logical Modeling of Biological Systems*.

In vivo mapping of vascular inflammation using the translocator protein tracer 18F-FEDAA1106.

Cuhlmann S, Gsell W, Van Der Heiden K, Habib J, Tremoleda JL, Khalil M, Turkheimer F, Meens MJ, Kwak BR, Bird J, Davenport AP, Clark J, Haskard D, Krams R, Jones H and Evans PC. *Molecular Imaging* vol. 13, (6).

In Vivo Mapping of Vascular Inflammation Using the Translocator Protein Tracer 18F-FEDAA1106.

Cuhlmann S, Gsell W, Van der Heiden K, Habib J, Tremoleda JL, Khalil M, Turkheimer F, Meens MJ, Kwak BR, Bird J, Davenport AP, Clark J, Haskard D, Krams R, Jones H and Evans PC. *Mol Imaging vol. 13, (6).*

Erratum: Intimal hyperplasia following implantation of helical-centreline and straight-centreline stents in common carotid arteries in healthy pigs: Influence of intraluminal flow (Journal of the Royal Society Interface (2013) 10, (20130578) DOI: 10.1098/rsif.2013.0578).

Caro CG, Seneviratne A, Heraty KB, Monaco C, Burke MG, Krams R, Chang CC, Gilson P and Coppola G. *Journal of The Royal Society Interface vol. 11, (92).*

Thin-cap fibroatheroma rupture is associated with a fine interplay of shear and wall stress.

Pedrigi RM, De Silva R, Bovens SM, Mehta VV, Petretto E and Krams R. *Arteriosclerosis, Thrombosis, and Vascular Biology vol. 34, (10) 2224-2231.*

Biomechanical factors in atherosclerosis: Mechanisms and clinical implications.

Kwak BR, Bäck M, Bochaton-Piallat ML, Caligiuri G, Daemen MJAP, Davies PF, Hofer IE, Holvoet P, Jo H, Krams R, Lehoux S, Monaco C, Steffens S, Virmani R, Weber C, Wentzel JJ and Evans PC. *European Heart Journal vol. 35, (43) 3013-3020.*

An In situ electroporation and flow device for mechanotransduction studies.

Kis Z, Towhidi L, Ip H, Drakakis E, Bharath A and Krams R. *Microarrays: Principles, Applications and Technologies.*

2013

Intimal hyperplasia following implantation of helical-centreline and straight-centreline stents in common carotid arteries in healthy pigs: Influence of intraluminal flow.

Caro CG, Seneviratne A, Heraty KB, Monaco C, Burke MG, Krams R, Chang CC, Coppola G and Gilson P. *Journal of The Royal Society Interface vol. 10, (89).*

Stabilization of atherosclerotic plaques: An update.

Ylä-Herttuala S, Bentzon JF, Daemen M, Falk E, Garcia-Garcia HM, Herrmann J, Hofer I, Jauhiainen S, Jukema JW, Krams R, Kwak BR, Marx N, Naruszewicz M, Newby A, Pasterkamp G, Serruys PWJC, Waltenberger J, Weber C and Tokgözoğlu L. *European Heart Journal vol. 34, (42) 3251-3258.*

M1 macrophages are an early feature of shear stress modulated vulnerable atherosclerotic plaques.

Seneviratne AN, Cole JE, Goddard ME, Udaloova I, Krams R and Monaco C. *European Heart Journal vol. 34, (suppl_1) p2398-p2398.*

Shear stress and nitric oxide transport affect NFκB dynamics in endothelial cells.

Bovens SM, Foin N, O'Clery N, Van Der Heiden K, Cuhlmann S, Carlsen H, Barahona M, Evans PC and Krams R. *European Heart Journal vol. 34, (suppl_1) p582-p582.*

Method for percutaneously introducing, and removing, anatomical stenosis of predetermined severity in vivo: The stenotic stent.

Foin N, Sen S, Petraco R, Nijjer S, Torii R, Kousera C, Broyd C, Mehta V, Xu Y, Mayet J, Hughes A, Di Mario C, Krams R, Francis D and Davies J. *Journal of Cardiovascular Translational Research vol. 6, (4) 640-648.*

Systems biology of the functional and dysfunctional endothelium.

Frueh J, Maimari N, Homma T, Bovens SM, Pedrigi RM, Towhidi L and Krams R. *Cardiovascular Research vol. 99, (2) 334-341.*

Arginase inhibition prevents the low shear stress-induced development of vulnerable atherosclerotic plaques in ApoE^{-/-} mice.

Olivon VC, Fraga-Silva RA, Segers D, Demougeot C, de Oliveira AM, Savergnini SS, Berthelot A, de Crom R, Krams R, Stergiopoulos N and da Silva RF. *Atherosclerosis vol. 227, (2) 236-243.*

The role of platelet-endothelial cell adhesion molecule-1 in atheroma formation varies depending on the site-specific hemodynamic environment.

Harrison M, Smith E, Ross E, Krams R, Segers D, Buckley CD, Nash GB and Rainger GE. *Arteriosclerosis, Thrombosis, and Vascular Biology vol. 33, (4) 694-701.*

Fibromodulin deficiency reduces low-density lipoprotein accumulation in atherosclerotic plaques in apolipoprotein E-null mice.

Shami A, Gustafsson R, Kalamajski S, Krams R, Segers D, Rauch U, Roos G, Nilsson J, Oldberg A and Hultgårdh-Nilsson A. *Arteriosclerosis, Thrombosis, and Vascular Biology* vol. 33, (2) 354-361.

2012

Modulation of arginases by different patterns of shear stress: New signaling pathway in atherogenesis?.

Da Silva RF, Gambillara V, Krams R and Stergiopoulos N. *Computer Methods in Biomechanics and Biomedical Engineering* vol. 10, (SUPPL. 1) 77-78.

Shear stress modulates the expression of the atheroprotective protein Cx37 in endothelial cells.

Pfenniger A, Wong C, Sutter E, Cuhlmann S, Dunoyer-Geindre S, Mach F, Horrevoets AJ, Evans PC, Krams R and Kwak BR. *Journal of Molecular and Cellular Cardiology* vol. 53, (2) 299-309.

Systems and synthetic biology of the vessel wall.

Frueh J, Maimari N, Lui Y, Kis Z, Mehta V, Pormehr N, Grant C, Chalkias E, Falck-Hansen M, Bovens S, Pedrigi R, Homma T, Coppola G and Krams R. *Febs Letters* vol. 586, (15) 2164-2170.

Molecular MR imaging of collagen in mouse atherosclerosis by using paramagnetic CNA35 micelles.

Van Bochove GS, Sanders HMHF, De Smet M, Keizer HM, Mulder WJM, Krams R, Strijkers GJ and Nicolay K. *European Journal of Inorganic Chemistry* (12) 2115-2125.

Poster session 1.

Schlueter J, Brand T, Henderson DJ, Boczonadi V, Humbert P, Chaudhry B, Sedmera D, Svatonkova J, Kockova R, Sankova B, Sedmera D, Lopez Sanchez C, Franco D, Aranega A, Garcia-Martinez V, Demina E, Miroshikova V, Denisenko A, Schwarzman A, Sanchez-Cabo F, Torroja C, Benguria A, Buchan R, Srivastava P, Martinez F, Barton P, Cook S, Dopazo A, Lara-Pezzi E and Rai H. *Cardiovascular Research* vol. 93, (suppl_1) s9-s45.

Poster session 3.

Nanka O, Krejci E, Pesevski Z, Sedmera D, Smart N, Rossdeutsch A, Dube KN, Riegler J, Price AN, Taylor A, Muthurangu V, Turner M, Lythgoe MF, Riley PR, Kryvorot S, Vladimirovskaya T, Shved I, Schwarzl M, Seiler S, Huber S, Steendijk P, Maechler H, Truschnig-Wilders M, Pieske B, Post H, Caprio C, Baldini A, Chiavacci E, Dolfi L and Verduci L. *Cardiovascular Research* vol. 93, (suppl_1) s92-s127.

Implantation of a carotid cuff for triggering shear-stress induced atherosclerosis in mice.

Kuhlmann MT, Cuhlmann S, Hoppe I, Krams R, Evans PC, Strijkers GJ, Nicolay K, Hermann S and Schäfers M. *Journal of Visualized Experiments* (59) 1-6.

Kissing balloon or sequential dilation of the side branch and main vessel for provisional stenting of bifurcations: Lessons from micro-computed tomography and computational simulations.

Foin N, Torii R, Mortier P, De Beule M, Viceconte N, Chan PH, Davies JE, Xu XY, Krams R and Di Mario C. *Jacc: Cardiovascular Interventions* vol. 5, (1) 47-56.

2011

(18)FEDAA is a more specific probe than (18)FDG for imaging vascular inflammation.

Gsell W, Cuhlmann S, Van der Heiden K, Tremoleda JL, Khalil M, Clark J, Bird J, Jones H, Krams R and Evans PC. *European Journal of Nuclear Medicine and Molecular Imaging* vol. 38, S210-S210.

Multi-scale interaction of particulate flow and the artery wall.

Halliday I, Atherton M, Care CM, Collins MW, Evans D, Evans PC, Hose DR, Khir AW, König CS, Krams R, Lawford PV, Lishchuk SV, Pontrelli G, Ridger V, Spencer TJ, Ventikos Y, Walker DC and Watton PN. *Medical Engineering and Physics* vol. 33, (7) 840-848.

Final proximal post-dilatation is necessary after kissing balloon in bifurcation stenting.

Foin N, Secco GG, Ghilencea L, Krams R and Di Mario C. *Eurointervention* vol. 7, (5) 597-604.

Jailed side branches: Fate of unapposed struts studied with 3D frequency-domain optical coherence tomography.

Foin N, Viceconte N, Chan PH, Lindsay AC, Krams R and Di Mario C. *Journal of Cardiovascular Medicine* vol. 12, (8) 581-582.

Shear stress is a major determinant for getting a heart attack.

De Crom R, Leenen P, Nicolay K and Krams R. *Hart Bulletin* vol. 42, (3) 67-70.

Disturbed blood flow induces rela expression via c-Jun N-terminal kinase 1: A novel mode of NF- κ B regulation that promotes arterial inflammation.

Cuhlmann S, Van Der Heiden K, Saliba D, Tremoleda JL, Khalil M, Zakkar M, Chaudhury H, Luong LA, Mason JC, Udalova I, Gsell W, Jones H, Haskard DO, Krams R and Evans PC. *Circulation Research* vol. 108, (8) 950-959.

Dexamethasone arterializes venous endothelial cells by inducing mitogen-activated protein kinase phosphatase-1: A novel antiinflammatory treatment for vein grafts?.

Zakkar M, Luong LA, Chaudhury H, Ruud O, Punjabi PP, Anderson JR, Mullholand JW, Clements AT, Krams R, Foin N, Athanasiou T, Leen ELS, Mason JC, Haskard DO and Evans PC. *Circulation* vol. 123, (5) 524-532.

Stabilisation of atherosclerotic plaques position paper of the european society of cardiology (ESC) working group on atherosclerosis and vascular biology.

YlÄ-Herttuala S, Bentzon JF, Daemen M, Falk E, Garcia-Garcia HM, Herrmann J, Hoefler I, Wouter Jukema J, Krams R, Kwak BR, Marx N, Naruszewicz M, Newby A, Pasterkamp G, Serruys PWJC, Waltenberger J, Weber C and Tokgzglu L. *Thrombosis and Haemostasis* vol. 106, (1) 1-19.

Atherosclerotic Plaque Stability Is Affected by the Chemokine CXCL10 in Both Mice and Humans.

Segers D, Lipton JA, Leenen PJM, Cheng C, Tempel D, Pasterkamp G, Moll FL, de Crom R and Krams R. *Int J Inflamm* vol. 2011,.

Contrast enhancement by differently sized paramagnetic MRI contrast agents in mice with two phenotypes of atherosclerotic plaque.

Van Bochove GS, Paulis LEM, Segers D, Mulder WJM, Krams R, Nicolay K and Strijkers GJ. *Contrast Media and Molecular Imaging* vol. 6, (1) 35-45.

2010

Microcalcifications in atherosclerotic lesion of apolipoprotein E-deficient mouse.

Debernardi N, Roijers RB, Krams R, De Crom R, Mutsaers PHA and Van Der Vusse GJ. *International Journal of Experimental Pathology* vol. 91, (6) 485-494.

Endothelial nitric oxide production and transport in flow chambers: The importance of convection.

Plata AM, Sherwin SJ and Krams R. *Annals of Biomedical Engineering* vol. 38, (9) 2805-2816.

YIA4 C Jun N-terminal kinase promotes endothelial activation at atherosclerosis-susceptible sites by enhancing expression of NF- κ B transcription factors.

Cuhlmann S, van der Heiden K, Zakkar M, Chaudhury H, Le Anh Luong , Mason J, Haskard DO, Carlsen H, Krams R and Evans PC. *Heart* vol. 96, (17).

Predicting Patient-Specific Expansion of Abdominal Aortic Aneurysms.

Helderman F, Manoch IJ, Breeuwer M, Kose U, Boersma H, van Sambeek MRHM, Pattynama PMT, Schouten O, Poldermans D, Wisselink W, van der Steen AFW and Krams R. *Journal of Vascular Surgery* vol. 52, (1).

Shear stress, inflammation and Atherosclerosis.

Krams R, Cuhlmann S, Foin N and Evans P. *Artery Research* vol. 4, (2) 41-46.

MRI-determined carotid artery flow velocities and wall shear stress in a mouse model of vulnerable and stable atherosclerotic plaque.

Van Bochove GS, Straathof R, Krams R, Nicolay K and Strijkers GJ. *Magnetic Resonance Materials in Physics, Biology and Medicine* vol. 23, (2) 77-84.

Flow interactions with cells and tissues: Cardiovascular flows and fluid-structure interactions: Sixth international bio-fluid mechanics symposium and workshop, March 28-30, 2008, Pasadena, California.

Friedman MH, Krams R and Chandran KB. *Annals of Biomedical Engineering* vol. 38, (3) 1178-1187.

Predicting patient-specific expansion of abdominal aortic aneurysms.

Helderman F, Manoch IJ, Breeuwer , Kose U, Boersma H, Van Sambeek MRHM, Pattynama PMT, SchoutenO. , Poldermans D, WisselinkW. , Van Der Steen AFW and Krams R. *European Journal of Vascular and Endovascular Surgery* vol. 40, (1) 47-53.

C-Jun N-terminal kinase primes endothelial cells at atheroprone sites for apoptosis.

Chaudhury H, Zakkar M, Boyle J, Cuhlmann S, Van Der Heiden K, Luong LA, Davis J, Platt A, Mason JC, Krams R, Haskard DO, Clark AR and Evans PC. *Arteriosclerosis, Thrombosis, and Vascular Biology* vol. 30, (3) 546-553.

2009

Activation of Nrf2 in endothelial cells protects arteries from exhibiting a proinflammatory state.

Zakkar M, Van Der Heiden K, Luong LA, Chaudhury H, Cuhlmann S, Hamdulay SS, Krams R, Edirisinghe I, Rahman I, Carlsen H, Haskard DO, Mason JC and Evans PC. *Arteriosclerosis, Thrombosis, and Vascular Biology* vol. 29, (11) 1851-1857.

Large variations in absolute wall shear stress levels within one species and between species.

de Crom R, Cheng C, Helderma F and Krams R. *Atherosclerosis* vol. 204, (1) 16-17.

Activation of MMP8 and MMP13 by angiotensin II correlates to severe intra-plaque hemorrhages and collagen breakdown in atherosclerotic lesions with a vulnerable phenotype.

Cheng C, Tempel D, van Haperen R, van Damme L, Algür M, Krams R and de Crom R. *Atherosclerosis* vol. 204, (1) 26-33.

Donor pre-treatment with tacrolimus reduces transplant vasculopathy.

Susa D, van de Engel S, van Damme LCA, Roest HP, Krams R, IJzermans JNM and de Bruin RWF. *Pharmacological Research* vol. 59, (4) 273-278.

SHEAR STRESS AND MASS TRANSPORT AFFECTS NF kappa B DYNAMICS IN ENDOTHELIAL CELLS.

Foin N, Plata-Garcia A, Cuhlmann S, Evans P, Caro C and Krams R. *Journal of Physiological Sciences* vol. 59, 324-324.

2008

Atherosclerosis: Cell biology and lipoproteins - Shear stress and inflammation in plaque formation: New evidence.

Segers D, Weinberg P and Krams R. *Current Opinion in Lipidology* vol. 19, (6) 627-628.

Monocyte Adhesion in Atherosclerosis: A Biomechanical Approach.

Segers D, Cheng C, Crom RD, Kirschbaum SWM, Oostlander AE, Helderma F, Wamel AV, Slager CJ, Serruys PW, Steen AFWVD and Krams R. *Vascular Disease Prevention* vol. 2, (1) 227-235.

Personalised imaging and biomechanical modelling of large vessels.

Krams R, Breeuwer M and van de Vosse F. *Medical and Biological Engineering and Computing* vol. 46, (11) 1057-1058.

Pulmonary artery size and function after fontan operation at a young age.

Robbers-Visser D, Helderma F, Strengers JL, Van Osch-Gevers L, Kapusta L, Pattynama PM, Bogers AJ, Krams R and Helbing WA. *Journal of Magnetic Resonance Imaging* vol. 28, (5) 1101-1107.

1057 Pulmonary artery size and function after Fontan operation at young age: assessment with phase contrast magnetic resonance imaging.

Robbers-Visser D, Helderma F, Strengers JL, van Osch-Gevers L, Kapusta L, Pattynama PM, Bogers AJ, Krams R and Helbing WA. *Journal of Cardiovascular Magnetic Resonance* vol. 10, (Suppl 1).

Hemodynamic parameters regulating vascular inflammation and atherosclerosis: A brief update.

Ridger V, Krams R, Carpi A and Evans PC. *Biomedicine and Pharmacotherapy* vol. 62, (8) 536-540.

Increased endothelial mitogen-activated protein kinase phosphatase-1 expression suppresses proinflammatory activation at sites that are resistant to atherosclerosis.

Zakkar M, Chaudhury H, Sandvik G, Enesa K, Luong LA, Cuhlmann S, Mason JC, Krams R, Clark AR, Haskard DO and Evans PC. *Circulation Research* vol. 103, (7) 726-732.

Towards patient-specific risk assessment of abdominal aortic aneurysm.

Breeuwer M, de Putter S, Kose U, Speelman L, Visser K, Gerritsen F, Hoogeveen R, Krams R, van den Bosch H, Buth J, Gunther T, Wolters B, van Dam E and van de Vosse F. *Medical and Biological Engineering and Computing* vol. 46, (11) 1085-1095.

DONOR PRE-TREATMENT WITH TACROLIMUS EDUCES TRANSPLANT VASCULOPATHY.

de Bruin RWF, Susa D, van den Engel S, van Damme LA, Roest HP, Krams R and Jzermans JNMI. *Transplantation* vol. 86, (2S).

REGULATION OF ARGINASE IN RESPONSE SHEAR STRESS: NEW POTENTIAL THERAPEUTIC TARGET ATHEROSCLEROSIS?.

da Silva RF, Olivon VC, Segers D, de Crom R, Krams R and Stergiopoulos N. *Journal of Biomechanics* vol. 41,.

A numerical model to predict abdominal aortic aneurysm expansion based on local wall stress and stiffness.

Helderman F, Manoch IJ, Breeuwer M, Kose U, Schouten O, Sambek MRM, Poldermans D, Pattynama PTM, Wisselink W, Steen AFW and Krams R. *Medical and Biological Engineering and Computing* vol. 46, (11) 1121-1127.

Rapamycin modulates the eNOS vs. shear stress relationship.

Cheng C, Tempel D, Oostlander A, Helderman F, Gijzen F, Wentzel J, Van Haperen R, Haitsma DB, Serruys PW, Van Der Steen AFW, De Crom R and Krams R. *Cardiovascular Research* vol. 78, (1) 123-129.

Endothelial primary cilia in areas of disturbed flow are at the base of atherosclerosis.

Van der Heiden K, Hierck BP, Krams R, de Crom R, Cheng C, Baiker M, Pourquie MJB, Alkemade FE, DeRuiter MC, Gittenberger-de Groot AC and Poelmann RE. *Atherosclerosis* vol. 196, (2) 542-550.

Atherosclerosis: Cell biology and lipoproteins - New developments in imaging of inflammation of the vulnerable plaque.

Foin N, Evans P and Krams R. *Current Opinion in Lipidology* vol. 19, (1) 98-100.

A primer on the immune system in the pathogenesis and treatment of atherosclerosis.

Segers D, Garcia-Garcia HM, Cheng C, De Crom R, Krams R, Wentzel JJ, Van der Steen AFW, Serruys PW, Leenen PJM and Laman JD. *Eurointervention* vol. 4, (3) 378-390.

Modulation of arginase in response to wall shear stress.

da Silva RF, Olivon VC, Segers D, de Crom R, Krams R and Stergiopoulos N. *Artery Research* vol. 2, (3) 105-106.

2007

Subharmonic Contrast Intravascular Ultrasound for Vasa Vasorum Imaging.

Goertz DE, Frijlink ME, Tempel D, Bhagwandas V, Gisolf A, Krams R, de Jong N and van der Steen AFW. *Ultrasound in Medicine and Biology* vol. 33, (12) 1859-1872.

Large variations in absolute wall shear stress levels within one species and between species.

Cheng C, Helderman F, Tempel D, Segers D, Hierck B, Poelmann R, van Tol A, Duncker DJ, Robbers-Visser D, Ursem NTC, van Haperen R, Wentzel JJ, Gijzen F, van der Steen AFW, de Crom R and Krams R. *Atherosclerosis* vol. 195, (2) 225-235.

Abstract 879: The Chemokine CXCL10 Is Involved In The Development Of Atherosclerotic Plaque Vulnerability.

Segers D, de Crom R, Leenen P, Pasterkamp G and Krams R. *Circulation* vol. 116, (suppl_16).

Effect of shear stress on vascular inflammation and plaque development.

Helderman F, Segers D, De Crom R, Hierck BP, Poelmann RE, Evans PC and Krams R. *Current Opinion in Lipidology* vol. 18, (5) 527-533.

Assessment of unstable atherosclerosis in mice.

Jackson CL, Bennett MR, Biessen EAL, Johnson JL and Krams R. *Arteriosclerosis, Thrombosis, and Vascular Biology* vol. 27, (4) 714-720.

Shear stress-induced changes in atherosclerotic plaque composition are modulated by chemokines.

Cheng C, Tempel D, Van Haperen R, De Boer HC, Segers D, Huisman M, Van Zonneveld AJ, Leenen PJM, Van Der Steen A, Serruys PW, De Crom R and Krams R. *Journal of Clinical Investigation* vol. 117, (3) 616-626.

Gelatinolytic activity in atherosclerotic plaques is highly localized and is associated with both macrophages and smooth muscle cells in vivo.

Segers D, Helderman F, Cheng C, Van Damme LCA, Tempel D, Boersma E, Serruys PW, De Crom R, Van Der Steen AFW, Holvoet P and Krams R. *Circulation* vol. 115, (5) 609-616.

Vasa vasorum and molecular imaging of atherosclerotic plaques using nonlinear contrast intravascular ultrasound.

Goertz DE, Frijlink ME, Krams R, De Jong N and Van Der Steen AFW. *Netherlands Heart Journal* vol. 15, (2) 77-80.

Coronary flow reserve in hypertrophic cardiomyopathy: Relation with microvascular dysfunction and pathophysiological characteristics.

Kofflard MJ, Michels M, Krams R, Kliffen M, Geleijnse ML, Ten Cate FJ and Serruys PW. *Netherlands Heart Journal* vol. 15, (6) 209-215.

Shear stress and the vulnerable plaque.

Wentzel JJ, Gijsen FJH, Krams R, de Crom R, Cheng C, Groen HC, Van Der Giessen AG, Van Der Steen AFW and Serruys PW. *Handbook of The Vulnerable Plaque, Second Edition.*

Role of Arginase Pathway in Response to Shear Stress: New Potential Therapeutic Targets for Atherosclerosis?.

da Silva RF, Gambillara V, Cheng C, Segers D, de Crom R, Krams R and Stergiopulos N. *Artery Research* vol. 1, (2) 74-75.

The Influence of Shear Stress on Restenosis.

Thury A, Wentzel JJ, Gijsen FJH, Schuurbiens JCH, Krams R, de Feyter PJ, Serruys PW and Slager CJ. *Essentials of Restenosis.*

2006

Visualization of the vulnerable plaque.

Krams R, Schaar J, Helderma F, Cheng C, Gourabi BM, Van Damme LCA, Segers D, Regar E, Slager CJ, De Feyter PJ, Van Der Steen AFW and Serruys PW. *Cardiovascular Research: New Technologies, Methods, and Applications.*

Harmonic intravascular ultrasound imaging with a dual-frequency catheter.

Frijlink ME, Goertz DE, Vos HJ, Tesselaar E, Blacqui re G, Gisolf A, Krams R and van der Steen AFW. *Ultrasound in Medicine and Biology* vol. 32, (11) 1649-1654.

Response to letter regarding article, atherosclerotic lesion size and vulnerability are determined by patterns of fluid shear stress [2].

Cheng C, Tempel D, Van Der Baan A, Krams R, Daemen MJAP, Van Haperen R, Grosveld F and De Crom R. *Circulation* vol. 114, (22).

Intravascular ultrasound tissue harmonic imaging in vivo.

Frijlink ME, Goertz DE, Van Damme LCA, Krams R and Van Der Steen AFW. *Ieee Transactions On Ultrasonics, Ferroelectrics, and Frequency Control* vol. 53, (10) 1844-1851.

Angiotensin II induces severe intra-plaque hemorrhages in lesions with a vulnerable plaque phenotype.

Cheng C, Tempel D, van Damme L, van Haperen R, Krams R and de Crom R. *Vascular Pharmacology* vol. 45, (3) e91-e92.

Patterns of fluid shear stress determine atherosclerotic lesion size and vulnerability.

Cheng C, Tempel D, van Damme L, van Haperen R, Krams R and de Crom R. *Vascular Pharmacology* vol. 45, (3).

Contrast harmonic intravascular ultrasound: A feasibility study for vasa vasorum imaging.

Goertz DE, Frijlink ME, Tempel D, Van Damme LCA, Krams R, Schaar JA, Ten Cate FJ, Serruys PW, De Jong N and Van Der Steen AFW. *Investigative Radiology* vol. 41, (8) 631-638.

Shear stress is associated with markers of plaque vulnerability and MMP-9 activity.

Krams R, Cheng C, Helderma F, Verheye S, van Damme LCA, Mousavi Gourabi B, Tempel D, Segers D, de Feyter P, Pasterkamp G, De Klein D, de Crom R, van der Steen AFW and Serruys PW. *Eurointervention* vol. 2, (2) 250-256.

Atherosclerotic lesion size and vulnerability are determined by patterns of fluid shear stress.

Cheng C, Tempel D, van Haperen R, van der Baan A, Grosveld F, Daemen MJAP, Krams R and de Crom R. *Circulation* vol. 113, (23) 2744-2753.

Atherosclerotic lesion size and vulnerability are determined by patterns of fluid shear stress.

Cheng C, Tempel D, Van Haperen R, Van Der Baan A, Grosveld F, Daemen MJAP, Krams R and De Crom R. *Circulation* vol. 113, (23) 2744-2753.

Norepinephrine-induced vasoconstriction results in decreased blood volume in dialysis patients.

Nette RW, Ie EHY, Vletter WB, Krams R, Weimar W and Zietse R. *Nephrology Dialysis Transplantation* vol. 21, (5) 1305-1311.

Numerical model for predicting dilatation of an Abdominal Aortic Aneurysm (AAA).

Helderman F, Schouten O, Manoch I, Buffart H, van der Steen AFW and Krams R. *Journal of Biomechanics* vol. 39,.

Shear stress and atherosclerosis.

Krams R. *Journal of Biomechanics* vol. 39,.

2005

Shear stress biology of the endothelium.

Davies PF, Spaan JA and Krams R. *Annals of Biomedical Engineering* vol. 33, (12 SPEC. ISS.) 1714-1718.

Shear stress affects the intracellular distribution of eNOS: Direct demonstration by a novel in vivo technique.

Cheng C, Van Haperen R, De Waard M, Van Damme LCA, Tempel D, Hanemaaijer L, Van Cappellen GWA, Bos J, Slager CJ, Duncker DJ, Van Der Steen AFW, De Crom R and Krams R. *Blood* vol. 106, (12) 3691-3698.

Myocardial contractility does not determine the haemodynamic response during dialysis.

Ie EHY, Krams R, Vletter WB, Nette RW, Weimar W and Zietse R. *Nephrology Dialysis Transplantation* vol. 20, (11) 2465-2471.

In vivo temperature heterogeneity is associated with plaque regions of increased MMP-9 activity.

Krams R, Verheye S, Van Damme LCA, Tempel D, Gourabi BM, Boersma E, Kockx MM, Knaapen MWM, Strijder C, Van Langenhove G, Pasterkamp G, Van Der Steen AFW and Serruys PW. *European Heart Journal* vol. 26, (20) 2200-2205.

Geometry guided data averaging enables the interpretation of shear stress related plaque development in human coronary arteries.

Wentzel JJ, Gijzen FJH, Schuurbiens JCH, Krams R, Serruys PW, De Feyter PJ and Slager CJ. *Journal of Biomechanics* vol. 38, (7) 1551-1555.

Monocyte adhesion in atherosclerosis: A biomechanical approach.

Segers D, Cheng C, De Crom R, Kirschbaum SWM, Oostlander AE, Helderman F, Van Wamel A, Slager CJ, Serruys PW, Van Der Steen AFW and Krams R. *Vascular Disease Prevention* vol. 2, (3) 227-235.

Three-dimensional palpography of human coronary arteries: Ex vivo validation and in-patient evaluation.

Schaar JA, De Korte CL, Mastik F, Van Damme LCA, Krams R, Serruys PW and Van Der Steen AFW. *Herz* vol. 30, (2) 125-133.

Effect of vessel curvature on Doppler derived velocity profiles and fluid flow.

Krams R, Bambi G, Guidi F, Helderman F, Van Der Steen AFW and Tortoli P. *Ultrasound in Medicine and Biology* vol. 31, (5) 663-671.

Letter regarding article by Korshunov and Berk, Strain-dependent vascular remodeling: the 'Glagov phenomenon' is genetically determined.

Wentzel JJ, Krams R and Slager CJ. *Circulation* vol. 111, (9).

2004

The role of shear stress in atherosclerosis: Action through gene expression and inflammation?.

Cheng C, De Crom R, Van Haperen R, Helderman F, Gourabi BM, Van Damme LCA, Kirschbaum SW, Slager CJ, Van Der Steen AFW and Krams R. *Cell Biochemistry and Biophysics* vol. 41, (2) 279-294.

Diastolic coronary vascular reserve: A new index to detect changes in the coronary microcirculation in hypertrophic cardiomyopathy.

Krams R, Ten Cate FJ, Carlier SG, Van Der Steen AFW and Serruys PW. *Journal of The American College of Cardiology* vol. 43, (4) 670-677.

Intravascular thermography: Immediate functional and morphological vascular findings.

Verheye S, De Meyer GRY, Krams R, Kockx MM, Van Damme LCA, Gourabi BM, Knaapen MWM, Van Langenhove G and Serruys PW. *European Heart Journal* vol. 25, (2) 158-165.

Multi-Dimensional Computed Coronary Visualization.

van Ooijen PMA, Irwan R, Slager CJ, Wentzel JJ, Schuurbijs JCH, Oomen JAF, Gijsen FJH, Krams R, van der Giessen WJ, Serruys PW and de Feyter PJ. *Coronary Radiology*.

2003

Functional expression of endothelial nitric oxide synthase fused to green fluorescent protein in transgenic mice.

Van Haperen R, Cheng C, Mees BME, Van Deel E, De Waard M, Van Damme LCA, Van Gent T, Van Aken T, Krams R, Duncker DJ and De Crom R. *American Journal of Pathology* vol. 163, (4) 1677-1686.

The effect of reduced blood-flow on the coronary wall temperature: Are significant lesions suitable for intravascular thermography?.

Diamantopoulos L, Liu X, De Scheerder I, Krams R, Li S, Van Cleemput J, Desmet W and Serruys PW. *European Heart Journal* vol. 24, (19) 1788-1795.

Imaging of coronary atherosclerosis and identification of the vulnerable plaque.

de Feyter PJ, Serruys PW, Nieman K, Mollet N, Cademartiri F, van Geuns RJ, Slager C, van der Steen AFW, Krams R, Schaar JA, Wielopolski P, Pattynama PMT, Arampatzis A, van der Lugt A, Regar E, Ligthart J and Smits P. *Neth Heart J* vol. 11, (9) 347-358.

Extension of increased atherosclerotic wall thickness into high shear stress regions is associated with loss of compensatory remodeling.

Wentzel JJ, Janssen E, Vos J, Schuurbijs JCH, Krams R, Serruys PW, De Feyter PJ and Slager CJ. *Circulation* vol. 108, (1) 17-23.

Augmentation of wall shear stress inhibits neointimal hyperplasia after stent implantation: Inhibition through reduction of inflammation?.

Carlier SG, Van Damme LCA, Blommerde CP, Wentzel JJ, Van Langehove G, Verheye S, Kockx MM, Knaapen MWM, Cheng C, Gijsen F, Duncker DJ, Stergiopoulos N, Slager CJ, Serruys PW and Krams R. *Circulation* vol. 107, (21) 2741-2746.

Shear stress, vascular remodeling and neointimal formation.

Wentzel JJ, Gijsen FJH, Stergiopoulos N, Serruys PW, Slager CJ and Krams R. *Journal of Biomechanics* vol. 36, (5) 681-688.

Inflammation and atherosclerosis: Mechanisms underlying vulnerable plaque.

Krams R, Segers D, Gourabi BM, Maat W, Cheng C, Van Pelt C, Van Damme LCA, De Feyter P, Van Der Steen T, De Korte CL and Serruys PW. *Journal of Interventional Cardiology* vol. 16, (2) 107-113.

Diagnosis of vulnerable plaques in the cardiac catheterization laboratory.

Schaar JA, van der Steen AFW, Arampatzis CA, Krams R, Slager CJ, ten Have AG, van de Poll SW, Gijsen FJ, Wentzel JJ, de Feyter PJ and Serruys PW. *Vascular Ultrasound*.

Shear stress and the IVUS derived vessel wall thickness.

Wentzel JJ, Cheng C, de Crom R, Stergiopoulos N, Serruys PW, Slager CJ and Krams R. *Vascular Ultrasound*.

Coronary 3-D angiography, 3-D ultrasound and their fusion.

Slager CJ, Wentzel JJ, Schuurbijs JCH, Oomen JAF, Gijsen FJH, Krams R, van der Giessen WJ, Serruys PW and de Feyter PJ. *Vascular Ultrasound*.

2002

Focal in-stent restenosis near step-up - Roles of low and oscillating shear stress?.

Thury A, Wentzel JJ, Vinke RVH, Gijsen FJH, Schuurbijs JCH, Krams R, de Feyter PJ, Serruys PW and Slager CJ. *Circulation* vol. 105, (23) E185-E187.

Calcium sensitizer EMD 57033, but not the β 1-adrenoreceptor agonist dobutamine, increases mechanical efficiency in stunned myocardium.

Trines SAIP, Smits CAG, Van der Moer J, Slager CJ, Verdouw PD and Krams R. *Journal of Cardiovascular Pharmacology* vol. 39, (1) 61-72.

Images in cardiovascular medicine. Focal in-stent restenosis near step-up: roles of low and oscillating shear stress?.

Thury A, Wentzel JJ, Vinke RVH, Gijzen FJH, Schuurbijs JCH, Krams R, de Feyter PJ, Serruys PW and Slager CJ. *Circulation* vol. 105, (23).

High shear stress after successful balloon angioplasty is associated with restenosis and target lesion revascularization.

Thury A, Van Langenhove G, Carlier SG, Albertal M, Kozuma K, Regar E, Sianos G, Wentzel JJ, Krams R, Slager CJ, Piek JJ and Serruys PW. *American Heart Journal* vol. 144, (1) 136-143.

2001

Decrease in coronary vascular volume in systole augments cardiac contraction.

Willemsen MJ, Duncker DJ, Krams R, Dijkman MA, Lamberts RR, Sipkema P and Westerhof N. *Am J Physiol Heart Circ Physiol* vol. 281, (2) H731-H737.

Shear-stress and wall-stress regulation of vascular remodeling after balloon angioplasty: Effect of matrix metalloproteinase inhibition.

Wentzel JJ, Kloet J, Andhyiswara I, Oomen JAF, Schuurbijs JCH, De Smet BJGL, Post MJ, De Kleijn D, Pasterkamp G, Borst C, Slager CJ and Krams R. *Circulation* vol. 104, (1) 91-96.

Oxygen wastage of stunned myocardium in vivo is due to an increased oxygen cost of contractility and a decreased myofibrillar efficiency.

Trines SAIP, Slager CJ, Onderwater TAM, Lamers JMJ, Verdouw PD and Krams R. *Cardiovascular Research* vol. 51, (1) 122-130.

Relationship between neointimal thickness and shear stress after wallstent implantation in human coronary arteries.

Wentzel JJ, Krams R, Schuurbijs JCH, Oomen JA, Kloet J, Van Der Giessen WJ, Serruys PW and Slager CJ. *Circulation* vol. 103, (13) 1740-1745.

Prominent role of tensile stress in propagation of a dissection after coronary stenting: computational fluid dynamic analysis on true 3d-reconstructed segment.

Thury A, Wentzel JJ, Schuurbijs JC, Ligthart JM, Krams R, de Feyter PJ, Serruys PW and Slager CJ. *Circulation* vol. 104, (11).

Decrease in coronary vascular volume in systole augments cardiac contraction.

Willemsen MJMF, Duncker DJ, Krams R, Dijkman MA, Lamberts RR, Sipkema P and Westerhof N. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 281, (2) 50-2.

2000

In vivo evidence that EMD 57033 restores myocardial responsiveness to intracoronary Ca²⁺ in stunned myocardium.

De Zeeuw S, Trines SAIP, Krams R, Duncker DJ and Verdouw PD. *European Journal of Pharmacology* vol. 403, (1-2) 99-109.

Efficiency of energy transfer, but not external work, is maximized in stunned myocardium.

Trines SA, Slager CJ, van der Moer J, Verdouw PD and Krams R. *Am J Physiol Heart Circ Physiol* vol. 279, (3) H1264-H1273.

True 3-dimensional reconstruction of coronary arteries in patients by fusion of angiography and IVUS (ANGUS) and its quantitative validation.

Slager CJ, Wentzel JJ, Schuurbijs JCH, Oomen JAF, Kloet J, Krams R, Von Birgelen C, Van Der Giessen WJ, Serruys PW and de Feyter PJ. *Circulation* vol. 102, (5) 511-516.

Quantification of plaque volume, shear stress on the endothelium, and mechanical properties of the arterial wall with intravascular ultrasound imaging.

Bom N, De Korte CL, Wentzel JJ, Krams R, Carlier SG, Van Der Steen AWF, Slager CJ and Roelandt JRTC. *Zeitschrift Fur Kardiologie* vol. 89, (SUPPL. 2).

Cardiovascular profile of the calcium sensitizer EMD 57033 in open-chest anaesthetized pigs with regionally stunned myocardium.

De Zeeuw S, Trines SAIP, Krams R, Verdouw PD and Duncker DJ. *British Journal of Pharmacology* vol. 129, (7) 1413-1422.

Helical velocity patterns in a human coronary artery: a three-dimensional computational fluid dynamic reconstruction showing the relation with local wall thickness.

Van Langenhove G, Wentzel JJ, Krams R, Slager CJ, Hamburger JN and Serruys PW. *Circulation* vol. 102, (3).

Coronary stent implantation changes 3-D vessel geometry and 3-D shear stress distribution.

Wentzel JJ, Whelan D, Van Der Giessen WJ, Van Beusekom HMM, Andhyiswara I, Serruys PW, Slager CJ and Krams R. *Journal of Biomechanics* vol. 33, (10) 1287-1295.

Efficiency of energy transfer, but not external work, is maximized in stunned myocardium.

Trines SAIP, Slager CJ, Van Der Moer J, Verdouw PD and Krams R. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 279, (3) 48-3).

1999

Ca²⁺ sensitization and diastolic function of normal and stunned porcine myocardium.

Soei LK, De Zeeuw S, Krams R, Duncker DJ and Verdouw PD. *European Journal of Pharmacology* vol. 386, (1) 55-67.

Effect of catheter placement on 3-D velocity profiles in curved tubes resembling the human coronary system.

Krams R, Wentzel JJ, Cespedes I, Vinke R, Carlier S, Van Der Steen AFW, Lancee CT and Slager CJ. *Ultrasound in Medicine and Biology* vol. 25, (5) 803-810.

1998

AT1 receptor A/C1166 polymorphism contributes to cardiac hypertrophy in subjects with hypertrophic cardiomyopathy.

Osterop AP, Kofflard MJ, Sandkuijl LA, ten Cate FJ, Krams R, Schalekamp MA and Danser AH. *Hypertension* vol. 32, (5) 825-830.

Cyclic variation of integrated backscatter and wall thickness in stunned porcine myocardium.

van der Steen AFW, Rijsterborgh H, Lanc e CT, Mastik F, Krams R, Roelandt JRT and Bom N. *European Journal of Ultrasound* vol. 7,.

Decreased coronary flow reserve in hypertrophic cardiomyopathy is related to remodeling of the coronary microcirculation.

Krams R, Kofflard MJM, Duncker DJ, Von Birgelen C, Carlier S, Kliffen M, Ten Cate FJ and Serruys PW. *Circulation* vol. 97, (3) 230-233.

Shear stress in atherosclerosis, and vascular remodelling.

Krams R, Wentzel JJ, Oomen JA, Schuurbiers JC, Andhyiswara I, Kloet J, Post M, de Smet B, Borst C, Slager CJ and Serruys PW. *Seminars in Interventional Cardiology : Siic* vol. 3, (1) 39-44.

AT1 receptor A/C1166 polymorphism contributes to cardiac hypertrophy in subjects with hypertrophic cardiomyopathy.

Osterop APRM, Kofflard MJM, Sandkuijl LA, Ten Cate FJ, Krams R, Schalekamp MADH and Danser AHJ. *Hypertension* vol. 32, (5) 825-830.

1997

Contribution of asynchrony and nonuniformity to mechanical interaction in normal and stunned myocardium.

Dongsheng FA, Kie Soei LO, Stubenitsky R, Boersma E, Duncker DJ, Verdouw PD and Krams ROB. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 42, (5).

Contribution of asynchrony and nonuniformity to mechanical interaction in normal and stunned myocardium.

Fan D, Soei LK, Stubenitsky R, Boersma E, Duncker DJ, Verdouw PD and Krams R. *Am J Physiol* vol. 273, (5) H2146-H2154.

Contribution of asynchrony and nonuniformity to mechanical interaction in normal and stunned myocardium.

Fan DS, Soei LK, Stubenitsky R, Boersma E, Duncker DJ, Verdouw PD and Krams R. *American Journal of Physiology-Heart and Circulatory Physiology* vol. 273, (5) H2146-H2154.

Cardiac depression after experimental air embolism in pigs: Role of addition of a surface-active agent.

Van Blankenstein JH, Slager CJ, Soei LK, Boersma H, Stijnen T, Schuurbijs JCH, Krams R, Lachmann B and Verdouw PD. *Cardiovascular Research* vol. 34, (3) 473-482.

Influence of data processing on cyclic variation of integrated backscatter and wall thickness in stunned porcine myocardium.

Van Der Steen AFW, Rijsterborgh H, Lance CT, Mastik F, Krams R, Verdouw PD, Roelandt JRTC and Bom N. *Ultrasound in Medicine and Biology* vol. 23, (3) 405-414.

Evaluation of endothelial shear stress and 3D geometry as factors determining the development of atherosclerosis and remodeling in human coronary arteries in vivo: Combining 3D reconstruction from angiography and IVUS (ANGUS) with computational fluid dynamics.

Krams R, Wentzel JJ, Oomen JAF, Vinke R, Schuurbijs JCH, De Feyter PJ, Serruys PW and Slager CJ. *Arteriosclerosis, Thrombosis, and Vascular Biology* vol. 17, (10) 2061-2065.

True reconstruction of vessel geometry from combined X-ray angiographic and intracoronary ultrasound data.

Slager CJ, Wentzel JJ, Oomen JA, Schuurbijs JC, Krams R, von Birgelen C, Tjon A, Serruys PW and de Feyter PJ. *Seminars in Interventional Cardiology : Siic* vol. 2, (1) 43-47.

Contribution of asynchrony and nonuniformity to mechanical interaction in normal and stunned myocardium.

Fan D, Soei LK, Stubenitsky R, Boersma E, Duncker DJ, Verdouw PD and Krams R. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 273, (5) 42-5).

1996

The effect of a thiadiazinone derived Ca²⁺ sensitizer on the responsiveness of Mg²⁺-ATPase to Ca²⁺ in myofibrils isolated from stunned and nonstunned porcine and human myocardium.

Bezstarosti K, Soei LK, Krams R, Ten Cate FJ, Verdouw PD and Lamers MJM. *Biochemical Pharmacology* vol. 51, (9) 1211-1220.

The relationship between myocardial integrated backscatter, perfusion pressure and wall thickness during isovolumic contraction: An isolated pig heart study.

Rijsterborgh H, Van Der Steen AFW, Krams R, Mastik F, Lance CT, Verdouw PD, Roelandt JRTC and Bom N. *Ultrasound in Medicine and Biology* vol. 22, (1) 43-52.

1995

734-6 ANGUS: A New Approach to Three-dimensional Reconstruction of Geometry and Orientation of Coronary Lumen and Plaque by Combined Use of Coronary Angiography and IVUS.

Slager CJ, Laban M, von Birgelen C, Krams R, Oomen JAF, Boer AD, Wenguang L, de Feyter PJ, Serruys PW and Roelandt JRTC. *Journal of The American College of Cardiology* vol. 25, (2).

Mechanical efficiency of stunned myocardium is modulated by increased afterload dependency.

Fan D, Soei LK, Sassen LMA, Krams R and Verdouw PD. *Cardiovascular Research* vol. 29, (3) 428-437.

New invasive techniques of assessment of the physiological significance of coronary stenoses in humans.

Di Mario C, Gil R, Krams R, De Feyter PJ and Serruys W. *European Heart Journal* vol. 16, (SUPPL. 1) 104-114.

In Vivo Measurement of Regional Large Artery Compliance by Intravascular Ultrasound Under Pentobarbital Anesthesia.

Wilson RA, di Mario C, Krams R, Soei LK, Wenguang L, Laird AC, The SHK, Gussenhoven E, Verdouw P and Roelandt JRTC. *Angiology* vol. 46, (6) 481-488.

1994

Loss of elastic recoil in postischemic myocardium induces rightward shift of the systolic pressure-volume relationship.

Krams R, Janssen M, Van der Lee C, Van Meegen J, De Jong JW, Slager CJ and Verdouw PD. *Am J Physiol* vol. 267, (4 Pt 2) H1557-H1564.

LOSS OF ELASTIC RECOIL IN POSTISCHEMIC MYOCARDIUM INDUCES RIGHTWARD SHIFT OF THE SYSTOLIC PRESSURE-VOLUME RELATIONSHIP.

KRAMS R, JANSSEN M, VANDERLEE C, VANMEEGEN J, DEJONG JW, SLAGER CJ and VERDOUW PD. *American Journal of Physiology-Heart and Circulatory Physiology* vol. 267, (4) H1557-H1564.

Mechanical efficiency of stunned myocardium is modulated by increased afterload dependency.

Fan D, Soei LK, Sassen LM, Krams R and Verdouw PD. *Cardiovascular Research* vol. 28, (9) 428-437.

On the Reversal of Myocardial Stunning: A Role for Ca²⁺-Sensitizers.

Fan D, Kie Soei L, Sassen LMA, Krams R, Hendrik E and Verdouw PD. *Ann N Y Acad Sci* vol. 723, (1) 364-367.

Myofibrillar Ca²⁺ sensitization predominantly enhances function and mechanical efficiency of stunned myocardium.

Loe Kie Soei , Sassen LMA, Dong Sheng Fan , Van Veen T, Krams R and Verdouw PD. *Circulation* vol. 90, (2) 959-969.

On the Reversal of Myocardial Stunning: A Role for Ca²⁺-Sensitizers.

FAN D, KIE SOEI L, SASSEN LMA, KRAMS R, HENDRIK E and VERDOUW PD. *Annals of The New York Academy of Sciences* vol. 723, (1) 364-367.

Slope of the instantaneous hyperemic diastolic coronary flow velocity- pressure relation: A new index for assessment of the physiological significance of coronary stenosis in humans.

Di Mario C, Krams R, Gil R and Serruys PW. *Circulation* vol. 90, (3) 1215-1224.

Loss of elastic recoil in postischemic myocardium induces rightward shift of the systolic pressure-volume relationship.

Krams R, Janssen M, Van der Lee C, Van Meegen J, De Jong JW, Slager CJ and Verdouw PD. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 267, (4) 36-4).

Increasing the Ca⁺⁺ sensitivity reverses the increased afterload dependency of external work and the efficiency of energy conversion of stunned myocardium.

Fan D, Sassen LMA, Trines SAIP, Soei LK, Krams R and Verdouw PD. *Applied Cardiopulmonary Pathophysiology* vol. 5, (2) 63-72.

The instantaneous hyperemic pressure-flow relationship in conscious humans.

Di Mario C, Krams R, Gil R, Meneveau N and Serruys PW. *Progress in Quantitative Coronary Arteriography*.

1993

End-systolic pressure length relations of stunned right and left ventricles after inotropic stimulation.

Krams R, Soei LK, McFalls EO, Winkler Prins EA, Sassen LM and Verdouw PD. *Am J Physiol* vol. 265, (6 Pt 2) H2099-H2109.

END-SYSTOLIC PRESSURE LENGTH RELATIONS OF STUNNED RIGHT-AND-LEFT-VENTRICLES AFTER INOTROPIC STIMULATION.

KRAMS R, SOEI LK, MCFALLS EO, PRINS EAW, SASSEN LMA and VERDOUW PD. *American Journal of Physiology* vol. 265, (6) H2099-H2109.

Intracoronary trimetazidine does not improve recovery of regional function in a porcine model of repeated ischemia.

Koning MMG, Krams R, Xiao CS, van Meegen JR, Bezstarosti K, Lamers MJJ and Verdouw PD. *Cardiovascular Drugs and Therapy* vol. 7, (5) 801-807.

Altered coronary flow reserve in the hypertrophied heart: Implications for therapy.

McFalls EO, Duncker DJ, Sassen LMA, Krams R, Man in't Veld AJ, Ruffolo RR and Verdouw PD. *Journal of Human Hypertension* vol. 7, (SUPPL. 1).

L-propionylcarnitine does not affect myocardial metabolic or functional response to chronotropic and inotropic stimulation after repetitive ischemia in anesthetized pigs.

Duncker DJ, Sassen LMA, Bartels GL, Van Meegen JR, McFalls EO, Krams R, Bezstarosti K, Lamers MJJ and Verdouw PD. *Journal of Cardiovascular Pharmacology* vol. 22, (3) 488-498.

Dobutamine restores the reduced efficiency of energy transfer from total mechanical work to external mechanical work in stunned porcine myocardium.

Krams R, Duncker DJ, McFalls EO, Hogendoorn A and Verdouw PD. *Cardiovascular Research* vol. 27, (5) 740-747.

End-systolic pressure length relations of stunned right and left ventricles after inotropic stimulation.

Krams R, Loe Kie Soei , McFalls EO, Prins EAW, Sassen LMA and Verdouw PD. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 265, (6 34-6).

High-energy phosphates and their catabolites.

De Jong JW, Huizer T, Janssen M, Krams R, Tavenier M and Verdouw PD. *Ischemia-Reperfusion in Cardiac Surgery*.

1992

Recruitment of myocardial work and metabolism in regionally stunned porcine myocardium.

McFalls EO, Duncker DJ, Krams R, Sassen LM, Hoogendoorn A and Verdouw PD. *Am J Physiol* vol. 263, (6 Pt 2) H1724-H1731.

RECRUITMENT OF MYOCARDIAL WORK AND METABOLISM IN REGIONALLY STUNNED PORCINE MYOCARDIUM.

MCFALLS EO, DUNCKER DJ, KRAMS R, SASSEN LMA, HOOGENDOORN A and VERDOUW PD. *American Journal of Physiology* vol. 263, (6) H1724-H1731.

L-propionylcarnitine and myocardial performance in stunned porcine myocardium.

Sassen LMA, Duncker DJ, Hogendoorn A, McFalls EO, Krams R, Bezstarosti K, Lamers MJM and Verdouw PD. *Molecular and Cellular Biochemistry* vol. 116, (1-2) 147-153.

Pressure-maximal coronary flow relationship in regionally stunned porcine myocardium.

Duncker DJ, McFalls EO, Krams R and Verdouw PD. *Am J Physiol* vol. 262, (6 Pt 2) H1744-H1751.

PRESSURE-MAXIMAL CORONARY FLOW RELATIONSHIP IN REGIONALLY STUNNED PORCINE MYOCARDIUM.

DUNCKER DJ, MCFALLS EO, KRAMS R and VERDOUW PD. *American Journal of Physiology* vol. 262, (6) H1744-H1751.

Amiodarone increases ATP and decreases NaK ATPase activity and protein content of cultured rat heart myocytes.

Verdouw PD, Krams R, McFalls EO, Duncker DJ, Hogendoorn A and Kie Soei L. *Journal of Molecular and Cellular Cardiology* vol. 24,.

Inotropic stimulation restores efficiency of energy transfer from pressure-segment length area to external mechanical work in stunned porcine myocardium.

Verdouw PD, Krams R, McFalls EO, Duncker DJ, Hogendoorn A and Soei LK. *Journal of Molecular and Cellular Cardiology* vol. 24,.

Recruitment of myocardial work and metabolism in regionally stunned porcine myocardium.

McFalls EO, Duncker DJ, Krams R, Sassen LMA, Hoogendoorn A and Verdouw PD. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 263, (6 32-6).

Pressure-maximal coronary flow relationship in regionally stunned porcine myocardium.

Duncker DJ, McFalls EO, Krams R and Verdouw PD. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 262, (6 31-6).

L-propionylcarnitine and myocardial performance in stunned porcine myocardium.

Sassen LMA, Duncker DJ, Hogendoorn A, McFalls EO, Krams R, Bezstarosti K, Lamers MJM and Verdouw PD. *Lipid Metabolism in The Healthy and Disease Heart*.

1991

Endothelium dependent vasodilatation following brief ischaemia and reperfusion in anaesthetised swine.

McFalls EO, Duncker DJ, Krams R, Ward H, Gornick C and Verdouw PD. *Cardiovascular Research* vol. 25, (8) 659-665.

Changes in oxygen-pressure volume area's (O2-PVA) studied after brief periods of ischemia.

Krams R, Duncker DJ, McFalls EO and Verdouw PD. *Journal of Molecular and Cellular Cardiology* vol. 23,.

Elastic recoil: A sensitive measure of loss of function during brief periods of ischemia and reperfusion.

Krams R, Duncker DJ, McFalls EO and Verdouw PD. *Journal of Molecular and Cellular Cardiology* vol. 23,.

Does intravenous milrinone have a direct effect on diastolic function?.

Krams R, McFalls E, van der Giessen WJ, Serruys PW, Verdoun PD and Roelandt J. *Am Heart J* vol. 121, (6 Pt 2) 1951-1955.

Endothelium dependent vasodilatation following brief ischaemia and reperfusion in anaesthetised swine.

Mcfalls EO, Duncker DJ, Krams R, Ward H, Gornick C and Verdouw PD. *Cardiovascular Research* vol. 25, (8) 659-665.

1990

MYOCARDIAL MODULATION OF CORONARY CIRCULATION - REPLY.

WESTERHOF N, SIPKEMA P and KRAMS R. *American Journal of Physiology* vol. 259, (6) H1936-H1937.

Effect of wall stretch on coronary hemodynamics in isolated canine interventricular septum.

Resar J, Livingston JZ, Halperin HR, Sipkema P, Krams R and Yin FC. *Am J Physiol* vol. 259, (6 Pt 2) H1869-H1880.

Myocardial modulation of coronary circulation Reply).

Westerhof N, Sipkema P and Krams R. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 259, (6 28-6).

EFFECT OF WALL STRETCH ON CORONARY HEMODYNAMICS IN ISOLATED CANINE INTERVENTRICULAR SEPTUM.

RESAR J, LIVINGSTON JZ, HALPERIN HR, SIPKEMA P, KRAMS R and YIN FCP. *American Journal of Physiology* vol. 259, (6) H1869-H1880.

Coronary oscillatory flow amplitude is more affected by perfusion pressure than ventricular pressure.

Krams R, Sipkema P and Westerhof N. *Am J Physiol* vol. 258, (6 Pt 2) H1889-H1898.

CORONARY OSCILLATORY FLOW AMPLITUDE IS MORE AFFECTED BY PERFUSION-PRESSURE THAN VENTRICULAR PRESSURE.

KRAMS R, SIPKEMA P and WESTERHOF N. *American Journal of Physiology* vol. 258, (6) H1889-H1898.

Effect of wall stretch on coronary hemodynamics in isolated canine interventricular septum.

Resar J, Livingston JZ, Halperin HR, Sipkema P, Krams R and Yin FCP. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 259, (6 28-6).

Coronary oscillatory flow amplitude is more affected by perfusion pressure than ventricular pressure.

Krams R, Sipkema P and Westerhof N. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 258, (6 27-6).

1989

Contractility is the main determinant of coronary systolic flow impediment.

Krams R, Sipkema P, Zegers J and Westerhof N. *Am J Physiol* vol. 257, (6 Pt 2) H1936-H1944.

Contractility is the main determinant of coronary systolic flow impediment.

Krams R, Sipkema P, Zegers J and Westerhof N. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 257, (6).

Varying elastance concept may explain coronary systolic flow impediment.

Krams R, Sipkema P and Westerhof N. *Am J Physiol* vol. 257, (5 Pt 2) H1471-H1479.

Can coronary systolic-diastolic flow differences be predicted by left ventricular pressure or time-varying intramyocardial elastance?.

Krams R, van Haelst ACTA, Sipkema P and Westerhof N. *Basic Research in Cardiology* vol. 84, (2) 149-159.

Varying elastance concept may explain coronary systolic flow impediment.

Krams R, Sipkema P and Westerhof N. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 257, (5).

1988

Changes in coronary pressure-flow relation after transition from blood to Tyrode perfusion.

Van Dijk LC, Krams R, Sipkema P and Westerhof N. *Am J Physiol* vol. 255, (3 Pt 2) H476-H482.

Changes in coronary pressure-flow relation after transition from blood to Tyrode perfusion.

Van Dijk LC, Krams R, Sipkema P and Westerhof N. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 255, (3).

1986

Comments on Pressure and tone dependence of coronary diastolic input impedance and capacitance.

Westerhof N and Krams R. *American Journal of Physiology* vol. 250, (2) h330-h331.

Comments on Pressure and tone dependence of coronary diastolic input impedance and capacitance.

Westerhof N and Krams R. *Am J Physiol* vol. 250, (2 Pt 2) H330-H331.

Comments on 'pressure and tone dependence of coronary diastolic input impedance and capacitance'.

Westerhof N, Krams R and Canty JM. *American Journal of Physiology - Heart and Circulatory Physiology* vol. 250, (2 (19/2)).

1984

Consistent parallel relationships among myocardial oxygen consumption, coronary blood flow, and pericardial infusate adenosine concentration with various interventions and beta-blockade in the dog.

Borgdorff P, Braakman R, van Haelst AC, van Huis GA, de Jong JP, Krams R, Langewouters GJ, Sipkema P and Westerhof N. *Circulation Research* vol. 54, (3).

1982

THE EFFECTS OF THE CORONARY CAPACITANCE ON THE INTERPRETATION OF DIASTOLIC PRESSURE-FLOW RELATIONSHIPS - COMMENTS.

BRAAKMAN R, VANDERHORN GJ, VONHUIS GA, KRAMS R, LANGEWOUTERS GJ, SIPKEMA P and WESTERHOF N. *Circulation Research* vol. 51, (6) 822-822.