

Prof Steffi Krause
Dr. rer. nat., MRSC, FHEA

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 3747
email: s.krause@qmul.ac.uk web: www.sems.qmul.ac.uk/s.krause

2024

Actively Driven Light-Addressable Sensor/Actuator System for Automated pH Control for the Integration in Lab-On-A-Chip (LoC) Platforms.

Welden R, Das A, Krause S, Schoning MJ, Wagner PH and Wagner T. *Acs Sensors* vol. 9, (3) 1533-1544. *American Chemical Society (Acs)*.

2023

Numerical investigation of a graphene-on-semiconductor device for optical monitoring of cell electrophysiology.
Gorecki J and Krause S. *Iscience* vol. 27, (1). *Elsevier*.

2022

Photoelectrochemical imaging of single cardiomyocytes and monitoring of their action potentials through contact force manipulation of organoids.

Jacques R, Zhou B, Marhuenda E, Gorecki J, Das A, Iskratsch T and Krause S. *Biosensors and Bioelectronics*. *Elsevier*.

Photoelectrochemical Detection of Calcium Ions Based on Hematite Nanorod Sensors.

Zhou B, Jiang Y, Guo Q, Das A, Jorge Sobrido A, Hing K, Zayats A and Krause S. *Acs Applied Nano Materials*. *American Chemical Society*.

Light-Addressable Electrochemical Sensors toward Spatially Resolved Biosensing and Imaging Applications.
Meng Y, Chen F, Wu C, Krause S, Wang J and Zhang DW. *Acs Sensors*. *American Chemical Society*.

2021

Self-powered ultrasensitive and highly stretchable temperaturestrain sensing composite yarns.

Wan K, Liu Y, Santaguliana G, Barandun G, Taroni Junior P, Gder F, Bastiaansen CWM, Baxendale M, Fenwick O, Papageorgiou DG, Krause S, Zhang H and Bilotti E. *Materials Horizons*.

Photoelectrochemical imaging system with high spatiotemporal resolution for visualizing dynamic cellular responses.

Zhou B, Das A, Zhong M, Guo Q, Zhang D-W, Hing KA, Sobrido AJ, Titirici M-M and Krause S. *Biosensors and Bioelectronics* vol. 180,. *Elsevier*.

2020

Ammonia Gas Sensor Response of a Vertical Zinc Oxide Nanorod-Gold Junction Diode at Room Temperature.
Tu Y, Kyle C, Luo H, Zhang DW, Das A, Briscoe J, Dunn S, Titirici MM and Krause S. *Acs Sensors* vol. 5, (11) 3568-3575.

2019

InGaN as a substrate for AC photoelectrochemical imaging.

Zhou B, Das A, Kappers M, Oliver R, Humphreys C and Krause S. *Sensors*. *Mdpi*.

Modulated light-activated electrochemistry at silicon functionalized with metal-organic frameworks towards addressable DNA chips.

Wang J, Yang Z, Chen W, Du L, Jiao B, Krause S, Wang P, Wei Q, Zhang D-W and Wu C. *Biosensors and Bioelectronics* vol. 146, 111750-111750. Elsevier.

Flexible and Stretchable SelfPowered MultiSensors Based on the NType Thermoelectric Response of Polyurethane/Na_x(Niett)_n Composites.

Wan K, Taroni PJ, Liu Z, Liu Y, Tu Y, Santagiuliana G, Hsia I, Zhang H, Fenwick O, Krause S, Baxendale M, Schroeder BC and Bilotti E. *Advanced Electronic Materials* 1900582-1900582. Wiley.

Peptide Cross-Linked Poly(2-oxazoline) as a Sensor Material for the Detection of Proteases with a Quartz Crystal Microbalance.

Ahmad N, Colak B, Gibbs MJ, Zhang D-W, Gautrot JE, Watkinson M, Becer CR and Krause S. *Biomacromolecules* vol. 20, (7) 2506-2514.

Photoelectrochemical Imaging System for the Mapping of Cell Surface Charges.

Wu F, Zhou B, Wang J, Zhong M, Das A, Watkinson M, Hing K, Zhang D-W and Krause S. *Anal Chem.*

Peptide Cross-Linked Poly (Ethylene Glycol) Hydrogel Films as Biosensor Coatings for the Detection of Collagenase.

Ahmad N, Colak B, Zhang D-W, Gibbs MJ, Watkinson M, Becer CR, Gautrot JE and Krause S. *Sensors* vol. 19, (7). Mdpi.

2018

Photoelectrochemical Imaging Using Carbon Dots (CDs) Derived from Chitosan.

Zhang D, Papaioannou N, Titirici M-M and Krause S. *Proceedings* vol. 2, (13). Mdpi.

Collagenase Biosensor Based on the Degradation of Peptide Cross-Linked Poly(Ethylene Glycol) Hydrogel Films.

Ahmad N, Colak B, Gibbs MJ, Zhang D-W, Becer CR, Watkinson M, Gautrot JE and Krause S. Mdpi.

Light-Addressable Potentiometric Sensors using ZnO Nanorods as the Sensor Substrate for Bioanalytical Applications.

TU Y, AHMAD N, BRISCOE J, ZHANG D and KRAUSE S. *Analytical Chemistry*. American Chemical Society.

Surface modification and construction of LAPS towards biosensing applications.

Wang J, Du L, Krause S, Wu C and Wang P. *Sensors and Actuators, B: Chemical* vol. 265, 161-173.

Photoelectrochemical response of carbon dots (CDs) derived from chitosan and their use in electrochemical imaging.

ZHANG D, PAPAIOANNOU N, David NM, LUO H, GAO H, Tanase LC, Degousee T, Samori P, SAPELKIN A, FENWICK O, TITIRICI M and KRAUSE SK. *Materials Horizons*. Rsc.

Control of oxygen vacancies in ZnO nanorods by annealing and their influence on ZnO/PEDOT:PSS diode behaviour.

TU Y, CHEN S, LI X, GORBACIOVA J, GILLIN WP, KRAUSE S and BRISCOE J. *Journal of Materials Chemistry C*. Royal Society of Chemistry.

Light-Addressable Potentiometric Sensors for (Bio-)chemical Sensing and Imaging.

Schning MJ, Wagner T, Poghossian A, Miyamoto K-I, Werner CF, Krause S and Yoshinobu T. *Encyclopedia of Interfacial Chemistry* 295-308. Elsevier.

(Bio-)chemical Sensing and Imaging by LAPS and SPIM.

Yoshinobu T, Krause S, Miyamoto K-I, Werner CF, Poghossian A, Wagner T and Schning MJ. *Label-Free Biosensing* 103-132. Springer Nature.

2017

LAPS and SPIM imaging using ITO coated glass as the substrate material.

Zhang D, Wu F and KRAUSE SK. *Analytical Chemistry*. American Chemical Society.

Biological imaging using light-addressable potentiometric sensors and scanning photo-induced impedance microscopy.

Wu F, Campos I, Zhang D and KRAUSE SK. *Proceedings of The Royal Society a: Mathematical, Physical and Engineering Sciences*. Royal Society, The.

Image Detection of Yeast *Saccharomyces Cerevisiae* By Light-Addressable Potentiometric Sensors (LAPS).
Zhang D and Krause S. *Ecs Meeting Abstracts* vol. MA2017-01, (38) 1770-1770. The Electrochemical Society.

Electrochemical Imaging of Copper Contamination on Self-Assembled Organic Monolayer Modified Silicon Surfaces Following a Click Reaction with Light-Addressable Potentiometric Sensors and Scanning Photo-Induced Impedance Microscopy.

Wu F, Watkinson M and Krause S. *Ecs Meeting Abstracts* vol. MA2017-01, (38) 1769-1769. The Electrochemical Society.

Copper Contamination of Self-Assembled Organic Monolayer Modified Silicon Surfaces Following a Click Reaction Characterized with LAPS and SPIM.

Wu F, Zhang DW, Wang J, Watkinson M and Krause S. *Langmuir* vol. 33, (13) 3170-3177.

High-resolution impedance and potential imaging using light-addressable potentiometric sensors for bio-imaging applications.

Krause S.

2016

Image detection of yeast *Saccharomyces cerevisiae* by light-addressable potentiometric sensors (LAPS).
Zhang DW, Wu F, Wang J, Watkinson M and KRAUSE SK. *Electrochemistry Communications* vol. 72, 41-45.

The effect of gold nanoparticles on the impedance of microcapsules visualized by scanning photo-induced impedance microscopy.

Wang J, Campos I, Wu F, Zhu J, Sukhorukov GB, Palma M, Watkinson M and Krause S. *Electrochimica Acta* vol. 208, 39-46.

2015

click Patterning of Self-Assembled Monolayers on Hydrogen-Terminated Silicon Surfaces and Their Characterization Using Light-Addressable Potentiometric Sensors.

Wang J, Wu F, Watkinson M, Zhu J and Krause S. *Langmuir* vol. 31, (35) 9646-9654.

-Amylase sensor based on the degradation of oligosaccharide hydrogel films monitored with a quartz crystal sensor.

Gibbs MJ, Biela A and Krause S. *Biosens Bioelectron* vol. 67, 540-545.

Incorporation of Ag nanowires in CuWO₄ for improved visible light-induced photoanode performance.

Zhang H, Yilmaz P, Ansari JO, Khan FF, Binions R, Krause S and Dunn S. *Journal of Materials Chemistry A* vol. 3, (18) 9638-9644.

Disposable MMP-9 sensor based on the degradation of peptide cross-linked hydrogel films using electrochemical impedance spectroscopy.

Biela A, Watkinson M, Meier UC, Baker D, Giovannoni G, Becer CR and Krause S. *Biosensors and Bioelectronics* vol. 68, 660-667.

2014

High-sensitivity light-addressable potentiometric sensors using silicon on sapphire functionalized with self-assembled organic monolayers.

Wang J, Zhou Y, Watkinson M, Gautrot J and Krause S. *Sensors and Actuators B: Chemical* vol. 209, 230-236. Elsevier.

2013

Degradation behaviour of thin polymer films of poly (amide ester) hydrogel using quartz crystal microbalance.
Dzaraini K, Norizan A, Krause S, Hunter C and Milanesi L. *Advanced Materials Research* vol. 812, 38-45.

2012

A label-free aptasensor for the sensitive and specific detection of cocaine using supramolecular aptamer fragments/target complex by electrochemical impedance spectroscopy.

Zhang DW, Zhang FT, Cui YR, Deng QP, Krause S, Zhou YL and Zhang XX. *Talanta* vol. 92, 65-71.

2011

Generic protease detection technology for monitoring periodontal disease.

Zheng X, Cook JP, Watkinson M, Yang S, Douglas I, Rawlinson A and Krause S. *Faraday Discussions* vol. 149, 37-47.

2010

High resolution LAPS and SPIM.

Chen L, Zhou Y, Jiang S, Kunze J, Schmuki P and Krause S. *Electrochemistry Communications* vol. 12, (6) 758-760.

2009

A peptide cross-linked polyacrylamide hydrogel for the detection of human neutrophil elastase.

Kamarun D, Zheng XW, Milanesi L, Hunter CA and Krause S. *Electrochimica Acta* vol. 54, (22) 4985-4990.

Sensor materials for the detection of proteases.

Stair JL, Watkinson M and Krause S. *Biosensors and Bioelectronics* vol. 24, (7) 2113-2118.

Selected Papers from the Second International Conference on Optical, Optoelectronic and Photonic Materials and Applications, 2007.

Sweeney SJ and Krause S. *J Mater Sci-Mater El* vol. 20, 1-2.

Editorial: Selected papers from the second international conference on optical, optoelectronic and photonic materials and applications, 2007.

Sweeney SJ and Krause S. *Journal of Materials Science: Materials in Electronics* vol. 20, (SUPPL. 1).

2008

Repair of thin thermally grown silicon dioxide by anodic oxidation.

Chen L, Zhou Y, Krause S, Munoz AG, Kunze J and Schmuki P. *Electrochimica Acta* vol. 53, (8) 3395-3402.

2007

Biosensor arrays based on the degradation of thin polymer films interrogated by scanning photoinduced impedance microscopy.

Zhou Y, Jiang S, Krause S and Chazalviel J-N. *Anal Chem* vol. 79, (23) 8974-8978.

Scanning photoinduced impedance microscopy using amorphous silicon photodiode structures.

Zhou Y, Chen L, Krause S and Chazalviel J-N. *Anal Chem* vol. 79, (16) 6208-6214.

2006

Scanning Photo-Induced Impedance Microscopy - Resolution studies and polymer characterization.

Krause S, Moritz W, Talabani H, Xu M, Sabot A and Ensell G. *Electrochimica Acta* vol. 51, (8-9) 1423-1430.

2004

High resolution LAPS using amorphous silicon as the semiconductor material.

Moritz W, Yoshinobu T, Finger F, Krause S, Martin-Fernandez M and Schonung MJ. *Sensors and Actuators B-Chemical* vol. 103, (1-2) 436-441.

2003

Impedance methods.

KRAUSE SK. *Encyclopedia of Electrochemistry, Volume 3, Instrumentation and Electroanalytical Chemistry* 196-229. Wiley-Vch Verlag.

2002

Simultaneous quartz crystal microbalance impedance and electrochemical impedance measurements. Investigation into the degradation of thin polymer films.
Sabot A and Krause S. *Anal Chem* vol. 74, (14) 3304-3311.

Scanning photo-induced impedance microscopy - an impedance based imaging technique.
Krause S, Talabani H, Xu M, Moritz W and Griffiths J. *Electrochimica Acta* vol. 47, (13-14) 2143-2148.

2001

Biosensor based on enzyme-catalysed degradation of thin polymer films.
Sumner C, Krause S, Sabot A, Turner K and McNeil CJ. *Biosensors & Bioelectronics* vol. 16, (9-12) 709-714.

Re-activation of an all solid state oxygen sensor.

Moritz W, Krause S, Roth U, Klimm D and Lippitz A. *Anal Chim Acta* vol. 437, (2) 183-190.

2000

A transducer based on enzyme-induced degradation of thin polymer films monitored by surface plasmon resonance.

Sumner C, Sabot A, Turner K and Krause S. *Anal Chem* vol. 72, (21) 5225-5232.

Photocurrent measurements for laterally resolved interface characterization.

Moritz W, Gerhardt I, Roden D, Xu M and Krause S. *Fresenius Journal of Analytical Chemistry* vol. 367, (4) 329-333.

1999

Electrochemical sensor for measurement of urea and creatinine in serum based on ac impedance measurement of enzyme-catalyzed polymer transformation.

Ho WO, Krause S, McNeil CJ, Pritchard JA, Armstrong RD, Athey D and Rawson K. *Anal Chem* vol. 71, (10) 1940-1946.

1998

Silicon-Based Sensor for Flourine Gas.

Moritz W, Krause S, Bartholomäus L, Gabusjan T, Vasiliev AA, Godovski DY and Malyshev VV. *Acs Symposium Series* vol. 690, 119-129.

1995

Electrochemical Sensors Based on Impedance Measurement of Enzyme-Catalyzed Polymer Dissolution: Theory and Applications.

McNeil CJ, Athey D, Ball M, Ho WO, Krause S, Armstrong RD, Des Wright J and Rawson K. *Analytical Chemistry* vol. 67, (21) 3928-3935. *American Chemical Society (Acs)*.

Monitoring of HF and F2 using a field-effect sensor.

Moritz W, Krause S, Vasiliev AA, Godovski DY and Malyshev VV. *Sensors and Actuators B Chemical* vol. 24, (1-3) 194-196. *Elsevier*.

1994

Improved long-term stability for an LaF₃ based oxygen sensor.

Krause S, Moritz W and Grohmann I. *Sensors and Actuators B Chemical* vol. 18, (1-3) 148-154. *Elsevier*.

1992

A low-temperature oxygen sensor based on the Si/LaF₃/Pt capacitive structure.

Krause S, Moritz W and Grohmann I. *Sensors and Actuators B Chemical* vol. 9, (3) 191-196. *Elsevier*.

1991

Chemical sensitivity of an ISFET with Ta₂O₅ membrane in strong acid and alkaline solutions.

Bobrov PV, Tarantov YA, Krause S and Moritz W. *Sensors and Actuators B Chemical* vol. 3, (1) 75-81. *Elsevier*.