

Prof Teresa Alonso-Rasgado
PhD

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 3028
email: t.alonso@qmul.ac.uk web: www.sems.qmul.ac.uk/t.alonso

2026

The impact of subject weight and activity level on over-inserted cemented acetabular cups after Total HIP Arthroplasty (THA).

. *Journal of Orthopaedics* vol. 74, 256-264. Elsevier.

2025

Investigation Into the Effect of OverInserted Cemented Acetabular Cups After Total Hip Arthroplasty (THA).

. *Journal of Orthopaedic Research* vol. 43, (10) 1840-1854. Wiley.

Multilevel Thresholding Color Image Segmentation Solved with Metaheuristics.

. *Advances in Optimization Algorithms For Multidisciplinary Engineering Applications: From Classical Methods to Ai-Enhanced Soluti* 3-26. Springer Nature.

2024

Digital Image Processing Applied in the Deformation Analysis of Hip Prosthesis: Multivariate Regression Analysis.

. *IEEE Access* vol. 12, 176938-176948. Institute of Electrical and Electronics Engineers.

2023

Tuning parameters of phase retrieval algorithm for single-shot imaging based on object-modulated speckles by particle swarm optimization.

. *Optics & Laser Technology* vol. 159. Elsevier.

2022

A Two-Experiment Approach to Scaling in Biomechanics.

. *Journal of Biomechanical Engineering* vol. 144, (8). Asme International.

2020

Zeroth-order finite similitude and scaling of complex geometries in biomechanical experimentation.

. *Journal of The Royal Society Interface* vol. 17, (167). The Royal Society.

2019

Performance evaluation of surgical techniques for treatment of scapholunate instability in a type II wrist.

. *International Journal For Numerical Methods in Biomedical Engineering* vol. 36, (1). Wiley.

Effect of Femoral Head Size, Subject Weight, and Activity Level on Acetabular Cement Mantle Stress Following Total Hip Arthroplasty.

. *Journal of Orthopaedic Research* vol. 37, (8) 1771-1783. Wiley.

Impact of femoroacetabular impingement and dysplasia of the hip on hip joint sphericity.

. *Hip International* vol. 30, (2) 195-203. Sage Publications.

2018

Cement interface and bone stress in total hip arthroplasty: Relationship to head size.

. *Journal of Orthopaedic Research* vol. 36, (11) 2966-2977.

Validation of biofilm formation on human skin wound models and demonstration of clinically translatable bacteria-specific volatile signatures.

. *Scientific Reports* vol. 8, (1). Springer Nature.

Scaling in biomechanical experimentation: a finite similitude approach.

. *Journal of The Royal Society Interface* vol. 15, (143). The Royal Society.

WITHDRAWN: Sphericity of the hip joint components for subjects with femoroacetabular impingement and dysplastic hips.

. *Journal of Orthopaedics*. Elsevier.

Wound healing and cutaneous scarring models of the human skin.

. *Skin Tissue Models* 201-221.

9 Wound healing and cutaneous scarring models of the human skin.

. *Skin Tissue Models For Regenerative Medicine* 201-221. Elsevier.

2017

Analysis of tenodesis techniques for treatment of scapholunate instability using the finite element method.

. *International Journal For Numerical Methods in Biomedical Engineering* vol. 33, (12).

Evaluation of the performance of three tenodesis techniques for the treatment of scapholunate instability: flexion-extension and radial-ulnar deviation.

. *Medical and Biological Engineering and Computing* 1-15.

The Role of Mast Cells in Tuberculosis: Orchestrating Innate Immune Crosstalk?.

. *Frontiers in Immunology* vol. 8,. Frontiers.

Volatile organic compound detection as a potential means of diagnosing cutaneous wound infections.

. *Wound Repair and Regeneration* vol. 25, (4) 574-590. Wiley.

Cutaneous wound biofilm and the potential for electrical stimulation in management of the microbiome.

. *Future Microbiology* vol. 12, (4) 337-357. Taylor & Francis.

The efficacy of electrical stimulation in lower extremity cutaneous wound healing: A systematic review.

. *Experimental Dermatology* vol. 26, (2) 171-178. Wiley.

3D computer modelling of malunited posterior malleolar fractures: effect of fragment size and offset on ankle stability, contact pressure and pattern.

. *Journal of Foot and Ankle Research* vol. 10, (1). Wiley.

Wound healing and cutaneous scarring models of the human skin.

. *Skin Tissue Models* 201-221.

2016

Effect of Anconeus Muscle Blocking on Elbow Kinematics: Electromyographic, Inertial Sensors and Finite Element Study.

. *Annals of Biomedical Engineering* vol. 45, (3) 775-788. Springer Nature.

Whole genome microarray data of chronic wound debridement prior to application of dermal skin substitutes.

. *Wound Repair and Regeneration* vol. 24, (5) 870-875. Wiley.

The efficacy of electrical stimulation in experimentally induced cutaneous wounds in animals.

. *Veterinary Dermatology* vol. 27, (4) 235-257. Wiley.

2015

Optimization of an ex vivo wound healing model in the adult human skin: Functional evaluation using photodynamic therapy.

. *Wound Repair and Regeneration* vol. 23, (5) 685-702. Wiley.

Skin substitute-assisted repair shows reduced dermal fibrosis in acute human wounds validated simultaneously by histology and optical coherence tomography.

. *Wound Repair and Regeneration* vol. 23, (4) 483-494. Wiley.

Ex vivo evaluation of the effect of photodynamic therapy on skin scars and striae distensae.

. *Photodermatology Photoimmunology & Photomedicine* vol. 31, (5) 239-251. Wiley.

Correction: Acute Cutaneous Wounds Treated with Human Decellularised Dermis Show Enhanced Angiogenesis during Healing.

. *Plos One* vol. 10, (3). Public Library of Science (Plos).

Acute Cutaneous Wounds Treated with Human Decellularised Dermis Show Enhanced Angiogenesis during Healing.

. *Plos One* vol. 10, (1). Public Library of Science (Plos).

2014

Identification of biomarkers involved in differential profiling of hypertrophic and keloid scars versus normal skin.

. *Archives of Dermatological Research* vol. 307, (2) 115-133. Springer Nature.

Physico-chemical characteristics of coated silicone textured versus smooth breast implants differentially influence breast-derived fibroblast morphology and behaviour.

. *Journal of The Mechanical Behavior of Biomedical Materials* vol. 40, 140-155. Elsevier.

Skin equivalent tensional force alters keloid fibroblast behavior and phenotype.

. *Wound Repair and Regeneration* vol. 22, (5) 557-568. Wiley.

Numerical study of the hydrodynamic drag force in atomic force microscopy measurements undertaken in fluids.

. *Micron* vol. 66, 37-46. Elsevier.

Optical coherence tomography: a reliable alternative to invasive histological assessment of acute wound healing in human skin?13.

. *British Journal of Dermatology* vol. 170, (4) 840-850. Oxford University Press (Oup).

2013

Characterisation of breast implant surfaces and correlation with fibroblast adhesion.

. *Journal of The Mechanical Behavior of Biomedical Materials* vol. 21, 133-148. Elsevier.

Up-Regulation of Tension-Related Proteins in Keloids.

. *Plastic & Reconstructive Surgery* vol. 131, (2) 158e-173e. Wolters Kluwer.

2012

Optimization of the position of the acetabulum in a ganz periacetabular osteotomy by finite element analysis.

. *Journal of Orthopaedic Research* vol. 31, (3) 472-479. Wiley.

Differential cytotoxic response in keloid fibroblasts exposed to photodynamic therapy is dependent on photosensitiser precursor, fluence and location of fibroblasts within the lesion.

. *Archives of Dermatological Research* vol. 304, (7) 549-562. Springer Nature.

Changes in the stress in the femoral head neck junction after osteochondroplasty for hip impingement: A finite element study.

. *Journal of Orthopaedic Research* vol. 30, (12) 1999-2006. Wiley.

2011

Analytical solutions for vibrating fractal composite rods and beams.

. *Applied Mathematical Modelling* vol. 35, (3) 1194-1209. Elsevier.

2009

Simulation based Reliability Assessment of Services in the Context of Functional Products.

. *Safety and Reliability* vol. 29, (4) 47-78. Taylor & Francis.

2007

A solution methodology for contacting domains in pressure die casting.

. *Applied Mathematical Modelling* vol. 31, (8) 1559-1581. Elsevier.

2006

A rapid design process for Total Care Product creation.

. *Journal of Engineering Design* vol. 17, (6) 509-531. Taylor & Francis.

Warm deep drawing of wrought magnesium alloy sheets produced by semi-solid roll strip-casting process.

. *International Journal of Machine Tools and Manufacture* vol. 46, (11) 1233-1237. Elsevier.

Boundary element stress analysis for bi-metallic dies in pressure diecasting.

. *Journal of Materials Processing Technology* vol. 175, (1-3) 117-122. Elsevier.

Bi-metallic dies for rapid die casting.

. *Journal of Materials Processing Technology* vol. 175, (1-3) 109-116. Elsevier.

Experimental Investigation Into the Thermal Behavior of Copper-Alloyed Dies in Pressure Die Casting.

. *Journal of Manufacturing Science and Engineering* vol. 128, (4) 844-859. ASME International.

Boundary element stress analysis for copper-based dies in pressure die casting.

. *Computers & Structures* vol. 84, (3-4) 254-267. Elsevier.

2005

Effects of Rolling Condition on Warm Deep Drawability of Magnesium Alloy Sheets Produced by Twin-Roll Strip Casting.

. *Materials Science Forum* vol. 475-479, 489-492. Trans Tech Publications.

2004

The design of functional (total care) products.

. *Journal of Engineering Design* vol. 15, (6) 515-540. Taylor & Francis.

Semi-solid manufacturing process of magnesium alloys by twin-roll casting.

. *Journal of Materials Processing Technology* vol. 155, 1662-1667. Elsevier.

Forming Characteristics of Cast Magnesium Alloy Sheets Manufactured by Roll Strip Casting Process.

. *Key Engineering Materials* vol. 274-276, 379-384. Trans Tech Publications.

Integration over simplexes for accurate domain and boundary integral evaluation in boundary element methods.

. *Computers & Structures* vol. 82, (2-3) 193-211. Elsevier.

2002

The effect of vibration on surface finish for semisolid and cast components.

. *Journal of Materials Processing Technology* vol. 125, 543-548. Elsevier.

A coarse preconditioner for multi-domain boundary element equations.

. *Computers & Structures* vol. 80, (7-8) 643-658.Elsevier.

2001

Accurate evaluation of integrals present in reciprocity methods.

. *Computers & Structures* vol. 79, (29-30) 2511-2526.Elsevier.

1999

Semi-analytical integration of sub-parametric elements used in the BEM for three-dimensional elastodynamics.

. *Computers & Structures* vol. 71, (6) 595-615.Elsevier.

The 3D elastodynamic boundary element method: semianalytical integration for linear isoparametric triangular elements.

. *International Journal For Numerical Methods in Engineering* vol. 44, (8) 1031-1054.Wiley.