

Dr Tina Chowdhury

BSc, MSc, PhD, PGCAP, SFHEA

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 7560

email: t.t.chowdhury@qmul.ac.uk web: www.sems.qmul.ac.uk/t.t.chowdhury

2023

Cx43 regulates mechanotransduction mechanisms in human preterm amniotic membrane defects.

Costa E, Thrasivoulou C, Becker DL, Deprest JA, David AL and Chowdhury TT. *Prenatal Diagnosis*. Wiley.

Machine learning and disease prediction in obstetrics.

Arain Z, Iliodromiti S, Slabaugh G, David AL and Chowdhury TT. *Current Research in Physiology* vol. 6, Elsevier.

2021

Cx43 mediates changes in myofibroblast contraction and collagen release in human amniotic membrane defects after trauma.

Costa E, Okesola BO, Thrasivoulou C, Becker DL, Deprest JA, David AL and Chowdhury TT. *Scientific Reports* vol. 11, (1). Springer Nature.

The Mechanical Interplay Between Differentiating Mesenchymal Stem Cells and Gelatin-Based Substrates Measured by Atomic Force Microscopy.

Meng H, Chowdhury TT and Gavara N. *Frontiers in Cell and Developmental Biology* vol. 9, Frontiers.

2020

Potential sealing and repair of human FM defects after trauma with peptide amphiphiles and Cx43 antisense.

Barrett DW, Okesola BO, Costa E, Thrasivoulou C, Becker DL, Mata A, Deprest JA, David AL and Chowdhury TT. *Prenatal Diagnosis* vol. 41, (1) 89-99. Wiley.

Multicomponent hydrogels for the formation of vascularized bone-like constructs in vitro.

Derkus B, Okesola BO, BARRETT DW, D Este M, Chowdhury TT, Eglin D and Mata A. *Acta Biomaterialia*. Elsevier.

Microwave Frequency Dependent Dielectric Properties of Blood as a Potential Technique to Measure Hydration.

Dawsmith W, Ohtani N, Donnan R, Naftaly M, Dudley RA and Chowdhury TT. *Ieee Access* 1-1. Institute of Electrical and Electronics Engineers (Ieee).

Magnetically responsive layer-by-layer microcapsules can be retained in cells and under flow conditions to promote local drug release without triggering ROS production.

Read JE, Luo D, Chowdhury TT, Flower RJ, Poston RN, Sukhorukov GB and Gould DJ. *Nanoscale* vol. 12, (14) 7735-7748. Royal Society of Chemistry (Rsc).

2019

Strategies to Repair Defects in the Fetal Membrane.

Chowdhury TT, Barrett DW and David AL. *Fetal Therapy* 520-531. Cambridge University Press (Cup).

Targeting mechanotransduction mechanisms and tissue weakening signals in the human amniotic membrane.

BARRETT DW, John RK, Thrasivoulou C, MATA A, Deprest JA, Becker DL, David AL and CHOWDHURY TINA. *Scientific Reports*. Nature Publishing Group.

2018

Corrigendum for Engels, Joyeux, Van der Merwe, et al. (2017) DOI: 10.1002/pd.5191.

Engels AC, Joyeux L, Van der Merwe J, Jimenez J, Prapanus S, Barrett DW, Connon C, Chowdhury TT, David AL and Deprest J. *Prenatal Diagnosis* vol. 38, (6) 471-471. Wiley.

2017

Tissuepatch is biocompatible and seals iatrogenic membrane defects in a rabbit model.

Engels AC, Joyeux L, Van der Merwe J, Jimenez J, Prapanus S, Barrett DW, Connon C, Chowdhury TT, David AL and Deprest J. *Prenatal Diagnosis* vol. 38, (2) 99-105. Wiley.

Trauma induces overexpression of Cx43 in human fetal membrane defects.

Barrett DW, Kethees A, Thrasivoulou C, Mata A, Virasami A, Sebire NJ, Engels AC, Deprest JA, Becker DL, David AL and Chowdhury TT. *Prenatal Diagnosis* vol. 37, (9) 899-906.

2016

Connexin 43 is overexpressed in human fetal membrane defects after fetoscopic surgery.

Barrett DW, David AL, Thrasivoulou C, Mata A, Becker DL, Engels AC, Deprest JA and Chowdhury TT. *Prenatal Diagnosis* vol. 36, (10) 942-952.

Oxygen tension modulates the effects of TNF in compressed chondrocytes.

Tilwani RK, Vessillier S, Pingguan-Murphy B, Lee DA, Bader DL and Chowdhury TT. *Inflamm Res*.

2015

Imaging modalities for the in vivo surveillance of mesenchymal stromal cells.

Hossain MA, Chowdhury T and Bagul A. *J Tissue Eng Regen Med* vol. 9, (11) 1217-1224.

C-type natriuretic peptide signalling drives homeostatic effects in human chondrocytes.

Peake NJ, Bader DL, Vessillier S, Ramachandran M, Salter DM, Hobbs AJ and Chowdhury TT. *Biochemical and Biophysical Research Communications* vol. 465, (4) 784-789. Elsevier.

Polyelectrolyte microencapsules loaded with C-type natriuretic peptide protect cartilage from IL-1B induced damage.

Peake N, Pavlov A, D'Souza A, Alfasahin I, Pingguan-Murphy B, Sukhurokov G, Hobbs A and Chowdhury T. *Osteoarthritis and Cartilage* vol. 23, a141-a142. Elsevier.

Controlled Release of C-Type Natriuretic Peptide by Microencapsulation Dampens Proinflammatory Effects Induced by IL-1 in Cartilage Explants.

Peake NJ, Pavlov AM, D'Souza A, Pingguan-Murphy B, Sukhurokov GB, Hobbs AJ and CHOWDHURY TT. *Biomacromolecules*. American Chemical Society.

2014

Tensile strain increased COX-2 expression and PGE2 release leading to weakening of the human amniotic membrane.

Chowdhury B, David AL, Thrasivoulou C, Becker DL, Bader DL and Chowdhury TT. *Placenta* vol. 35, (12) 1057-1064. Elsevier.

Role of C-type natriuretic peptide signalling in maintaining cartilage and bone function.

Peake NJ, Hobbs AJ, Pingguan-Murphy B, Salter DM, Berenbaum F and Chowdhury TT. *Osteoarthritis and Cartilage* vol. 22, (11) 1800-1807. Elsevier.

Role of C-type natriuretic peptide signaling in maintaining cartilage and bone function.

Peake NJ, Hobbs AJ, Pingguan-Murphy B, Salter DM, Berenbaum F and CHOWDHURY TT. *Osteoarthritis and Cartilage* vol. online edition. Elsevier/Science Direct.

Imaging modalities for the in vivo surveillance of mesenchymal stromal cells.

Hossain MA, CHOWDHURY TT and Bagul A. *Journal of Tissue Engineering and Regenerative Medicine*. Wiley.

PFM.37 Cyclic tensile strain increases PGE2 release leading to weakening of the human term amniotic membrane.

Chowdhury B, David A, Bader D, Thrasyvoulou C, Becker D and Chowdhury T. *Archives of Disease in Childhood - Fetal and Neonatal Edition* vol. 99, (Suppl 1).Bmj.

51 integrin mediates compression-induced inhibition of catabolic effects induced by fibronectin fragments in an oxygen-dependent manner.

Parker E, Vessillier S, Abas WW, Bader DL, Pinguuan-Murphy B and Chowdhury TT. *Osteoarthritis and Cartilage* vol. 22,Elsevier.

2013

Low oxygen tension increased FN-f induced catabolic activities - response prevented with biomechanical signals.

Parker E, Vessillier S, Pinguuan-Murphy B, Wan Abas WAB, Bader DL and Chowdhury TT. *Arthritis Research and Therapy* vol. 15, (5) R163-R163.Biomed Central.

Natriuretic peptide receptors regulate cytoprotective effects in a human ex vivo 3D/bioreactor model.

Peake N, Su N, Ramachandran M, Achan P, Salter DM, Bader DL, Moyes AJ, Hobbs AJ and Chowdhury TT. *Arthritis Research and Therapy* vol. 15, (4).

Optimisation of quantitative real-time PCR studies in cartilage mechanobiology.

Akanji O, Salter DM and Chowdhury TT. *Pcr Technology. Current Innovations* 271-281. Editors: Nolan T and Bustin SA. Crc Pressi Llc.

FN-f induced catabolic activities are dependent on oxygen tension in chondrocyte/agarose constructs subjected to biomechanical signals.

Parker E, Pinguuan-Murphy B, Bader DL and Chowdhury TT. *Osteoarthritis and Cartilage* vol. 21,Elsevier.

Biological vascular grafts for hemodialysis access.

Hossain MA, Frampton AE, Chowdhury TT and Morsey M. *Expert Rev Med Devices* vol. 2, (10) 171-175.Informa Healthcare.

Optimization of Quantitative Real-Time PCR for Studies in Cartilage Mechanobiology.

Akanji O, Salter D and Chowdhury T. *Pcr Technology: Current Innovations, Third Edition* 271-281.

2012

Biomechanical conditioning enhanced matrix synthesis in nucleus pulposus cells cultured in agarase constructs with TGF.

CHOWDHURY TT, Tilwani RK and Bader DL. *Journal Functional Biomaterials* vol. 3, 23-26.Editors: Goldsmith EC and Lin SK.

2011

Biomechanical signals and the C-type natriuretic peptide counteract catabolic activities induced by IL-1 in chondrocyte/agarose constructs.

Ramachandran M, Achan P, Salter DM, Bader DL and Chowdhury TT. *Arthritis Research and Therapy* vol. 13, (5).

Biomechanical influence of cartilage homeostasis in health and disease.

Bader DL, Salter DM and Chowdhury TT. *Arthritis* vol. 2011,.

Quantification of mRNA using real-time PCR and Western blot analysis of MAPK events in chondrocyte/agarose constructs.

Lee DA, Brand J, Salter D, Akanji O-O and Chowdhury TT. *Methods Mol Biol* vol. 695, 77-97.

2010

Biomechanical modulation of collagen fragment-induced anabolic and catabolic activities in chondrocyte/agarose constructs.

Chowdhury TT, Schulz RM, Rai SS, Thuemmler CB, Wuestneck N, Bader A and Homandberg GA. *Arthritis Research and Therapy* vol. 12, (3).

Mechanical loading modulates chondrocyte primary cilia incidence and length.

McGlashan SR, Knight MM, Chowdhury TT, Joshi P, Jensen CG, Kennedy S and Poole CA. *Cell Biology International* vol. 34, (5) 441-446.

Dynamic compression alters NFB activation and IB- expression in IL-1-stimulated chondrocyte/agarose constructs.

Akanji OO, Sakthithasan P, Salter DM and Chowdhury TT. *Inflammation Research* vol. 59, (1) 41-52.

2009

458 DYNAMIC COMPRESSION ALTERS NF κ B ACTIVATION AND I κ B- EXPRESSION IN IL-1 STIMULATED CHONDROCYTE/AGAROSE CONSTRUCTS.

Akanji OO, Salter DM and Chowdhury TT. *Osteoarthritis and Cartilage* vol. 17, s245-s246.Elsevier.

Dynamic compression inhibits fibronectin fragment induced iNOS and COX-2 expression in chondrocyte/agarose constructs.

Raveenthiran SP and Chowdhury TT. *Biomechanics and Modeling in Mechanobiology* vol. 8, (4) 273-283.

2008

451 DYNAMIC COMPRESSION COUNTERACTS FIBRONECTIN-FRAGMENT INDUCED INOS AND COX-2 EXPRESSION IN CHONDROCYTE/AGAROSE CONSTRUCTS.

Raveenthiran SP and Chowdhury TT. *Osteoarthritis and Cartilage* vol. 16, s195-s196.Elsevier.

Signal transduction pathways involving p38 MAPK, JNK, NF kappa B and AP-1 influences the response of chondrocytes cultured in agarose constructs to IL-1 beta and dynamic compression.

Chowdhury TT, Salter DM, Bader DL and Lee DA. *Inflamm Res* vol. 57, (7) 306-313.

Dynamic compression counteracts IL-1beta induced inducible nitric oxide synthase and cyclo-oxygenase-2 expression in chondrocyte/agarose constructs.

Chowdhury TT, Arghandawi S, Brand J, Akanji OO, Bader DL, Salter DM and Lee DA. *Arthritis Res Ther* vol. 10, (2).

Dynamic compression influences interleukin-1 beta-induced nitric oxide and prostaglandin E-2 release by articular chondrocytes via alterations in iNOS and COX-2 expression.

Chowdhury TT, Akanji OO, Salter DM, Bader DL and Lee DA. *Biorheology* vol. 45, (3-4) 257-274.

2007

52 REAL-TIME PCR USING MOLECULAR BEACONS TO DETECT INOS AND COX-2 EXPRESSION IN CHONDROCYTE/AGAROSE CONSTRUCTS SUBJECTED TO IL-1 AND DYNAMIC COMPRESSION.

Chowdhury TT, Akanji OO, Arghandawi S, Salter DM, Bader DL and Lee DA. *Osteoarthritis and Cartilage* vol. 15, c42-c43.Elsevier.

Loading alters actin dynamics and up-regulates cofilin gene expression in chondrocytes.

Campbell JJ, Blain EJ, Chowdhury TT and Knight MM. *Biochemical and Biophysical Research Communications* vol. 361, (2) 329-334.

2006

Purinergic pathway suppresses the release of NO and stimulates proteoglycan synthesis in chondrocyte/agarose constructs subjected to dynamic compression.

Chowdhury TT and Knight MM. *Journal of Cellular Physiology* vol. 209, (3) 845-853.

Integrin-mediated mechanotransduction in IL-1 beta stimulated chondrocytes.

Chowdhury TT, Appleby RN, Salter DM, Bader DA and Lee DA. *Biomech Model Mechanobiol* vol. 5, (2-3) 192-201.

Anti-inflammatory effects of IL-4 and dynamic compression in IL-1beta stimulated chondrocytes.

Chowdhury TT, Bader DL and Lee DA. *Biochem Biophys Res Commun* vol. 339, (1) 241-247.

P140 DYNAMIC COMPRESSION COUNTERACTS FIBRONECTIN FRAGMENT INDUCED UPREGULATION OF NITRIC OXIDE.

Chowdhury TT, Raveenthiran SP, Bader DL and Lee DA. *Osteoarthritis and Cartilage* vol. 14,.Elsevier.

2005

British Society for Matrix Biology Autumn Meeting Joint with the UK Tissue & Cell Engineering Society, University of Bristol, UK.

. *International Journal of Experimental Pathology* vol. 86, (3) a1-a56. Wiley.

2004

Integrin-mediated mechanotransduction processes in TGFbeta-stimulated monolayer-expanded chondrocytes.

Chowdhury TT, Salter DM, Bader DL and Lee DA. *Biochem Biophys Res Commun* vol. 318, (4) 873-881.

Crosslinking density influences chondrocyte metabolism in dynamically loaded photocrosslinked poly(ethylene glycol) hydrogels.

Bryant SJ, Chowdhury TT, Lee DA, Bader DL and Anseth KS. *Ann Biomed Eng* vol. 32, (3) 407-417.

2003

Temporal regulation of chondrocyte metabolism in agarose constructs subjected to dynamic compression.

Chowdhury TT, Bader DL, Shelton JC and Lee DA. *Arch Biochem Biophys* vol. 417, (1) 105-111.

Dynamic compression counteracts IL-1 beta-induced release of nitric oxide and PGE2 by superficial zone chondrocytes cultured in agarose constructs.

Chowdhury TT, Bader DL and Lee DA. *Osteoarthritis Cartilage* vol. 11, (9) 688-696.

2001

Dynamic compression inhibits the synthesis of nitric oxide and PGE(2) by IL-1beta-stimulated chondrocytes cultured in agarose constructs.

Chowdhury TT, Bader DL and Lee DA. *Biochem Biophys Res Commun* vol. 285, (5) 1168-1174.