

**Dr Wei Tan**  
BEng, PhD, FHEA, MIMMM

School of Engineering and Materials Science  
Queen Mary University of London  
Mile End Road  
London E1 4NS

tel: +44 (0)20 7882 8943  
email: wei.tan@qmul.ac.uk web: www.sems.qmul.ac.uk/wei.tan

---

## 2023

**Inverse design and additive manufacturing of shape-morphing structures based on functionally graded composites.**

Kansara H, Liu M, He Y and Tan W. *Journal of The Mechanics and Physics of Solids* vol. 180,.Elsevier.

**Enhanced composite thermal conductivity by percolated networks of in-situ confined-grown carbon nanotubes.**

Zhang X, Tan W, Carey T, Wen B, He D, Arbab A, Groombridge A, Smail F, de La Verpilliere J, Yao C, Wang Y, Wei X, Liu H, Xie S, Torrisi F, De Volder M, Zhou W and Boies A. *Nano Research* vol. 16, (11) 12821-12829. Springer Nature.

**Temperature-dependent cutting physics in orthogonal cutting of carbon fibre reinforced thermoplastic (CFRTP) composite.**

Ge J, Tan W, Ahmad S, Falzon BG, Catalanotti G, Higgins C, Jin Y and Sun D. *Composites Part a: Applied Science and Manufacturing* vol. 176,.Elsevier.

**Electrical, mechanical and damage self-sensing properties of basalt fiber reinforced polymer composites modified by electrophoretic deposition.**

Sun H, Xiang D, Zhang J, Tan W, Harkin-Jones E, Wang J, Wang M, Wang B, Zhao C, Li H, Li Z, Li Y and Wu Y. *Progress in Natural Science: Materials International* vol. 33, (5) 593-600. Elsevier.

**Porosity-dependent stability analysis of bio-inspired cellular nanocomposite shells.**

Sobhani Aragh B, Tan W, Borzabadi Farahani E, Al-Greer M and Hughes D. *International Journal of Mechanical Sciences*.Elsevier.

**Enhanced interfacial interaction, mechanical properties and thermal stability of basalt fiber/epoxy composites with multi-scale reinforcements.**

Xiang D, Shui T, Qiao H, Tan W, Harkin-Jones E, Zhang J, Ji P, Wang P, Wang B, Zhao C, Li H, Wu Y and Li Y. *Composite Interfaces* vol. 30, (12) 1387-1409. Taylor & Francis.

**Hygroscopic phase field fracture modelling of composite materials.**

Au-Yeung K, Quintanas-Corominas A, Martínez-Pañeda E and Tan W. *Engineering With Computers*.Springer.

**Modelling fatigue behaviours and lifetimes of novel GLARE laminates under random loading spectrum.**

Cheng ZQ, Tan W, Xiong JJ, He EM, Xiong TH and Wang YP. *Composite Structures* vol. 311,.Elsevier.

## 2022

**Understanding Chip Formation in Orthogonal Cutting of Aeronautical Thermoplastic CF/PEKK Composites Based on Finite Element Method.**

Ge J, Tan W, Catalanotti G, Falzon BG, McClelland J, Higgins C, Jin Y and Sun D. *Advances in Manufacturing Technology* Xxxv. Ios Press.

**Modular multistable metamaterials with reprogrammable mechanical properties.**

Mao JJ, Wang S, Tan W and Liu M. *Engineering Structures* vol. 272,.Elsevier.

**Modelling Pre-fatigue, Low-velocity Impact and Post-impact Fatigue Behaviours of Composite Helicopter Tail Structures under Multipoint Coordinated Loading Spectrum.**

Tan W. *Thin-Walled Structures*. Elsevier.

**Influence of high-temperature, high-pressure, and acidic conditions on the structure and properties of high-performance organic fibers.**

Wang X, Li P, Xiang D, Wang B, Zhang Z, Zhang J, Zhao C, Li H, Tan W, Wang J and Li Y. *Materials Testing* vol. 64, (5) 623-635. De Gruyter.

**Phase field fracture predictions of microscopic bridging behaviour of composite materials.**

Tan W and Martínez-Pañeda E. *Composite Structures* vol. 286,. Elsevier.

## 2021

**Fatigue Crack Growth and Life Prediction of 7075-T62 Aluminium-alloy Thin-sheets with Low-velocity Impact Damage under Block Spectrum Loading.**

Cheng Z-Q, Xiong J-J and Tan W. *International Journal of Fatigue* 106618-106618. Elsevier.

**The Nail Penetration Behaviour of Carbon Nanotube Composite Electrodes for Energy Storage.**

Koliolios E, Mills DG, Busfield JJC and Tan W. *Frontiers in Materials* vol. 8, 741541-741541. Frontiers Media.

**High-Performance Flexible Strain Sensors Based on Biaxially Stretched Conductive Polymer Composites with Carbon Nanotubes Immobilized on Reduced Graphene Oxide.**

Zhang X, Xiang D, Wu Y, Harkin-Jones E, Shen J, Ye Y, Tan W, Wang J, Wang P, Zhao C and Li Y. *Composites Part a: Applied Science and Manufacturing* 106665-106665. Elsevier.

**Progressive damage modelling and fatigue life prediction of Plain-weave composite laminates with Low-velocity impact damage.**

Cheng Z-Q, Tan W and Xiong J-J. *Composite Structures* vol. 273,. Elsevier.

**The mechanical and electrochemical properties of polyaniline-coated carbon nanotube mat.**

Tan W, Stallard JC, Jo C, De Volder MFL and Fleck NA. *Journal of Energy Storage* vol. 41,. Elsevier.

**A crystal plasticity phenomenological model to capture the non-linear shear response of carbon fibre reinforced composites.**

Tan W and Falzon BG. *International Journal of Lightweight Materials and Manufacture* vol. 4, (1) 99-109.

**Catalyst-Mediated Enhancement of Carbon Nanotube Textiles by Laser Irradiation: Nanoparticle Sweating and Bundle Alignment.**

Gspann TS, Kaniyoor A, Tan W, Kloza PA, Bulmer JS, Mizen J, Divitini G, Terrones J, Tune D, Cook JD, Smail FR and Elliott JA. *Catalysts* vol. 11, (3) 368-368. Mdpi Ag.

## 2020

**Phase field predictions of microscopic fracture and R-curve behaviour of fibre-reinforced composites.**

Tan W and Martínez-Pañeda E. *Composites Science and Technology* 108539-108539. Elsevier Bv.

**A physically-based constitutive model for the shear-dominated response and strain rate effect of carbon fibre reinforced composites.**

Tan W and Liu B. *Composites Part B: Engineering*. Wang H. Elsevier.

## 2019

**Experimental study on shear properties of concrete pile-clay interface considering surface roughness of structure.**

Wang Y, Li Y, Tan W, Tang M and Du W. *Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)* vol. 50, (10) 2502-2509.

**The mechanical and electrical properties of direct-spun carbon nanotube mat-epoxy composites.**

Tan W, Stallard JC, Smail FR, Boies AM and Fleck NA. *Carbon* vol. 150, 489-504.

**Compressive failure of woven fabric reinforced thermoplastic composites with an open-hole: An experimental and numerical study.**

Liu H, Falzon BG, Li S, Tan W, Liu J, Chai H, Blackman BRK and Dear JP. *Composite Structures* vol. 213, 108-117. Elsevier.

**Assessment of failure criteria and damage evolution methods for composite laminates under low-velocity impact.**

Li X, Ma D, Liu H, Tan W, Gong X, Zhang C and Li Y. *Composite Structures* vol. 207, 727-739. Elsevier.

## 2018

**Cohesive zone modeling of the autoclave pressure effect on the delamination behavior of composite laminates.**

Chang T, Zhan L, Tan W and Wu X. *Journal of Reinforced Plastics and Composites* vol. 37, (24) 1468-1480. Sage Publications.

**An experimental method to determine the intralaminar fracture toughness of high-strength carbon-fibre reinforced composite aerostructures.**

Liu H, Falzon BG, Catalanotti G and Tan W. *The Aeronautical Journal* vol. 122, (1255) 1352-1370.

**High-fidelity characterization on anisotropic thermal conductivity of carbon nanotube sheets and on their effects of thermal enhancement of nanocomposites.**

Zhang X, Tan W, Smail F, De Volder M, Fleck N and Boies A. *Nanotechnology* vol. 29, (36). Iop Publishing.

**The mechanical and electrical properties of direct-spun carbon nanotube mats.**

Stallard JC, Tan W, Smail FR, Gspann TS, Boies AM and Fleck NA. *Extreme Mechanics Letters* vol. 21, 65-75.

**The role of interfacial properties on the intralaminar and interlaminar damage behaviour of unidirectional composite laminates: Experimental characterization and multiscale modelling.**

Tan W, Naya F, Yang L, Chang T, Falzon BG, Zhan L, Molina-Aldareguía JM, Gonzlez C and Llorca J. *Composites Part B: Engineering* vol. 138, 206-221.

**Experimental and numerical studies on the impact response of damage-tolerant hybrid unidirectional/woven carbon-fibre reinforced composite laminates.**

Liu H, Falzon BG and Tan W. *Composites Part B Engineering* vol. 136, 101-118. Elsevier.

**A multiscale methodology quantifying the sintering temperature-dependent mechanical properties of oxide matrix composites.**

Jiang R, Yang L, Liu H, Tan W, Sun X, Cheng H and Mao W. *Journal of The American Ceramic Society* vol. 101, (7) 3168-3180. Wiley.

**Predicting the Compression-After-Impact (CAI) strength of damage-tolerant hybrid unidirectional/woven carbon-fibre reinforced composite laminates.**

Liu H, Falzon BG and Tan W. *Composites Part a Applied Science and Manufacturing* vol. 105, 189-202. Elsevier.

## 2017

**Comment on A tensorial based progressive damage model for fibre reinforced polymers.**

Falzon BG, Liu H and Tan W. *Composite Structures* vol. 176, 877-882. Elsevier.

**Effect of autoclave pressure on interfacial properties at micro- and macro- level in polymer-matrix composite laminates.**

Chang T, Zhan L, Tan W and Li S. *Fibers and Polymers* vol. 18, (8) 1614-1622. Springer Nature.

**Optimization of curing process for polymer-matrix composites based on orthogonal experimental method.**

Chang T, Zhan L, Tan W and Li S. *Fibers and Polymers* vol. 18, (1) 148-154. Springer Nature.

## 2016

**Virtual Testing of Composite Structures: Progress and Challenges in Predicting Damage, Residual Strength and Crashworthiness.**

Falzon BG and Tan W. *The Structural Integrity of Carbon Fiber Composites* 699-743. Springer Nature.

**Modelling the crush behaviour of thermoplastic composites.**

Tan W and Falzon BG. *Composites Science and Technology* vol. 134, 57-71. Elsevier.

**The role of material characterisation in the crush modelling of thermoplastic composite structures.**

Tan W, Falzon BG, Price M and Liu H. *Composite Structures* vol. 153, 914-927. Elsevier.

**Void content and interfacial properties of composite laminates under different autoclave cure pressure.**

Chang T, Zhan L, Tan W and Li S. *Composite Interfaces* vol. 24, (5) 529-540. Taylor & Francis.

**Predicting Impact Damage, Residual Strength and Crashworthiness of Composite Structures.**

Falzon B and Tan W. *Sae International Journal of Materials and Manufacturing* vol. 9, (3) 718-728. Sae International.

**Modelling the nonlinear behaviour and fracture process of AS4/PEKK thermoplastic composite under shear loading.**

Tan W and Falzon BG. *Composites Science and Technology* vol. 126, 60-77. Elsevier.

## 2015

**Predicting low velocity impact damage and Compression-After-Impact (CAI) behaviour of composite laminates.**

Tan W, Falzon BG, Chiu LNS and Price M. *Composites Part a Applied Science and Manufacturing* vol. 71, 212-226. Elsevier.

**Electromagnetic characteristics of large gap magnetic driving axial flow blood pump.**

Tan Z, Tan J, Liu Y and Tan W. *Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)* vol. 46, (1) 99-106.

## 2014

**Predicting the crushing behaviour of composite material using high-fidelity finite element modelling.**

Tan W, Falzon BG and Price M. *International Journal of Crashworthiness* vol. 20, (1) 60-77. Taylor & Francis.