

**Prof Alvaro Mata**  
BSc, MSc, DEng

School of Engineering and Materials Science  
Queen Mary University of London  
Mile End Road  
London E1 4NS

tel: +44 (0)20 7882 6279  
email: a.mata@qmul.ac.uk web: www.sems.qmul.ac.uk/a.mata

---

## 2019

**Self-Assembling Hydrogels Based on a Complementary Host-Guest Peptide Amphiphile Pair.**  
Redondo-Gmez C, Abdouni Y, Becer CR and Mata A. *Biomacromolecules* vol. 20, (6) 2276-2285.

**Targeting mechanotransduction mechanisms and tissue weakening signals in the human amniotic membrane.**  
. *Scientific Reports* vol. 9, (1). Springer Science and Business Media Llc.

## 2018

**Protein disorder-order interplay to guide the growth of hierarchical mineralized structures.**  
. *Nature Communications* vol. 9, (1).

**Hierarchical Biomineralization: from Nature's Designs to Synthetic Materials for Regenerative Medicine and Dentistry.**  
Elsharkawy S and Mata A. *Adv Healthc Mater* vol. 7, (18).

**Claim to FAME.**

Mata A. *Nat Chem* vol. 10, (5) 485-487.

**Multicomponent self-assembly as a tool to harness new properties from peptides and proteins in materials design.**  
MATA A. *Chemical Society Reviews*. Royal Society of Chemistry.

**Hydrodynamically Guided Hierarchical Self-Assembly of PeptideProtein Bioinks.**  
Hedegaard CL, Collin EC, Redondo-Gmez C, Nguyen LTH, Ng KW, Castrejn-Pita AA, Castrejn-Pita JR and Mata A. *Advanced Functional Materials* vol. 28, (16).

**3D Electrophoresis-Assisted Lithography (3DEAL): 3D Molecular Printing to Create Functional Patterns and Anisotropic Hydrogels.**  
Aguilar JP, Lipka M, Primo GA, Licon-Bernal EE, Fernndez-Pradas JM, Yaroshchuk A, Albericio F and Mata A. *Advanced Functional Materials* vol. 28, (15).

**A fluidic device for the controlled formation and real-time monitoring of soft membranes self-assembled at liquid interfaces.**  
MATA A. *Scientific Reports*. Nature Publishing Group.

## 2017

**Nanostructured interfacial self-assembled peptidepolymer membranes for enhanced mineralization and cell adhesion.**

Ribeiro S, Radvar E, Shi Y, Borges J, Pirraco RP, Leonor IB, Mano JF, Reis RL, Mata Á and Azevedo HS. *Nanoscale* vol. 9, (36) 13670-13682. Royal Society of Chemistry (Rsc).

**Trauma induces overexpression of Cx43 in human fetal membrane defects.**  
. *Prenatal Diagnosis* vol. 37, (9) 899-906. Wiley.

**Elastin-Like Protein, with Statherin Derived Peptide, Controls Fluorapatite Formation and Morphology.**  
Shuturminska K, Tarakina NV, Azevedo HS, Bushby AJ, Mata A, Anderson P and Al-Jawad M. *Front Physiol* vol. 8, 368-368.

**Cross-linking of a biopolymer-peptide co-assembling system.**  
Inostroza-Brito KE, Collin EC, Majkowska A, Elsharkawy S, Rice A, Del Río Hernández AE, Xiao X, Rodríguez-Cabello J and Mata A. *Acta Biomater* vol. 58, 80-89.

**Bone and cartilage differentiation of a single stem cell population driven by material interface.**  
Donnelly H, Smith CA, Sweeten PE, Gadegaard N, Meek D, D'Este MD, MATA A, Eglin D and Dalby MJ. *Journal of Tissue Engineering* vol. 8,.Sage Publications.

**New Bioengineering Breakthroughs and Enabling Tools in Regenerative Medicine.**  
. *Current Stem Cell Reports* vol. 3, (2) 83-97.Springer Science and Business Media Llc.

## 2016

**Preferential nucleation and crystal growth on micro fabricated topography.**  
Elsharkawy S, Tejeda-Montes E, Al-Jawad M and MATA A. *Materials Today*.

**Connexin 43 is overexpressed in human fetal membrane defects after fetoscopic surgery.**  
. *Prenatal Diagnosis* vol. 36, (10) 942-952.Wiley.

## 2015

**Development of tailored and self-mineralizing citric acid-crosslinked hydrogels for in situ bone regeneration.**  
Sánchez-Ferrero A, Mata Á, Mateos-Timoneda MA, Rodríguez-Cabello JC, Alonso M, Planell J and Engel E. *Biomaterials* vol. 68, 42-53.

**Co-Assembly, spatiotemporal control and morphogenesis of a hybrid protein-peptide system.**  
Inostroza-Brito KE, Collin E, Sitton-Mendelson O, Smith KH, Monge-Marcet A, Ferreira DS, Rodríguez RP, Alonso M, Rodríguez-Cabello JC, Reis RL, Sagués F, Botto L, Bitton R, Azevedo HS and Mata A. *Nature Chemistry* vol. 7, (11) 897-904.

**Injectable Hyaluronan Hydrogels with Peptide-Binding Dendrimers Modulate the Controlled Release of BMP-2 and TGF-?1.**  
Seelbach RJ, Fransen P, Pulido D, D'Este M, Duttenhoefer F, Sauerbier S, Freiman TM, Niemeyer P, Albericio F, Alini M, Royo M, Mata A and Eglin D. *Macromol Biosci* vol. 15, (8) 1035-1044.

**Effective and durable genetic modification of human mesenchymal stem cells via controlled release of rAAV vectors from self-assembling peptide hydrogels with a maintained differentiation potency.**  
Rey-Rico A, Venkatesan JK, Frisch J, Schmitt G, Monge-Marcet A, Lopez-Chicon P, Mata A, Semino C, Madry H and Cuccharini M. *Acta Biomater* vol. 18, 118-127.

**Bimolecular based heparin and self-assembling hydrogel for tissue engineering applications.**  
Fernández-Muiños T, Recha-Sancho L, López-Chicón P, Castells-Sala C, Mata A and Semino CE. *Acta Biomater* vol. 16, 35-48.

**Copper catalyst efficiency for the CuAAC synthesis of a poly(N-isopropylacrylamide) conjugated hyaluronan.**  
Seelbach RJ, D'Este M, Alini M, Mata A and Eglin D. *Clin Hemorheol Microcirc* vol. 60, (1) 25-37.

## 2014

**Multivalent dendrimers presenting spatially controlled clusters of binding epitopes in thermoresponsive hyaluronan hydrogels.**  
Seelbach RJ, Fransen P, Peroglio M, Pulido D, Lopez-Chicon P, Duttenhoefer F, Sauerbier S, Freiman T, Niemeyer P, Semino C, Albericio F, Alini M, Royo M, Mata A and Eglin D. *Acta Biomater* vol. 10, (10) 4340-4350.

**Mineralization and bone regeneration using a bioactive elastin-like recombinamer membrane.**  
Tejeda-Montes E, Klymov A, Nejadnik MR, Alonso M, Rodriguez-Cabello JC, Walboomers XF and Mata A. *Biomaterials* vol. 35, (29) 8339-8347.

**Bioactive membranes for bone regeneration applications: effect of physical and biomolecular signals on mesenchymal stem cell behavior.**

Tejeda-Montes E, Smith KH, Rebollo E, Gmez R, Alonso M, Rodriguez-Cabello JC, Engel E and Mata A. *Acta Biomater vol. 10, (1) 134-141.*

## 2013

**Fabrication of hierarchical micro-nanotopographies for cell attachment studies.**

Lpez-Bosque MJ, Tejeda-Montes E, Cazorla M, Linacero J, Atienza Y, Smith KH, Llad A, Colombelli J, Engel E and Mata A. *Nanotechnology vol. 24, (25).*

**Co-assembled and microfabricated bioactive membranes.**

Mendes AC, Smith KH, Tejeda-Montes E, Engel E, Reis RL, Azevedo HS and Mata A. *Advanced Functional Materials vol. 23, (4) 430-438.*

**TISSUE ENGINEERING FOR ARTICULAR CARTILAGE REPAIR - THE STATE OF THE ART.**

Johnstone B, Alini M, Cucchiari M, Dodge GR, Eglin D, Guilak F, Madry H, Mata A, Mauck RL, Semino CE and Stoddart MJ. *European Cells & Materials vol. 25, 248-267.*

## 2012

**Engineering membrane scaffolds with both physical and biomolecular signaling.**

Tejeda-Montes E, Smith KH, Poch M, Lpez-Bosque MJ, Martn L, Alonso M, Engel E and Mata A. *Acta Biomaterialia vol. 8, (3) 998-1009.*

**Design of biomolecules for nanoengineered biomaterials for regenerative medicine.**

Mata A, Palmer L, Tejeda-Montes E and Stupp SI. *Methods in Molecular Biology vol. 811, 39-49.*

## 2011

**Integrating top-down and self-assembly in the fabrication of peptide and protein-based biomedical materials.**

Smith KH, Tejeda-Montes E, Poch M and Mata A. *Chemical Society Reviews vol. 40, (9) 4563-4577.*

**Micro and nanotechnologies for bioengineering regenerative medicine scaffolds.**

Mata A. *International Journal of Biomedical Engineering and Technology vol. 5, (2-3) 266-291.*

## 2010

**Bone regeneration mediated by biomimetic mineralization of a nanofiber matrix.**

Mata A, Geng Y, Henrikson KJ, Aparicio C, Stock SR, Satcher RL and Stupp SI. *Biomaterials vol. 31, (23) 6004-6012.*

**A self-assembly pathway to aligned monodomain gels.**

Zhang S, Greenfield MA, Mata A, Palmer LC, Bitton R, Mantei JR, Aparicio C, De La Cruz MO and Stupp SI. *Nature Materials vol. 9, (7) 594-601.*

**Post microtextures accelerate cell proliferation and osteogenesis.**

Kim EJ, Boehm CA, Mata A, Fleischman AJ, Muschler GF and Roy S. *Acta Biomaterialia vol. 6, (1) 160-169.*

## 2009

**A three-dimensional scaffold with precise micro-architecture and surface micro-textures.**

Mata A, Kim EJ, Boehm CA, Fleischman AJ, Muschler GF and Roy S. *Biomaterials vol. 30, (27) 4610-4617.*

**Micropatterning of bioactive self-assembling gels.**

Mata A, Hsu L, Capito R, Aparicio C, Henrikson K and Stupp SI. *Soft Matter vol. 5, (6) 1228-1236.*

## 2008

**Bioactive nanofibers instruct cells to proliferate and differentiate during enamel regeneration.**

Huang Z, Sargent TD, Hulvat JF, Mata A, Bringas P, Koh CY, Stupp SI and Snead ML. *Journal of Bone and Mineral Research vol. 23, (12) 1995-2006.*

**Self-assembly of large and small molecules into hierarchically ordered sacs and membranes.**  
Capito RM, Azevedo HS, Velichko YS, Mata A and Stupp SI. *Science* vol. 319, (5871) 1812-1816.

**Hybrid bone implants: Self-assembly of peptide amphiphile nanofibers within porous titanium.**  
Sargeant TD, Guler MO, Oppenheimer SM, Mata A, Satcher RL, Dunand DC and Stupp SI. *Biomaterials* vol. 29, (2) 161-171.

## 2006

**Fabrication of multi-layer SU-8 microstructures.**  
Mata A, Fleischman AJ and Roy S. *Journal of Micromechanics and Microengineering* vol. 16, (2) 276-284.

## 2005

**Characterization of polydimethylsiloxane (PDMS) properties for biomedical micro/nanosystems.**  
Mata A, Fleischman AJ and Roy S. *Biomedical Microdevices* vol. 7, (4) 281-293.

**Expanding Frontiers in Biomaterials.**  
Stupp SI, Donners JJM, Li L-S and Mata A. *Mrs Bulletin* vol. 30, (11) 864-873. Cambridge University Press (Cup).

## 2003

**Osteoblast attachment to a textured surface in the absence of exogenous adhesion proteins.**  
Mata A, Su X, Fleischman AJ, Roy S, Banks BA, Miller SK and Midura RJ. *IEEE Trans Nanobioscience* vol. 2, (4) 287-294.

## 2002

**Growth of connective tissue progenitor cells on microtextured polydimethylsiloxane surfaces.**  
Mata A, Boehm C, Fleischman AJ, Muschler G and Roy S. *Journal of Biomedical Materials Research* vol. 62, (4) 499-506.

**Analysis of connective tissue progenitor cell behavior on polydimethylsiloxane smooth and channel micro-textures.**  
Mata A, Boehm C, Fleischman AJ, Muschler G and Roy S. *Biomedical Microdevices* vol. 4, (4) 267-275.