

Dr Hasan Shaheed

PhD (Sheffield), PGCAP (London), SFHEA, MIEEE, CEng, MIET, NTF

School of Engineering and Materials Science
Queen Mary University of London
Mile End Road
London E1 4NS

tel: +44 (0)20 7882 7520

email: m.h.shaheed@qmul.ac.uk web: www.sems.qmul.ac.uk/m.h.shaheed

2023

Adaptive Input Shaper for Payload Swing Control of a 5-DOF Tower Crane with Parameter Uncertainties and Obstacle Avoidance.

Shaheed M, Rahman SMFU, Mohamed Z, Husain AR, Ramli L, Abbasi MA and Anjum W. *Automation in Construction*.Elsevier.

2022

Development and economic viability analysis of photovoltaic (PV) energy powered decentralized ultrafiltration of rainwater for potable use.

Baú SRC, Bevegnu M, Giubel G, Gamba V, Cadore JS, Brião VB and Shaheed MH. *Journal of Water Process Engineering vol. 50,Elsevier.*

Active Blade Pitch Control and Stabilization of a Wind Turbine Driven PMSG For Power Output Regulation.

Chen YX, Shaheed MH and Vepa R. *Wind Engineering*.McGowan JG. *Sage Publications.*

Optimised Sliding Mode Control of a Hexacopter: Simulation and Experiments.

Sun C, Agha SA, Mohamed Z and Shaheed MH. *Electronics vol. 11, (16).Mdpi.*

Input shaping with an adaptive scheme for swing control of an underactuated tower crane under payload hoisting and mass variations.

Rehman SMFU, Mohamed Z, Husain AR, Jaafar HI, Shaheed MH and Abbasi MA. *Mechanical Systems and Signal Processing vol. 175,Elsevier.*

Grey-box modelling and fuzzy logic control of a Leader-Follower Robot manipulator system: A hybrid Grey Wolf Whale Optimization approach.

Obadina OO, Thaha MA, Mohamed Z and Shaheed MH. *Isa Transactions*.Elsevier.

Impact of hydrodynamic conditions on optimum power generation in dual stage pressure retarded osmosis using spiral-wound membrane.

AlZainati N, Yadav S, Altaee A, Subbiah S, Zaidi SJ, Zhou J, Al-Juboori RA, Chen Y and Shaheed MH. *Energy Nexus vol. 5,Elsevier.*

2021

Optimal design of a scaled-up PRO system using swarm intelligence approach.

Chen Y, Shi Z, Xu B and Shaheed MH. *Science China Information Sciences vol. 64, (12).Springer Nature.*

Optimal Trajectory Synthesis for Spacecraft Asteroid Rendezvous.

Vepa R and Shaheed MH. *Symmetry*.Editors: Garcia JL and Awrejcewicz J. *Mdpi.*

Hybrid renewable energy/hybrid desalination potentials for remote areas: Selected cases studied in Egypt.

El-Hady B Kashyout A, Hassan A, Hassan G, El-Banna Fath H, El-Wahab Kassem A, Elshimy H, Ranjanvepa and Shaheed MH. *Rsc Advances vol. 11, (22) 13201-13219.*

Dynamic characterization of a masterslave robotic manipulator using a hybrid grey wolfwhale optimization algorithm.

Obadina OO, Thaha MA, Althoefer K and Shaheed MH. *Journal of Vibration and Control* 10775463211-10775463211. Sage Publications.

Control of an Underactuated Double-Pendulum Overhead Crane using Improved Model Reference Command Shaping: Design, Simulation and Experiment.

Jaafar HI, Mohamed Z, Ahmad MA, Wahab NA, Ramli L and Shaheed M. *Mechanical Systems and Signal Processing* vol. 151, (2021). Elsevier.

2020

Response to comments on Flying by the Sun only: The Solarcopter prototype, 45 (2015) 209-214.

Shaheed MH, Abidali A, Agha SA, Ahmed J, Ahmed S, Burba I, Fani PJ, Kwofie G, Wojewoda K and Munjiza A. *Aerospace Science and Technology* vol. 107, (2020) 106309-106309. Elsevier.

Development of an off-grid solar energy powered reverse osmosis desalination system for continuous production of freshwater with integrated photovoltaic thermal (PVT) cooling.

Monjezi AA, Chen Y, Vepa R, Kashyout AE-HB, Hassan G, Fath H, Kassem AE-W and Shaheed MH. *Desalination* vol. 495, (2020). Elsevier.

2019

Optimization of module pressure retarded osmosis membrane for maximum energy extraction.

Chen Y, Alanezi AA, Zhou J, Altaee A and Shaheed MH. *Journal of Water Process Engineering* vol. 32,.

2018

A Modified Computed Torque Control Approach for a Master-Slave Robot Manipulator System.

OBADINA OO, THAHA MA, ALTHOEFER K and SHAHEED MH. *Lecture Notes in Computer Science* 28-39. Editors: Giuliani M, Assaf T and Giannaccini ME. Springer Verlag.

Enhanced and Speedy Energy Extraction from a scaled-up Pressure Retarded Osmosis process with a Whale Optimization based Maximum Power Point Tracking.

CHEN Y, SHAHEED MH and VEPA R. *Energy* vol. 153, (2018) 618-627. Elsevier.

2017

Development of a two-stage gene selection method that incorporates a novel hybrid approach using the cuckoo optimization algorithm and harmony search for cancer classification.

Elyasigomari V, Lee DA, Screen HRC and SHAHEED MH. *Journal of Biomedical Informatics* vol. 67, (2017) 11-20.

2016

Evaluation of the detrimental effects in osmotic power assisted reverse osmosis (RO) desalination.

He W, Wang Y, Elyasigomari V and Shaheed MH. *Renewable Energy* vol. 93, 608-619.

Dynamic battery cell model and state of charge estimation.

Wijewardana S, Vepa R and Shaheed MH. *Journal of Power Sources* vol. 308, 109-120. Elsevier.

Maximum power point tracking (MPPT) control of pressure retarded osmosis (PRO) salinity power plant: Development and comparison of different techniques.

He W, Luo X, Kiselychnyk O, Wang J and Shaheed MH. *Desalination* vol. 389, 187-196.

An evaluation of membrane properties and process characteristics of a scaled-up pressure retarded osmosis (PRO) process.

He W, Wang Y, Mujtaba IM and Shaheed MH. *Desalination* vol. 378, 1-13. Elsevier.

Optimum Power Output Control of a Wind Turbine Rotor.

Wijewardana S, Shaheed MH and Vepa R. *International Journal of Rotating Machinery* vol. 2016, 1-8. Hindawi.

2015

Maximum power point tracking (MPPT) of a scale-up pressure retarded osmosis (PRO) osmotic power plant.

He W, Wang Y and Shaheed MH. *Applied Energy* vol. 158, 584-596.Elsevier.

Cancer classification using a novel gene selection approach by means of shuffling based on data clustering with optimization.

Elyasigomari V, Mirjafari MS, Screen HRC and Shaheed MH. *Applied Soft Computing Journal* vol. 35, 43-51.

Flying by the Sun only: The Solarcopter prototype.

Shaheed MH, Abidali A, Ahmed J, Ahmed S, Burba I, Fani PJ, Kwofie G, Wojewoda K and Munjiza A. *Aerospace Science and Technology* vol. 45, 209-214.

Stand-alone seawater RO (reverse osmosis) desalination powered by PV (photovoltaic) and PRO (pressure retarded osmosis).

He W, Wang Y and Shaheed MH. *Energy* vol. 86, 423-435.Elsevier.

Enhanced energy generation and membrane performance by two-stage pressure retarded osmosis (PRO).

He W, Wang Y and Shaheed MH. *Desalination* vol. 359, 186-199.Elsevier.

2014

Modelling of osmotic energy from natural salt gradients due to pressure retarded osmosis: Effects of detrimental factors and flow schemes.

He W, Wang Y and Shaheed MH. *Journal of Membrane Science* vol. 471, 247-257.

Thermodynamic analysis of a stand-alone reverse osmosis desalination system powered by pressure retarded osmosis.

He W, Wang Y, Sharif A and Shaheed MH. *Desalination* vol. 352, 27-37.

Energy and thermodynamic analysis of power generation using a natural salinity gradient based pressure retarded osmosis process.

He W, Yang W and SHAHEED MH. *Desalination* vol. 350, 86-94.Elsevier/Science Direct.

2013

Modelling and control of the barrett hand for grasping.

Hasan MR, Vepa R, Shaheed H and Huijberts H. *Proceedings - Uksim 15th International Conference On Computer Modelling and Simulation, Uksim 2013* 230-235.

Grand challenges in magnetic capsule endoscopy.

Carpi F and Shaheed H. *Expert Review of Medical Devices* vol. 10, (4) 433-436.

2012

Real time adaptive nonlinear model inversion control of a twin rotor MIMO system using neural networks.

Rahideh A, Bajodah AH and Shaheed MH. *Engineering Applications of Artificial Intelligence* vol. 25, (6) 1289-1297.

Adaptive closed-loop control of a single-link flexible manipulator.

SHAHEED MH and Tokhi O. *Journal of Vibration and Control.Sage Journal*.

Constrained output feedback model predictive control for nonlinear systems.

Rahideh A and Shaheed MH. *Control Engineering Practice* vol. 20, (4) 431-443.

2011

Stable model predictive control for a nonlinear system.

Rahideh A and Hasan Shaheed M. *Journal of The Franklin Institute* vol. 348, (8) 1983-2004.

Grey-box modelling of a non-linear aerodynamic system using genetic algorithms.

Rahideh A and Shaheed MH. *P I Mech Eng G-J Aer* vol. 225, (G8) 863-873.

2010

Real time nonlinear model predictive control for fast systems.

Rahideh A and Shaheed MH. *Speedam 2010 - International Symposium On Power Electronics, Electrical Drives, Automation and Motion* 1732-1737.

2008

Neural network-based modelling of a two-degrees-of-freedom twin rotor multiple input, multiple output system using conjugate gradient learning algorithms.

Rahideh A and Shaheed MH. *P I Mech Eng G-J Aer* vol. 222, (G6) 757-771.

Dynamic modelling of a TRMS using analytical and empirical approaches.

Rahideh A, Shaheed MH and Huijberts HJC. *Control Engineering Practice* vol. 16, (3) 241-259.

Open-loop control of flexible manipulators using command generation techniques.

AZAD AKM, SHAHEED M, MOHAMED Z, TOKHI MO and POERWANTO H. *Flexible Manipulators: Modelling, Simulation and Control. Iet.*

Parametric and non-parametric modelling of flexible manipulators.

SHAHEED MH and TOKHI MO. *Flexible Robot Manipulators: Modelling, Simulation and Control* 77-96. Editors: TOKHI MO and Azad AKM. *The Institution of Engineering and Technology.*

Collocated and non-collocated control of flexible manipulators.

SHAHEED M, TOKHI M, AZAD A and POERWANTO H. *Flexible Manipulators: Modelling, Simulation and Control*. Editors: TOKHI M and AZAD A. *Institution of Engineering and Technology.*

2007

Adaptive non-linear model inversion control of a twin rotor multi-input multi-output system using artificial intelligence.

Rahideh A, Shaheed HM and Bajodah AH. *P I Mech Eng G-J Aer* vol. 221, (G3) 343-351.

Mathematical dynamic modelling of a twin-rotor multiple input-multiple output system.

Rahideh A and Shaheed MH. *P I Mech Eng I-J Sys* vol. 221, (II) 89-101.

2005

Adaptive inverse-dynamic and neuro-inverse-dynamic active vibration control of a single-link flexible manipulator.

Shaheed MH, Poerwanto H and Tokhi MO. *P I Mech Eng I-J Sys* vol. 219, (I6) 431-448.

Feedforward neural network based non-linear dynamic modelling of a TRMS using RPROP algorithm.

Shaheed MH. *Aircr Eng Aerosp Tec* vol. 77, (1) 13-22.

2002

Non-linear modelling of a one-degree-of-freedom twin-rotor multi-input multi-output system using radial basis function networks.

Ahmad SM, Shaheed MH, Chipperfield AJ and Tokhi MO. *P I Mech Eng G-J Aer* vol. 216, (G4) 197-208.

Dynamic modelling of a single-link flexible manipulator: parametric and non-parametric approaches.

Shaheed MH and Tokhi MO. *Robotica* vol. 20, 93-109.

2001

Dynamic characterisation of a flexible manipulator system.

Tokhi MO, Mohamed Z and Shaheed MH. *Robotica* vol. 19, 571-580.

Modelling and open-loop control of a single-link flexible manipulator with neural networks.

Shaheed MH and Tokhi MO. *J Low Freq Noise VA* vol. 20, (2) 105-131.

Modelling and Open-Loop Control of a Single-Link Flexible Manipulator with Genetic Algorithms.

SHAHEED MH, Azad AKM, Chipperfield AJ and Tokhi MO. *Journal of Low Frequency Noise, Vibration and Active Control* vol. 20, (1) 39-55.

2000

Dynamic modelling of a flexible manipulator system incorporating payload: Theory and experiments.

Tokhi MO, Mohamed Z and Shaheed MH. *J Low Freq Noise V A* vol. 19, (4) 209-229.

Nonlinear modelling of a twin rotor mimo system using radial basis function networks.

Ahmad SM, Shaheed MH, Chipperfield AJ and Tokhi MO. *Proceedings of The Ieee 2000 National Aerospace and Electronics Conference* 313-320.

1999

Finite element simulation of a flexible manipulator part 1: Sequential processing techniques.

Tokhi MO, Shaheed MH, Ramos-Hernandez DN and Poerwanto H. *J Low Freq Noise V A* vol. 18, (4) 191-205.

Finite element simulation of a flexible manipulator - Part 2: Parallel processing techniques.

Tokhi MO, Shaheed MH, Ramos-Hernandez DN and Poerwanto H. *J Low Freq Noise V A* vol. 18, (3) 149-166.